R3850-1.2-

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

OP

LENGTH OF STAY BY OPERATION



UNITED STATES



1984



Length of Stay by Operation, United States, 1984

A Companion Volume To Length of Stay by Diagnosis, United States, 1984

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1985

LENGTH OF STAY

Copyright 1985 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1984
. . . by Diagnosis, United States, North Central Region, 1984
. . . by Diagnosis, United States, Northeastern Region, 1984
. . . by Diagnosis, United States, Southern Region, 1984
. . . by Diagnosis, United States, Western Region, 1984
. . . by Diagnosis, Canada, 1984

. . . by Operation, United States, 1984
. . . by Operation, United States, North Central Region, 1984
. . . by Operation, United States, Northeastern Region, 1984
. . . by Operation, United States, Southern Region, 1984
. . . by Operation, United States, Western Region, 1984
. . . by Operation, Canada, 1984

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1984
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1984

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1984 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1984 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1984 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Wilma J. Allen, Senior Contract Manager
Carol A. Prevost, Research Associate
Jean C. Haar, Research Clerk

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 6
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 15
  Summary of All Patients. 16
  Operation Groups 501-764. 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1984

Hospital Class (1)	Short-Term Nonfederal Hospitals U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	Short-Term Nonfederal Hospital Beds U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	334	65	19.5	6,186	1,283	20.7
25-49	1,156	271	23.4	42,594	10,371	24.3
50-99	1,294	414	32.0	93,091	29,756	32.0
100-199	1,233	388	31.5	175,270	55,535	31.7
200-299	693	221	31.9	168,434	54,709	32.5
300-399	417	141	33.8	141,646	47,929	33.8
400-499	270	91	33.7	119,835	40,323	33.6
500+	314	79	25.2	218,303	51,582	23.6
Total	5,711	1,670	29.2	965,359	291,488	30.2
Region and Census Division						
Northeast	819	332	40.5	206,566	68,649	33.2
New England	242	112	46.3	48,660	19,162	39.4
Middle Atlantic	577	220	38.1	157,906	49,487	31.3
North Central	1,689	594	35.2	277,174	105,715	38.1
East North Central	892	358	40.1	187,719	77,606	41.3
West North Central	797	236	29.6	89,455	28,109	31.4
South	2,141	402	18.8	338,768	67,644	20.0
South Atlantic	811	210	25.9	159,089	38,464	24.2
East South Central	496	100	20.2	72,022	14,961	20.8
West South Central	834	92	11.0	107,657	14,219	13.2
West	1,062	342	32.2	142,851	49,480	34.6
Mountain	367	148	40.3	39,415	20,416	51.8
Pacific	695	194	27.9	103,436	29,064	28.1
Total	5,711	1,670	29.2	965,359	291,488	30.2

The Pediatric book was compiled from the data of 1,662 hospitals. The Geriatric book was compiled from the data of 1,650 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1983 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called ***ICD-9-CM List B: Hospital Procedure Groups.***[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] ***ICD-9-CM List B: Hospital Procedure Groups*** is based on the ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in ***UHDDS Classes of Procedures, ICD-9-CM,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	**2**		**235**
for: Cystoscopy			636
TUR			**648**
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	**Transurethral approach**
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure **INDEX TO PROCEDURES**

- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) *(see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** *(see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy (complete) (partial) NEC** 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - **transurethral 60.2**
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	402790	3.0	14	<1	1	2	3	5	8	18
20-34	857395	3.3	9	<1	1	3	4	6	7	14
35-49	336703	4.3	17	<1	1	3	6	9	11	20
50-64	271501	5.0	23	1	1	4	6	10	13	22
65+	249754	5.6	33	1	1	4	7	12	16	27
2. MULTIPLE DX										
0-19 YRS	362871	5.4	68	1	1	3	6	11	18	50
20-34	802630	5.2	35	1	1	4	6	9	13	32
35-49	621254	6.7	48	1	2	5	8	13	18	37
50-64	842797	8.2	69	1	2	6	10	16	23	45
65+	1513906	10.1	93	2	2	7	13	20	28	55
TOT. SINGLE DX	2118143	3.9	16	<1	1	3	5	8	11	20
" MULTIPLE DX	4143458	7.8	72	1	2	5	10	16	23	47
TOTAL 0-19 YRS	765661	4.1	41	<1	1	3	4	8	12	36
20-34	1660025	4.2	22	1	1	3	5	7	10	24
35-49	957957	5.9	39	1	1	4	7	11	16	32
50-64	1114298	7.4	60	1	2	5	9	15	21	41
65+	1763660	9.4	87	2	2	7	12	19	26	52
GRAND TOTAL	**6261601**	**6.5**	**57**	**1**	**1**	**4**	**8**	**14**	**19**	**40**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	439	8.6	44	1	2	8	11	16	21	34
20-34	439	11.3	81	2	4	9	13	20	27	45
35-49	543	11.4	44	3	5	10	14	20	25	36
50-64	637	13.7	92	4	5	12	16	24	31	48
65+	572	14.3	122	4	6	11	17	24	34	67
2. MULTIPLE DX										
0-19 YRS	807	17.2	275	2	3	12	22	41	60	99+
20-34	677	20.8	306	4	7	15	28	53	78	99+
35-49	918	20.1	273	6	7	15	26	47	67	99+
50-64	1719	20.9	264	5	7	16	26	46	63	99+
65+	2431	23.0	269	6	8	18	30	48	64	99+
TOT. SINGLE DX	2630	12.1	83	2	4	10	15	22	28	50
" MULTIPLE DX	6552	21.1	276	5	7	16	27	47	64	99+
TOTAL 0-19 YRS	1246	14.2	211	1	2	10	18	31	48	92
20-34	1116	17.1	239	3	5	12	22	38	62	99+
35-49	1461	16.9	206	5	6	13	20	35	54	99+
50-64	2356	18.9	228	5	6	14	23	40	58	99+
65+	3003	21.3	253	5	7	17	27	44	60	99+
GRAND TOTAL	**9182**	**18.5**	**238**	**4**	**6**	**14**	**23**	**40**	**58**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	384	7.3	32	2	3	6	9	13	16	31
20-34	180	11.8	86	3	4	9	14	21	28	54
35-49	144	12.6	116	3	4	10	15	23	27	69
50-64	205	13.6	116	4	4	10	16	26	36	63
65+	170	13.2	73	4	5	11	16	23	28	47
2. MULTIPLE DX										
0-19 YRS	416	16.6	211	4	5	11	24	43	54	99+
20-34	384	19.9	298	4	6	15	31	64	99+	99+
35-49	316	20.6	279	5	6	16	29	50	97	99+
50-64	519	22.7	292	6	7	18	30	53	75	99+
65+	767	23.7	308	6	8	18	31	51	66	99+
TOT. SINGLE DX	1083	10.9	82	3	4	8	13	21	28	49
" MULTIPLE DX	2402	21.3	289	5	6	16	29	50	74	99+
TOTAL 0-19 YRS	800	12.2	147	3	4	8	14	30	43	99+
20-34	564	17.3	245	3	5	13	23	49	86	99+
35-49	460	18.1	242	4	6	14	23	44	77	99+
50-64	724	20.1	259	5	6	15	26	45	66	99+
65+	937	21.8	283	6	7	17	27	47	63	99+
GRAND TOTAL	**3485**	**18.0**	**248**	**4**	**5**	**13**	**24**	**43**	**63**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	688	5.1	8	2	2	5	6	8	10	15
20-34	189	6.4	49	2	2	5	7	10	13	49
35-49	73	6.3	19	1	2	5	9	13	15	22
50-64	58	7.0	22	2	3	6	8	13	17	27
65+	14	7.1	14	2	3	7	9	13	14	14
2. MULTIPLE DX										
0-19 YRS	486	9.1	98	2	3	7	10	18	26	65
20-34	356	11.2	160	2	3	8	13	28	47	99+
35-49	183	12.0	157	2	3	8	15	25	44	74
50-64	111	11.6	115	3	4	8	17	29	50	99+
65+	71	13.9	311	3	4	9	13	29	76	98
TOT. SINGLE DX	1022	5.6	18	2	2	5	7	9	12	18
" MULTIPLE DX	1207	10.7	141	2	3	7	12	22	40	99+
TOTAL 0-19 YRS	1174	6.8	49	2	3	5	7	11	17	43
20-34	545	9.5	128	2	3	6	11	19	39	99+
35-49	256	10.4	125	2	3	7	13	21	35	71
50-64	169	10.0	88	2	3	7	13	23	35	99+
65+	85	12.8	268	3	3	8	12	26	65	96
GRAND TOTAL	**2229**	**8.4**	**91**	**2**	**3**	**6**	**9**	**16**	**26**	**78**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	466	6.0	17	2	3	5	7	10	13	23
20-34	73	9.4	38	3	4	8	11	17	22	35
35-49	59	9.3	52	5	5	8	11	14	18	54
50-64	72	10.2	40	3	3	10	12	18	19	41
65+	143	12.6	97	4	5	10	17	23	28	43
2. MULTIPLE DX										
0-19 YRS	777	14.4	284	3	3	8	17	41	73	99+
20-34	158	16.1	215	4	6	12	19	39	66	99+
35-49	111	17.7	226	3	4	13	25	52	92	99+
50-64	251	21.7	279	6	7	16	31	53	73	99+
65+	635	23.3	271	6	8	19	30	47	67	99+
TOT. SINGLE DX	813	8.1	44	2	3	7	10	15	20	31
" MULTIPLE DX	1932	18.6	286	3	4	13	25	46	70	99+
TOTAL 0-19 YRS	1243	11.3	201	2	3	7	12	28	49	99+
20-34	231	14.0	169	3	5	11	17	29	51	99+
35-49	170	14.8	181	3	5	10	19	38	61	99+
50-64	323	19.1	249	5	6	13	25	47	69	99+
65+	778	21.3	257	5	7	18	28	43	61	99+
GRAND TOTAL	**2745**	**15.5**	**238**	**3**	**3**	**10**	**20**	**37**	**57**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	908	5.2	18	1	2	4	6	10	14	25
20-34	156	8.9	62	2	2	7	11	21	26	36
35-49	83	8.8	109	2	2	6	10	18	23	67
50-64	60	11.3	148	2	3	7	10	28	40	60
65+	55	8.1	52	2	2	7	9	16	26	97
2. MULTIPLE DX										
0-19 YRS	1784	10.4	170	2	2	6	12	25	36	83
20-34	410	18.5	375	2	4	11	26	52	78	99+
35-49	255	14.2	208	2	3	10	21	42	72	99+
50-64	272	20.9	301	3	5	16	29	52	66	99+
65+	360	21.1	309	3	4	17	30	47	61	98
TOT. SINGLE DX	1262	6.3	41	1	2	4	7	12	18	33
" MULTIPLE DX	3081	14.0	249	2	2	8	18	36	52	99+
TOTAL 0-19 YRS	2692	8.7	126	2	2	5	9	20	30	72
20-34	566	15.9	308	2	3	9	21	40	66	99+
35-49	338	12.9	189	2	2	8	17	37	59	99+
50-64	332	19.1	287	3	4	14	27	49	62	99+
65+	415	19.4	295	2	4	14	28	45	60	99+
GRAND TOTAL	4343	11.8	200	2	2	7	14	30	45	96

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	10.4	70	4	5	8	13	19	24	54
20-34	728	8.8	31	3	4	7	10	16	20	30
35-49	1526	9.0	34	3	4	8	11	15	18	29
50-64	1511	9.5	32	4	4	8	11	16	20	32
65+	865	10.6	30	5	5	9	12	17	21	32
2. MULTIPLE DX										
0-19 YRS	142	16.4	191	5	6	12	20	33	45	74
20-34	712	13.2	123	4	5	10	15	24	39	77
35-49	1758	12.5	96	4	5	10	15	23	32	71
50-64	3007	13.4	100	5	6	10	16	25	33	61
65+	3292	16.5	139	6	7	13	20	30	39	73
TOT. SINGLE DX	4715	9.5	34	4	4	8	11	16	20	31
" MULTIPLE DX	8911	14.4	120	5	6	11	17	27	36	68
TOTAL 0-19 YRS	227	14.2	154	5	5	10	16	28	40	67
20-34	1440	10.9	82	4	4	8	13	20	26	60
35-49	3284	10.9	71	4	5	9	12	19	26	48
50-64	4518	12.1	81	4	5	10	14	22	29	54
65+	4157	15.2	122	5	6	12	18	28	36	65
GRAND TOTAL	13626	12.7	96	4	5	10	15	23	31	59

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	216	8.5	39	2	2	7	11	16	21	34
20-34	607	6.3	34	1	2	4	8	13	18	26
35-49	738	6.3	34	1	2	4	8	14	17	28
50-64	383	6.6	36	1	2	5	9	14	17	29
65+	143	8.2	50	1	1	7	11	17	21	33
2. MULTIPLE DX										
0-19 YRS	419	14.3	163	3	4	11	18	31	44	99+
20-34	609	12.2	176	1	2	9	15	28	42	99+
35-49	824	11.7	146	2	2	8	14	26	[illegible]	67
50-64	758	14.1	159	2	3	11	18	31	[illegible]	75
65+	690	18.4	238	2	4	14	25	39	[illegible]	89
TOT. SINGLE DX	2087	6.7	37	1	2	5	9	14	18	28
" MULTIPLE DX	3300	14.1	182	2	2	10	18	32	44	84
TOTAL 0-19 YRS	635	12.4	129	2	3	9	15	24	37	76
20-34	1216	9.3	115	1	2	6	12	21	30	75
35-49	1562	9.1	101	1	2	6	12	20	28	59
50-64	1141	11.6	131	2	2	8	15	26	34	64
65+	833	16.7	221	2	3	13	22	37	49	87
GRAND TOTAL	5387	11.2	139	1	2	8	14	25	36	71

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	133	2.9	5	<1	<1	2	3	7	8	11
20-34	599	2.9	7	<1	<1	2	3	7	9	13
35-49	926	3.2	8	<1	1	2	4	7	10	14
50-64	996	3.0	14	<1	1	2	3	6	8	14
65+	455	3.6	13	<1	1	2	4	8	10	20
2. MULTIPLE DX										
0-19 YRS	129	5.6	62	1	1	3	5	14	19	38
20-34	464	4.9	42	<1	1	3	5	10	15	36
35-49	660	5.6	38	1	1	3	7	12	17	30
50-64	951	6.0	57	1	1	3	8	12	20	50
65+	708	7.3	74	1	2	4	9	16	22	45
TOT. SINGLE DX	3109	3.1	11	<1	1	2	3	7	9	15
" MULTIPLE DX	2912	6.0	56	1	1	3	7	13	19	40
TOTAL 0-19 YRS	262	4.2	35	<1	1	2	4	9	14	30
20-34	1063	3.8	24	<1	1	2	4	8	11	26
35-49	1586	4.2	23	<1	1	3	5	9	12	23
50-64	1947	4.5	38	<1	1	3	5	9	13	31
65+	1163	5.8	54	1	1	3	7	13	18	37
GRAND TOTAL	6021	4.5	35	<1	1	3	5	10	14	28

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	474	2.2	4	<1	1	2	3	4	5	10
20-34	2961	2.0	2	<1	<1	2	2	3	4	8
35-49	3971	2.2	3	<1	<1	2	2	4	5	9
50-64	3575	2.2	2	<1	<1	2	2	4	5	9
65+	1847	2.2	3	<1	<1	2	2	4	5	10
2. MULTIPLE DX										
0-19 YRS	692	2.9	21	<1	1	2	3	5	8	27
20-34	2046	3.1	19	<1	1	2	3	6	8	19
35-49	2788	3.8	22	1	1	2	4	8	11	24
50-64	3409	3.9	20	1	1	2	4	8	12	23
65+	2967	4.3	35	1	1	2	4	9	14	30
TOT. SINGLE DX	12828	2.2	3	<1	<1	2	2	4	5	9
" MULTIPLE DX	11902	3.8	25	1	1	2	4	8	11	25
TOTAL 0-19 YRS	1166	2.6	15	<1	1	2	3	4	7	17
20-34	5007	2.5	10	<1	<1	2	3	4	6	12
35-49	6759	2.8	12	<1	<1	2	3	5	8	17
50-64	6984	3.0	12	<1	1	2	3	6	9	18
65+	4814	3.5	25	<1	1	2	3	7	11	25
GRAND TOTAL	24730	2.9	14	<1	<1	2	3	5	8	18

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	4.7	3	2	2	5	6	7	8	9
20-34	137	6.2	18	1	2	5	7	12	16	23
35-49	99	6.2	31	1	2	5	7	12	15	37
50-64	72	6.1	12	1	2	5	9	11	13	15
65+	64	9.3	29	3	4	8	12	15	18	34
2. MULTIPLE DX										
0-19 YRS	12	7.8	36	2	2	6	10	19	19	19
20-34	161	7.9	79	2	3	6	8	14	19	40
35-49	162	9.5	60	2	3	7	11	19	25	41
50-64	269	13.5	152	4	4	10	16	26	39	71
65+	644	15.6	135	5	6	13	19	28	35	72
TOT. SINGLE DX	386	6.6	23	1	2	5	8	12	15	23
" MULTIPLE DX	1248	13.3	129	3	4	10	16	25	33	69
TOTAL 0-19 YRS	26	6.2	20	2	2	5	6	13	19	19
20-34	298	7.1	52	1	3	6	7	13	18	27
35-49	261	8.3	52	1	2	6	10	16	23	40
50-64	341	12.0	132	2	4	9	14	23	32	70
65+	708	15.0	129	4	6	12	18	27	34	70
GRAND TOTAL	1634	11.7	112	2	4	9	15	22	31	65

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	5.9	27	1	1	4	8	12	19	22
20-34	118	4.5	20	<1	<1	3	6	11	13	22
35-49	124	5.9	24	<1	1	5	8	12	13	26
50-64	110	4.1	20	<1	<1	3	5	10	12	23
65+	53	4.7	23	<1	1	3	7	11	13	25
2. MULTIPLE DX										
0-19 YRS	17	7.1	93	1	1	4	8	12	32	42
20-34	169	8.5	63	1	2	6	11	16	27	40
35-49	233	8.4	74	1	2	6	11	18	23	45
50-64	241	9.4	95	1	2	7	11	19	24	60
65+	294	10.6	116	1	2	8	13	22	34	58
TOT. SINGLE DX	427	4.9	23	<1	<1	3	7	11	13	23
" MULTIPLE DX	954	9.3	92	1	2	7	12	19	26	56
TOTAL 0-19 YRS	39	6.4	55	1	1	4	8	12	20	42
20-34	287	6.9	50	<1	1	5	9	14	21	37
35-49	357	7.5	59	<1	1	6	10	16	21	33
50-64	351	7.7	78	<1	1	5	10	16	22	56
65+	347	9.7	106	1	2	7	12	20	32	56
GRAND TOTAL	1381	8.0	75	<1	1	5	10	17	23	47

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	344	3.7	5	1	2	3	4	5	7	15
20-34	2259	3.6	2	1	2	3	4	5	6	9
35-49	2724	3.7	2	2	2	4	4	5	6	10
50-64	1944	3.9	3	2	2	4	5	5	7	10
65+	774	4.4	5	2	3	4	5	6	8	13
2. MULTIPLE DX										
0-19 YRS	156	4.9	10	2	3	4	6	8	11	19
20-34	1166	4.6	13	2	2	4	5	7	10	16
35-49	1774	5.1	14	2	3	4	5	8	12	22
50-64	1990	5.5	20	2	3	4	6	10	13	26
65+	1584	7.6	65	2	3	5	8	15	22	42
TOT. SINGLE DX	8045	3.8	3	2	2	4	4	5	6	10
" MULTIPLE DX	6670	5.7	29	2	3	4	6	10	14	29
TOTAL 0-19 YRS	500	4.1	8	1	2	4	5	6	8	18
20-34	3425	4.0	7	2	2	4	5	6	7	12
35-49	4498	4.2	8	2	2	4	5	6	8	16
50-64	3934	4.7	13	2	2	4	5	7	10	18
65+	2358	6.5	48	2	3	5	7	12	18	40
GRAND TOTAL	**14715**	**4.7**	**16**	**2**	**2**	**4**	**5**	**7**	**10**	**21**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	812	2.0	1	<1	1	2	2	3	4	7
20-34	441	2.9	7	1	1	3	3	5	6	10
35-49	352	3.2	3	1	1	3	4	5	6	9
50-64	286	4.2	12	1	2	4	5	7	10	16
65+	173	5.2	33	1	2	4	5	8	14	22
2. MULTIPLE DX										
0-19 YRS	159	4.1	20	1	1	2	5	9	15	24
20-34	304	6.4	46	1	2	4	8	13	16	33
35-49	465	6.4	37	2	2	5	8	12	15	30
50-64	780	7.2	42	2	3	5	8	13	19	35
65+	771	10.4	108	2	3	7	13	23	30	55
TOT. SINGLE DX	2064	3.0	8	1	1	2	4	5	6	13
" MULTIPLE DX	2479	7.7	65	2	2	5	9	16	22	44
TOTAL 0-19 YRS	971	2.4	5	<1	1	2	3	4	5	14
20-34	745	4.4	26	1	1	3	5	8	12	26
35-49	817	5.0	25	1	2	4	6	9	12	24
50-64	1066	6.4	36	2	2	5	7	12	17	34
65+	944	9.4	99	2	3	6	11	21	27	52
GRAND TOTAL	**4543**	**5.6**	**45**	**1**	**1**	**4**	**6**	**11**	**17**	**34**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	71	9.0	70	2	4	7	9	15	22	56
20-34	178	8.7	25	4	5	8	10	13	16	27
35-49	140	9.4	20	4	5	8	11	16	20	23
50-64	124	9.6	36	4	5	8	11	14	18	38
65+	51	11.5	82	4	6	9	13	19	27	56
2. MULTIPLE DX										
0-19 YRS	58	13.2	184	4	5	9	14	23	40	82
20-34	218	11.3	55	5	6	10	13	19	23	39
35-49	261	13.2	112	5	6	10	15	24	31	57
50-64	346	14.3	145	4	6	10	17	27	35	66
65+	303	16.9	210	3	6	13	21	31	53	99+
TOT. SINGLE DX	564	9.3	38	4	5	8	11	14	19	35
" MULTIPLE DX	1186	14.1	144	4	6	10	17	25	35	78
TOTAL 0-19 YRS	129	10.9	125	3	4	8	12	18	29	67
20-34	396	10.1	44	5	5	9	11	17	20	29
35-49	401	11.9	84	4	5	9	14	21	26	47
50-64	470	13.1	121	4	5	10	14	24	33	65
65+	354	16.2	195	3	6	13	20	30	51	99+
GRAND TOTAL	**1750**	**12.6**	**114**	**4**	**5**	**10**	**14**	**23**	**31**	**67**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	515	1.2		<1	<1	1	1	2	2	4
20-34	105	1.7	1	<1	<1	1	2	3	5	7
35-49	141	2.0	16	<1	<1	1	2	2	4	27
50-64	199	1.9	1	<1	<1	2	2	3	4	6
65+	278	2.0	2	<1	<1	2	2	4	5	9
2. MULTIPLE DX										
0-19 YRS	94	2.7	30	<1	<1	1	2	4	8	37
20-34	55	5.4	84	<1	1	2	5	16	22	56
35-49	173	4.4	35	<1	<1	2	5	9	15	34
50-64	303	4.8	40	<1	1	2	6	11	17	33
65+	660	5.6	59	<1	1	3	7	13	20	36
TOT. SINGLE DX	1238	1.6	3	<1	<1	1	2	3	4	6
" MULTIPLE DX	1285	5.0	51	<1	1	2	6	12	18	36
TOTAL 0-19 YRS	609	1.4	5	<1	<1	1	1	2	2	6
20-34	160	3.0	33	<1	<1	2	2	6	9	27
35-49	314	3.3	28	<1	<1	2	3	7	12	32
50-64	502	3.7	27	<1	<1	2	3	8	12	30
65+	938	4.5	45	<1	<1	2	5	10	16	32
GRAND TOTAL	**2523**	**3.4**	**30**	**<1**	**<1**	**2**	**3**	**8**	**12**	**29**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	853	1.7	1	<1	<1	1	2	3	3	7
20-34	276	2.0	1	<1	<1	2	2	3	4	6
35-49	480	1.7		<1	<1	1	2	3	3	4
50-64	660	1.7	1	<1	<1	1	2	3	3	5
65+	917	1.7	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	983	2.9	17	<1	1	2	3	5	7	24
20-34	1187	3.3	21	<1	1	2	4	6	9	22
35-49	1001	3.0	10	<1	1	2	3	6	8	20
50-64	1355	3.4	29	<1	1	2	3	6	9	32
65+	2075	4.5	51	1	1	2	4	11	16	42
TOT. SINGLE DX	3186	1.7	1	<1	<1	2	2	3	3	6
" MULTIPLE DX	6601	3.6	31	<1	1	2	4	7	11	29
TOTAL 0-19 YRS	1836	2.3	11	<1	1	2	2	4	6	15
20-34	1463	3.1	18	<1	1	2	3	6	8	21
35-49	1481	2.6	8	<1	<1	2	3	5	7	15
50-64	2015	2.8	21	<1	1	2	3	5	7	25
65+	2992	3.7	38	<1	1	2	3	8	13	34
GRAND TOTAL	**9787**	**3.0**	**22**	**<1**	**1**	**2**	**3**	**5**	**9**	**24**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	170	1.7		<1	<1	1	2	3	3	6
20-34	146	2.0	2	1	1	2	2	3	4	7
35-49	153	1.9		1	1	2	2	3	3	7
50-64	149	2.1		1	1	2	2	3	3	5
65+	286	2.2	2	1	1	2	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	108	2.4	11	<1	1	2	2	4	5	23
20-34	114	2.3	2	1	1	2	2	4	6	10
35-49	106	2.6	2	1	1	2	3	4	6	10
50-64	191	2.7	17	1	1	2	3	4	5	12
65+	504	3.0	10	1	1	2	3	5	7	14
TOT. SINGLE DX	904	2.0	2	1	1	2	2	3	3	7
" MULTIPLE DX	1023	2.7	10	1	1	2	3	4	6	13
TOTAL 0-19 YRS	278	2.0	5	<1	<1	2	2	3	4	8
20-34	260	2.1	2	1	1	2	2	3	5	10
35-49	259	2.2	2	1	1	2	3	4	5	8
50-64	340	2.4	10	1	1	2	3	3	4	7
65+	790	2.7	8	1	1	2	3	4	6	13
GRAND TOTAL	**1927**	**2.4**	**6**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	69	1.8	3	<1	<1	1	2	3	6	12
20-34	36	2.6	8	<1	<1	2	2	4	8	17
35-49	24	1.9	2	<1	<1	1	2	4	6	7
50-64	30	2.0	2	<1	<1	2	2	4	4	8
65+	34	2.0	2	<1	<1	2	2	3	6	9
2. MULTIPLE DX										
0-19 YRS	47	3.0	7	<1	<1	2	4	6	8	15
20-34	43	3.6	54	<1	1	2	4	6	8	49
35-49	33	5.5	58	<1	1	3	6	10	21	40
50-64	51	4.0	14	<1	1	2	5	9	13	17
65+	90	3.9	18	<1	1	2	4	9	12	23
TOT. SINGLE DX	193	2.0	4	<1	<1	1	2	4	6	11
" MULTIPLE DX	264	3.9	26	<1	1	2	4	8	12	25
TOTAL 0-19 YRS	116	2.3	6	<1	<1	1	2	5	7	14
20-34	79	3.1	33	<1	<1	2	3	5	8	40
35-49	57	3.9	38	<1	<1	2	4	9	11	39
50-64	81	3.3	11	<1	<1	2	4	8	10	16
65+	124	3.3	15	<1	1	2	3	8	11	21
GRAND TOTAL	**457**	**3.1**	**18**	**<1**	**<1**	**2**	**3**	**7**	**9**	**19**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	62	3.6	9	1	1	3	4	6	9	20
20-34	261	2.8	3	1	1	3	3	5	5	9
35-49	211	2.6	1	1	1	2	3	4	5	8
50-64	198	3.1	6	1	1	3	4	5	7	10
65+	647	3.0	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	83	4.0	10	1	1	3	5	6	9	21
20-34	119	4.0	12	1	1	3	5	8	11	20
35-49	171	3.9	14	1	1	3	4	8	13	21
50-64	356	4.0	12	1	1	3	4	7	10	21
65+	1832	3.7	8	1	1	3	4	6	8	15
TOT. SINGLE DX	1379	2.9	4	1	1	3	4	5	6	9
" MULTIPLE DX	2561	3.8	10	1	1	3	4	6	8	18
TOTAL 0-19 YRS	145	3.8	10	1	1	3	4	6	9	21
20-34	380	3.2	6	1	1	3	4	5	7	16
35-49	382	3.2	8	1	1	3	4	5	8	16
50-64	554	3.7	11	1	1	3	4	6	8	21
65+	2479	3.5	8	1	1	3	4	6	7	15
GRAND TOTAL	3940	3.5	8	1	1	3	4	6	7	15

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	339	2.8	3	<1	<1	2	4	6	6	9
20-34	432	1.9	2	<1	<1	1	2	4	5	7
35-49	333	1.6	1	<1	<1	1	2	3	3	7
50-64	191	2.1	3	<1	<1	2	2	4	6	11
65+	204	2.0	2	<1	<1	2	2	4	5	8
2. MULTIPLE DX										
0-19 YRS	265	3.8	6	1	1	3	5	7	8	13
20-34	257	4.3	10	1	1	4	6	8	11	20
35-49	189	3.8	13	<1	1	3	5	8	11	19
50-64	164	3.5	12	<1	1	2	4	7	10	20
65+	382	4.2	28	1	1	2	4	10	14	24
TOT. SINGLE DX	1499	2.1	3	<1	<1	2	2	4	5	8
" MULTIPLE DX	1257	4.0	16	1	1	3	5	8	11	20
TOTAL 0-19 YRS	604	3.2	5	<1	1	3	4	6	7	11
20-34	689	2.8	6	<1	<1	2	4	6	8	13
35-49	522	2.4	7	<1	<1	2	3	5	7	14
50-64	355	2.8	8	<1	<1	2	3	6	8	16
65+	586	3.4	20	<1	1	2	4	7	12	23
GRAND TOTAL	2756	2.9	9	<1	<1	2	4	6	8	16

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	150	2.3	8	<1	1	2	3	4	5	24
20-34	96	2.9	5	1	1	2	3	6	8	13
35-49	184	2.8	4	1	1	2	3	5	6	10
50-64	441	2.7	2	1	1	2	3	4	6	10
65+	834	2.6	2	<1	1	2	3	4	5	11
2. MULTIPLE DX										
0-19 YRS	126	2.9	13	1	1	2	3	5	8	48
20-34	116	4.1	18	1	1	3	5	7	12	26
35-49	143	4.2	24	1	1	3	5	7	11	52
50-64	528	4.4	30	1	1	3	5	8	12	37
65+	1425	3.7	14	1	1	3	4	7	10	19
TOT. SINGLE DX	1705	2.6	4	1	1	2	3	4	6	11
" MULTIPLE DX	2338	3.9	19	1	1	3	4	7	10	24
TOTAL 0-19 YRS	276	2.6	10	<1	1	2	3	5	6	24
20-34	212	3.6	13	1	1	3	4	7	9	21
35-49	327	3.4	14	1	1	3	4	6	8	22
50-64	969	3.6	19	1	1	2	4	7	9	23
65+	2259	3.3	11	1	1	2	4	6	9	16
GRAND TOTAL	4043	3.4	13	1	1	2	4	6	9	18

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	131	3.8	11	<1	1	3	5	8	11	17
20-34	133	3.1	5	1	1	3	4	6	7	13
35-49	101	2.7	7	<1	1	2	3	5	7	16
50-64	180	2.5	4	<1	1	2	3	5	6	10
65+	406	2.5	5	<1	1	2	3	4	6	15
2. MULTIPLE DX										
0-19 YRS	154	4.4	23	<1	1	3	5	8	12	20
20-34	178	4.1	9	1	1	3	5	9	12	15
35-49	112	4.3	24	1	1	3	5	8	10	34
50-64	271	4.4	24	1	1	3	5	10	13	27
65+	886	4.7	30	1	1	3	5	10	15	33
TOT. SINGLE DX	951	2.8	7	<1	1	2	3	5	7	15
" MULTIPLE DX	1601	4.5	26	1	1	3	5	10	13	28
TOTAL 0-19 YRS	285	4.1	18	<1	1	3	5	8	11	20
20-34	311	3.7	8	1	1	3	5	7	10	15
35-49	213	3.5	17	1	1	2	4	7	9	26
50-64	451	3.6	17	1	1	2	4	7	11	20
65+	1292	4.0	24	1	1	2	4	9	12	27
GRAND TOTAL	2552	3.9	19	1	1	2	4	8	12	23

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	95	2.2	2	<1	1	2	2	3	5	10
20-34	34	2.5	1	1	1	2	3	4	5	8
35-49	460	2.1		1	1	2	2	3	3	4
50-64	3455	2.1		1	1	2	2	3	3	4
65+	14705	2.2	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	62	3.1	5	<1	1	3	4	5	10	13
20-34	56	4.1	22	1	2	3	4	7	11	33
35-49	419	3.1	9	1	2	2	3	5	8	20
50-64	3544	2.8	10	1	2	2	3	4	6	13
65+	19263	2.8	10	1	2	2	3	4	6	15
TOT. SINGLE DX	18749	2.1	1	1	1	2	2	3	3	5
" MULTIPLE DX	23344	2.8	11	1	2	2	3	4	6	15
TOTAL 0-19 YRS	157	2.6	4	<1	1	2	3	4	7	11
20-34	90	3.5	15	1	1	2	4	6	9	25
35-49	879	2.6	5	1	1	2	3	4	5	13
50-64	6999	2.4	6	1	1	2	3	3	4	10
65+	33968	2.5	7	1	2	2	3	3	4	12
GRAND TOTAL	42093	2.5	7	1	1	2	3	3	4	11

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	297	2.1	4	<1	1	2	2	3	4	7
20-34	144	1.9		<1	1	2	2	3	3	6
35-49	1405	1.8		<1	1	2	2	3	3	4
50-64	7451	1.8		<1	1	2	2	2	3	4
65+	31153	1.9		<1	1	2	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	238	3.4	40	1	1	2	3	6	8	29
20-34	156	2.9	10	1	1	2	3	5	8	16
35-49	1024	2.3	4	1	1	2	2	3	4	11
50-64	7342	2.3	4	1	1	2	2	3	4	11
65+	38585	2.4	7	1	1	2	2	3	4	12
TOT. SINGLE DX	40450	1.9	1	<1	1	2	2	2	3	4
" MULTIPLE DX	47345	2.4	7	1	1	2	2	3	5	12
TOTAL 0-19 YRS	535	2.7	21	<1	1	2	3	4	6	15
20-34	300	2.4	6	<1	1	2	2	3	5	12
35-49	2429	2.0	2	<1	1	2	2	3	3	7
50-64	14793	2.1	3	<1	1	2	2	3	3	8
65+	69738	2.2	4	1	1	2	2	3	4	9
GRAND TOTAL	87795	2.2	4	1	1	2	2	3	4	9

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	2.1	2	<1	1	2	2	3	6	7
20-34	38	2.0		1	1	2	2	3	3	5
35-49	165	1.8		<1	1	2	2	2	3	4
50-64	854	1.9	1	<1	1	2	2	2	3	4
65+	2987	1.9		<1	1	2	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	23	2.0	1	1	1	2	2	4	5	5
20-34	32	2.3	2	1	1	2	3	4	6	9
35-49	121	2.4	5	1	1	2	2	4	5	15
50-64	831	2.4	13	1	1	2	2	3	4	10
65+	3650	2.4	8	1	1	2	2	3	4	13
TOT. SINGLE DX	4058	1.9	1	<1	1	2	2	3	3	4
" MULTIPLE DX	4657	2.4	9	1	1	2	2	3	4	12
TOTAL 0-19 YRS	37	2.1	2	1	1	2	2	4	5	7
20-34	70	2.1	2	1	1	2	2	3	5	8
35-49	286	2.1	3	<1	1	2	2	3	4	10
50-64	1685	2.1	8	1	1	2	2	3	3	8
65+	6637	2.2	5	1	1	2	2	3	4	10
GRAND TOTAL	8715	2.2	5	1	1	2	2	3	4	9

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	218	3.9	4	1	1	4	5	7	8	12
20-34	483	3.9	7	1	1	3	5	7	8	16
35-49	575	3.8	4	1	2	3	5	6	8	12
50-64	1557	3.7	4	1	2	3	5	6	7	10
65+	1385	3.9	4	1	2	4	5	6	7	12
2. MULTIPLE DX										
0-19 YRS	191	4.5	6	1	2	4	6	8	10	99+
20-34	547	4.8	8	1	2	4	6	8	10	17
35-49	630	4.8	10	2	2	4	6	8	10	15
50-64	1992	4.6	10	1	2	4	6	8	9	15
65+	2824	4.7	8	2	2	4	6	8	9	15
TOT. SINGLE DX	4218	3.8	5	1	2	3	5	6	8	12
" MULTIPLE DX	6184	4.7	9	2	2	4	6	8	10	15
TOTAL 0-19 YRS	409	4.1	5	1	2	4	5	7	9	15
20-34	1030	4.4	9	1	2	4	5	7	9	16
35-49	1205	4.3	8	1	2	4	5	7	9	14
50-64	3549	4.2	8	1	2	4	5	7	8	13
65+	4209	4.4	7	2	2	4	5	7	9	15
GRAND TOTAL	10402	4.3	8	1	2	4	5	7	9	14

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	2.9	6	1	1	2	4	5	6	16
20-34	96	3.8	7	1	1	3	5	7	10	14
35-49	68	3.1	3	1	1	3	4	6	7	9
50-64	207	3.4	5	1	1	3	4	7	9	11
65+	441	3.0	5	1	1	2	3	6	7	11
2. MULTIPLE DX										
0-19 YRS	154	5.0	107	1	1	3	5	8	9	86
20-34	390	4.8	26	1	2	3	5	9	11	30
35-49	354	5.1	43	1	2	4	5	9	13	44
50-64	770	4.3	17	1	1	3	5	8	11	25
65+	1621	4.0	22	1	2	3	4	7	10	20
TOT. SINGLE DX	897	3.2	6	1	1	2	4	6	8	11
" MULTIPLE DX	3289	4.3	28	1	2	3	5	8	11	25
TOTAL 0-19 YRS	239	4.3	72	1	1	3	4	7	9	28
20-34	486	4.6	23	1	2	3	5	8	11	26
35-49	422	4.8	37	1	2	4	5	8	12	33
50-64	977	4.1	15	1	1	3	5	8	10	22
65+	2062	3.8	19	1	1	3	4	7	10	19
GRAND TOTAL	4186	4.1	24	1	1	3	5	7	10	22

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4455	1.4		<1	<1	1	2	2	2	2
20-34	638	1.6		<1	<1	2	2	2	2	3
35-49	367	1.7		<1	<1	2	2	2	3	4
50-64	168	1.7		<1	<1	2	2	2	3	4
65+	106	1.7		<1	<1	2	2	2	3	6
2. MULTIPLE DX										
0-19 YRS	1304	1.5		<1	<1	1	2	2	2	4
20-34	292	1.7		1	1	2	2	2	3	5
35-49	208	2.1	13	1	1	2	2	3	3	6
50-64	187	2.1	2	1	1	2	2	3	4	9
65+	164	2.4	9	1	1	2	2	3	5	33
TOT. SINGLE DX	5734	1.4		<1	<1	1	2	2	2	3
" MULTIPLE DX	2155	1.7	3	<1	<1	2	2	2	3	6
TOTAL 0-19 YRS	5759	1.4		<1	<1	1	2	2	2	3
20-34	930	1.7	1	<1	1	2	2	2	3	4
35-49	575	1.8	5	<1	1	2	2	2	3	4
50-64	355	1.9	2	<1	1	2	2	3	3	6
65+	270	2.1	6	<1	1	2	2	3	4	15
GRAND TOTAL	7889	1.5	1	<1	<1	1	2	2	2	4

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	1.4		<1	<1	1	2	2	2	2
20-34	6	1.7	1	1	1	1	2	4	4	4
35-49	3	1.3		1	1	1	2	2	2	2
50-64	3	6.7	65	2	2	2	13	16	16	16
65+	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	16	2.2	2	<1	1	2	2	4	6	7
20-34	15	2.9	4	<1	1	2	4	7	7	7
35-49	3	1.3		1	1	1	2	2	2	2
50-64	10	3.9	8	1	1	3	5	8	11	11
65+	9	5.3	24	1	1	3	8	13	16	16
TOT. SINGLE DX	25	2.1	9	<1	<1	1	2	2	7	16
" MULTIPLE DX	53	3.2	8	1	1	2	4	7	9	16
TOTAL 0-19 YRS	27	1.9	2	<1	<1	2	2	3	5	7
20-34	21	2.5	4	<1	1	2	3	6	7	7
35-49	6	1.3		1	1	1	2	2	2	2
50-64	13	4.5	19	1	1	3	5	12	15	16
65+	11	4.6	22	<1	1	2	7	12	16	16
GRAND TOTAL	78	2.8	9	<1	1	2	3	6	9	16

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	393	2.9	4	<1	<1	2	4	6	8	11
20-34	299	3.3	9	1	1	2	4	6	9	15
35-49	201	3.2	7	1	1	3	4	6	9	14
50-64	201	3.2	7	1	1	2	4	6	7	17
65+	296	2.9	6	1	1	2	3	5	7	16
2. MULTIPLE DX										
0-19 YRS	341	5.3	45	1	1	3	6	11	14	26
20-34	430	4.8	41	1	1	3	5	9	15	22
35-49	308	4.9	26	1	2	3	6	9	14	24
50-64	371	5.5	64	1	2	3	5	11	17	47
65+	871	5.3	47	1	1	3	6	11	14	37
TOT. SINGLE DX	1390	3.0	7	<1	1	2	4	6	8	14
" MULTIPLE DX	2321	5.2	46	1	1	3	6	11	14	33
TOTAL 0-19 YRS	734	4.0	25	<1	1	2	5	8	11	18
20-34	729	4.1	29	1	1	3	5	8	12	21
35-49	509	4.2	20	1	1	3	5	9	12	20
50-64	572	4.7	46	1	1	3	5	9	13	35
65+	1167	4.7	38	1	1	3	5	10	14	31
GRAND TOTAL	3711	4.4	32	1	1	3	5	9	12	26

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1127	1.9	2	<1	<1	1	2	4	5	8
20-34	338	2.4	6	<1	<1	2	3	4	7	12
35-49	242	2.2	8	<1	<1	2	2	4	5	15
50-64	237	2.5	9	<1	<1	2	3	5	7	21
65+	303	2.8	9	<1	<1	2	3	6	8	14
2. MULTIPLE DX										
0-19 YRS	908	3.3	22	<1	1	2	4	6	7	29
20-34	532	4.6	36	<1	1	3	5	10	15	33
35-49	297	5.0	34	<1	1	3	6	13	16	29
50-64	363	6.1	64	1	1	3	7	14	20	36
65+	732	7.7	91	1	2	5	9	17	24	60
TOT. SINGLE DX	2247	2.2	5	<1	<1	2	2	4	6	11
" MULTIPLE DX	2832	5.2	52	1	1	3	6	12	17	36
TOTAL 0-19 YRS	2035	2.5	12	<1	<1	2	3	5	6	15
20-34	870	3.7	26	<1	<1	2	4	8	12	27
35-49	539	3.7	25	<1	<1	2	4	8	15	29
50-64	600	4.7	46	<1	1	2	5	10	16	33
65+	1035	6.3	72	<1	1	3	7	14	20	50
GRAND TOTAL	**5079**	**3.9**	**34**	**<1**	**<1**	**2**	**4**	**8**	**13**	**31**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	171	2.0		1	1	2	3	3	3	5
20-34	791	2.1	1	1	1	2	3	3	4	5
35-49	1190	2.0		1	1	2	2	3	3	5
50-64	1023	2.1		1	1	2	3	3	4	5
65+	394	2.0		1	1	2	3	3	3	5
2. MULTIPLE DX										
0-19 YRS	150	1.9	1	1	1	2	2	3	3	8
20-34	373	2.0	1	1	1	2	2	3	4	5
35-49	440	2.3	3	1	1	2	3	3	4	8
50-64	593	2.5	6	1	1	2	3	4	4	10
65+	284	2.5	1	1	1	2	3	4	5	7
TOT. SINGLE DX	3569	2.0	1	1	1	2	3	3	4	5
" MULTIPLE DX	1840	2.3	3	1	1	2	3	3	4	8
TOTAL 0-19 YRS	321	1.9	1	1	1	2	2	3	3	5
20-34	1164	2.0	1	1	1	2	3	3	4	5
35-49	1630	2.1	1	1	1	2	3	3	4	6
50-64	1616	2.2	3	1	1	2	3	3	4	6
65+	678	2.2	1	1	1	2	3	3	4	6
GRAND TOTAL	**5409**	**2.1**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1888	1.6		<1	1	2	2	2	3	3
20-34	1247	1.8		1	1	2	2	3	3	4
35-49	1087	1.8		1	1	2	2	3	3	4
50-64	830	1.9		1	1	2	2	3	3	4
65+	352	1.8		1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	1915	1.7	1	<1	1	2	2	3	3	6
20-34	1166	2.0	8	1	1	2	2	3	4	6
35-49	1028	2.1	2	1	1	2	2	3	4	9
50-64	1156	2.3	10	1	1	2	3	3	4	9
65+	492	2.4	2	1	1	2	3	3	5	9
TOT. SINGLE DX	5404	1.7	1	1	1	2	2	3	3	4
" MULTIPLE DX	5757	2.0	5	1	1	2	2	3	4	8
TOTAL 0-19 YRS	3803	1.7	1	<1	1	2	2	2	3	4
20-34	2413	1.9	5	1	1	2	2	3	3	5
35-49	2115	1.9	2	1	1	2	2	3	3	6
50-64	1986	2.1	6	1	1	2	2	3	4	6
65+	844	2.1	2	1	1	2	3	3	4	8
GRAND TOTAL	**11161**	**1.9**	**3**	**1**	**1**	**2**	**2**	**3**	**3**	**6**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9038	1.1	1	<1	<1	<1	<1	1	1	3
20-34	241	1.6	1	<1	<1	1	2	3	4	8
35-49	206	1.7	1	<1	<1	1	2	3	5	7
50-64	173	1.6	1	<1	<1	1	2	2	3	8
65+	101	1.7	6	<1	<1	1	2	2	3	18
2. MULTIPLE DX										
0-19 YRS	7697	1.9	7	<1	<1	1	2	3	6	12
20-34	314	3.5	46	<1	<1	2	3	6	11	30
35-49	268	4.5	66	<1	1	2	4	11	15	36
50-64	286	4.7	42	<1	1	2	4	13	17	32
65+	236	7.8	133	<1	1	3	11	19	26	74
TOT. SINGLE DX	9759	1.1	1	<1	<1	<1	1	1	2	4
" MULTIPLE DX	8801	2.3	17	<1	<1	1	2	4	8	20
TOTAL 0-19 YRS	16735	1.5	5	<1	<1	<1	1	2	3	9
20-34	555	2.7	28	<1	<1	2	2	5	8	28
35-49	474	3.3	40	<1	<1	2	3	7	12	33
50-64	459	3.5	29	<1	<1	2	3	9	15	28
65+	337	6.0	103	<1	<1	2	7	16	21	65
GRAND TOTAL	**18560**	**1.7**	**9**	**<1**	**<1**	**<1**	**1**	**2**	**4**	**13**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	657	2.1	1	1	1	2	2	3	4	8
20-34	486	2.3	2	1	1	2	3	4	5	8
35-49	368	2.4	4	1	1	2	3	4	5	14
50-64	346	2.3	1	1	1	2	3	4	4	8
65+	149	2.8	3	1	1	3	3	5	5	10
2. MULTIPLE DX										
0-19 YRS	1209	2.8	13	1	1	2	3	4	7	17
20-34	879	2.8	9	1	1	2	3	5	7	16
35-49	763	2.9	12	1	1	2	3	4	7	21
50-64	818	3.3	17	1	1	2	3	5	8	22
65+	506	4.5	39	1	1	3	4	9	15	43
TOT. SINGLE DX	2006	2.3	3	1	1	2	3	4	5	9
" MULTIPLE DX	4175	3.1	17	1	1	2	3	5	8	21
TOTAL 0-19 YRS	1866	2.6	9	1	1	2	3	4	6	13
20-34	1365	2.6	7	1	1	2	3	4	6	13
35-49	1131	2.8	10	1	1	2	3	4	6	19
50-64	1164	3.0	13	1	1	2	3	4	7	16
65+	655	4.1	31	1	1	3	4	7	13	41
GRAND TOTAL	**6181**	**2.9**	**12**	**1**	**1**	**2**	**3**	**4**	**7**	**17**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	668	1.7	2	<1	<1	1	2	2	3	10
20-34	469	2.2	2	1	1	2	3	4	6	8
35-49	529	2.5	6	1	1	2	3	4	6	14
50-64	436	2.4	2	1	1	2	3	4	5	9
65+	217	2.6	4	1	1	2	3	4	7	13
2. MULTIPLE DX										
0-19 YRS	690	2.3	7	<1	<1	2	2	4	7	16
20-34	425	2.9	7	1	1	2	3	6	9	15
35-49	409	3.3	22	1	1	2	3	7	10	23
50-64	449	3.5	20	1	1	2	3	6	10	30
65+	297	5.0	61	1	1	3	5	11	15	46
TOT. SINGLE DX	2319	2.2	4	<1	1	2	2	4	5	10
" MULTIPLE DX	2270	3.2	21	<1	1	2	3	6	10	21
TOTAL 0-19 YRS	1358	2.0	5	<1	<1	1	2	3	5	13
20-34	894	2.6	5	1	1	2	3	5	7	12
35-49	938	2.9	13	1	1	2	3	5	7	19
50-64	885	3.0	12	1	1	2	3	5	8	15
65+	514	4.0	39	1	1	2	4	8	13	30
GRAND TOTAL	**4589**	**2.7**	**12**	**<1**	**1**	**2**	**3**	**5**	**7**	**16**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	651	2.1		1	1	2	3	3	4	5
20-34	1415	2.1	1	1	1	2	3	3	4	5
35-49	717	2.1		1	1	2	3	3	4	5
50-64	307	2.2	1	1	1	2	3	4	4	5
65+	70	2.7	7	1	1	2	3	4	5	19
2. MULTIPLE DX										
0-19 YRS	1633	2.2	5	1	1	2	3	3	4	6
20-34	3947	2.4	2	1	1	2	3	4	4	7
35-49	2415	2.5	6	1	1	2	3	4	5	9
50-64	1295	2.7	5	1	1	2	3	4	6	12
65+	421	3.3	11	1	1	3	3	5	9	16
TOT. SINGLE DX	3160	2.1	1	1	1	2	3	3	4	5
" MULTIPLE DX	9711	2.5	5	1	1	2	3	4	5	9
TOTAL 0-19 YRS	2284	2.2	4	1	1	2	3	3	4	5
20-34	5362	2.3	2	1	1	2	3	4	4	6
35-49	3132	2.4	5	1	1	2	3	4	4	8
50-64	1602	2.6	5	1	1	2	3	4	5	11
65+	491	3.2	11	1	1	2	3	5	8	18
GRAND TOTAL	**12871**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**4**	**8**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2068	2.0	1	1	1	2	2	3	4	6
20-34	3850	1.9	1	<1	1	2	2	3	4	5
35-49	1859	1.9	1	1	1	2	2	3	4	5
50-64	863	2.0	1	1	1	2	2	3	4	6
65+	261	2.4	3	1	1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	3845	2.2	3	1	1	2	3	4	4	7
20-34	8476	2.2	4	1	1	2	3	3	4	8
35-49	5373	2.3	3	1	1	2	3	4	5	9
50-64	2796	2.7	6	1	1	2	3	4	5	15
65+	1147	3.7	18	1	1	2	4	7	11	26
TOT. SINGLE DX	8901	1.9	1	1	1	2	2	3	4	5
" MULTIPLE DX	21637	2.4	5	1	1	2	3	4	5	11
TOTAL 0-19 YRS	5913	2.1	3	1	1	2	3	3	4	7
20-34	12326	2.1	4	1	1	2	3	3	4	7
35-49	7232	2.2	3	1	1	2	3	4	4	8
50-64	3659	2.5	6	1	1	2	3	4	5	13
65+	1408	3.4	16	1	1	2	4	7	10	24
GRAND TOTAL	**30538**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**4**	**9**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	318	2.0	1	<1	<1	2	2	3	5	8
20-34	365	1.9	1	<1	<1	2	2	3	4	6
35-49	377	2.0	2	<1	<1	2	2	3	4	9
50-64	561	2.2	4	<1	<1	2	2	4	5	10
65+	544	2.5	5	<1	<1	2	3	4	6	11
2. MULTIPLE DX										
0-19 YRS	590	2.5	5	<1	1	2	3	5	6	14
20-34	1077	2.6	14	<1	1	2	3	4	6	15
35-49	1195	2.7	9	<1	1	2	3	5	7	15
50-64	1449	3.2	15	1	1	2	3	6	9	20
65+	1550	5.1	50	1	1	3	6	11	15	39
TOT. SINGLE DX	2165	2.1	3	<1	<1	2	2	4	5	9
" MULTIPLE DX	5861	3.4	23	1	1	2	4	6	10	23
TOTAL 0-19 YRS	908	2.3	5	<1	<1	2	3	4	6	13
20-34	1442	2.4	12	<1	1	2	3	4	5	13
35-49	1572	2.6	8	<1	1	2	3	4	6	14
50-64	2010	2.9	12	<1	1	2	3	5	8	18
65+	2094	4.4	40	<1	1	3	5	9	14	33
GRAND TOTAL	**8026**	**3.1**	**18**	**<1**	**1**	**2**	**3**	**6**	**9**	**20**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1622	1.6	1	<1	<1	1	2	3	4	6
20-34	1319	2.0	2	<1	<1	1	2	4	5	8
35-49	507	3.0	5	<1	1	2	4	6	7	11
50-64	465	3.8	5	1	1	4	5	7	8	12
65+	363	4.1	7	1	1	4	6	7	9	13
2. MULTIPLE DX										
0-19 YRS	1223	3.1	21	<1	1	2	3	5	8	22
20-34	1765	3.3	15	1	1	2	4	6	8	14
35-49	951	4.5	28	1	1	3	5	8	11	29
50-64	1112	5.3	20	1	2	4	6	10	12	21
65+	1645	6.3	40	1	2	5	7	12	16	34
TOT. SINGLE DX	4276	2.3	4	<1	<1	2	3	5	6	10
" MULTIPLE DX	6696	4.5	27	1	1	3	5	9	11	25
TOTAL 0-19 YRS	2845	2.2	11	<1	<1	1	2	4	5	11
20-34	3084	2.7	10	<1	1	2	3	5	7	12
35-49	1458	3.9	21	1	1	3	5	8	10	22
50-64	1577	4.9	16	1	1	4	6	9	11	19
65+	2008	5.9	35	1	2	5	7	11	15	32
GRAND TOTAL	**10972**	**3.6**	**19**	**<1**	**1**	**2**	**4**	**7**	**10**	**19**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	147	2.3	3	1	1	2	3	4	5	10
20-34	610	2.3	3	1	1	2	3	4	5	12
35-49	584	2.6	4	1	1	2	3	4	5	10
50-64	437	2.7	3	1	1	2	3	5	6	10
65+	228	2.8	3	1	1	2	3	5	5	12
2. MULTIPLE DX										
0-19 YRS	242	3.6	43	1	1	2	3	6	8	42
20-34	853	3.5	15	1	1	2	4	7	11	21
35-49	979	3.7	20	1	1	3	4	7	10	22
50-64	902	4.1	22	1	1	3	4	9	13	22
65+	590	5.0	30	1	2	3	5	10	16	25
TOT. SINGLE DX	2006	2.5	4	1	1	2	3	4	5	11
" MULTIPLE DX	3566	4.0	23	1	1	3	4	8	12	24
TOTAL 0-19 YRS	389	3.1	29	1	1	2	3	5	7	17
20-34	1463	3.0	11	1	1	2	3	5	8	19
35-49	1563	3.3	15	1	1	2	4	5	9	16
50-64	1339	3.7	17	1	1	3	4	7	11	19
65+	818	4.4	24	1	1	3	4	9	14	25
GRAND TOTAL	**5572**	**3.5**	**17**	**1**	**1**	**2**	**4**	**6**	**10**	**21**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	269	2.6	6	<1	<1	2	3	6	8	12
20-34	455	3.0	7	<1	1	2	4	6	8	16
35-49	455	3.1	17	<1	1	2	4	6	8	20
50-64	387	3.2	7	1	1	2	4	7	8	15
65+	178	3.4	13	1	1	2	4	8	9	17
2. MULTIPLE DX										
0-19 YRS	549	5.0	41	<1	1	3	6	11	16	37
20-34	949	4.0	28	1	1	3	4	8	12	27
35-49	926	4.4	32	1	1	3	5	9	14	28
50-64	1004	4.9	34	1	1	3	6	10	15	31
65+	732	6.3	54	1	1	4	8	14	20	41
TOT. SINGLE DX	1744	3.0	10	<1	1	2	4	6	8	15
" MULTIPLE DX	4160	4.9	38	1	1	3	5	11	15	32
TOTAL 0-19 YRS	818	4.2	31	<1	1	2	5	10	13	34
20-34	1404	3.7	22	1	1	2	4	7	11	24
35-49	1381	4.0	28	1	1	3	4	8	12	26
50-64	1391	4.4	27	1	1	3	5	9	13	27
65+	910	5.7	48	1	1	3	7	13	18	36
GRAND TOTAL	**5904**	**4.3**	**30**	**1**	**1**	**3**	**5**	**9**	**13**	**28**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2870	1.4		<1	<1	1	2	2	2	3
20-34	2235	1.5	1	<1	<1	1	2	2	2	4
35-49	581	1.9	1	<1	<1	2	2	3	3	9
50-64	360	1.9	1	<1	1	2	2	3	4	7
65+	257	2.4	11	<1	1	2	2	3	4	11
2. MULTIPLE DX										
0-19 YRS	2134	2.3	18	<1	<1	2	2	4	5	26
20-34	2794	4.1	55	<1	1	2	3	9	17	41
35-49	1964	4.2	44	1	1	2	3	9	15	34
50-64	2271	4.6	47	1	1	2	4	10	16	40
65+	2465	6.7	105	1	1	3	7	17	28	90
TOT. SINGLE DX	6303	1.6	2	<1	<1	1	2	2	2	5
" MULTIPLE DX	11628	4.4	58	1	1	2	4	10	17	46
TOTAL 0-19 YRS	5004	1.8	8	<1	<1	1	2	2	3	11
20-34	5029	3.0	33	<1	<1	2	2	5	10	29
35-49	2545	3.7	36	<1	1	2	3	7	13	31
50-64	2631	4.2	42	1	1	2	4	9	15	38
65+	2722	6.3	98	1	1	3	6	15	27	70
GRAND TOTAL	**17931**	**3.4**	**40**	**<1**	**1**	**2**	**3**	**7**	**12**	**37**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	572	1.2		<1	<1	1	1	2	2	3
20-34	61	2.0	2	<1	<1	1	2	4	5	8
35-49	36	2.1	5	<1	<1	2	2	3	4	15
50-64	16	3.3	4	<1	1	3	5	7	8	8
65+	9	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	822	1.7	5	<1	<1	1	2	2	4	11
20-34	211	3.2	48	<1	<1	2	2	5	9	34
35-49	61	4.5	46	<1	1	2	4	10	22	35
50-64	35	3.3	6	1	1	2	4	8	9	11
65+	29	6.9	120	1	1	3	6	14	29	55
TOT. SINGLE DX	694	1.4	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	1158	2.3	20	<1	<1	1	2	4	6	23
TOTAL 0-19 YRS	1394	1.5	4	<1	<1	1	1	2	3	8
20-34	272	2.9	39	<1	<1	2	2	5	8	27
35-49	97	3.6	33	<1	<1	2	3	5	15	33
50-64	51	3.3	6	1	1	2	4	8	8	11
65+	38	5.6	96	1	1	2	4	13	23	55
GRAND TOTAL	**1852**	**1.9**	**13**	**<1**	**<1**	**1**	**2**	**3**	**5**	**15**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	227	2.3	5	<1	<1	2	3	4	5	14
20-34	244	2.3	3	<1	<1	2	3	4	6	9
35-49	463	2.2	2	<1	<1	2	3	4	4	7
50-64	406	2.6	3	<1	1	2	3	4	5	12
65+	122	3.1	5	1	1	3	4	5	6	15
2. MULTIPLE DX										
0-19 YRS	448	2.8	41	<1	<1	2	3	4	6	16
20-34	387	3.6	32	1	1	2	3	7	10	29
35-49	446	3.3	21	<1	1	2	3	5	9	21
50-64	589	4.3	47	1	1	3	4	8	12	35
65+	469	5.1	44	1	2	3	5	11	18	39
TOT. SINGLE DX	1462	2.4	3	<1	<1	2	3	4	5	10
" MULTIPLE DX	2339	3.9	39	1	1	2	4	7	11	30
TOTAL 0-19 YRS	675	2.6	29	<1	<1	2	3	4	6	16
20-34	631	3.1	21	<1	1	2	3	5	9	22
35-49	909	2.8	12	<1	1	2	3	4	6	18
50-64	995	3.6	30	1	1	2	3	6	9	28
65+	591	4.7	37	1	2	3	5	9	16	35
GRAND TOTAL	**3801**	**3.3**	**26**	**<1**	**1**	**2**	**3**	**5**	**9**	**23**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	405	2.8	4	<1	1	2	3	5	6	12
20-34	974	2.9	5	1	1	3	4	5	6	10
35-49	1201	2.9	3	1	1	3	4	5	6	8
50-64	1206	3.3	3	1	1	3	4	5	7	10
65+	902	3.5	3	1	2	3	4	6	7	11
2. MULTIPLE DX										
0-19 YRS	180	3.7	11	1	1	3	5	7	10	17
20-34	447	3.7	14	1	1	3	4	6	8	26
35-49	716	4.2	16	1	2	3	5	8	11	21
50-64	1135	4.7	16	1	2	4	5	8	11	22
65+	1524	6.0	42	2	2	4	7	11	15	35
TOT. SINGLE DX	4688	3.1	4	1	1	3	4	5	6	10
" MULTIPLE DX	4002	4.9	27	1	2	4	5	9	13	27
TOTAL 0-19 YRS	585	3.1	7	<1	1	2	4	5	8	14
20-34	1421	3.2	8	1	1	3	4	5	6	13
35-49	1917	3.4	8	1	1	3	4	6	8	15
50-64	2341	4.0	10	1	2	3	5	7	9	16
65+	2426	5.0	29	1	2	4	5	9	13	28
GRAND TOTAL	**8690**	**4.0**	**15**	**1**	**1**	**3**	**4**	**7**	**9**	**18**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1152	3.4	2	1	1	3	4	6	7	8
20-34	45	2.9	1	1	1	3	4	4	5	6
35-49	42	3.4	5	1	1	3	4	6	7	14
50-64	41	3.0	3	1	1	2	4	6	7	8
65+	10	3.3	4	1	1	3	4	6	8	8
2. MULTIPLE DX										
0-19 YRS	1123	4.0	6	2	2	4	5	7	8	11
20-34	67	3.7	14	1	1	3	5	6	10	25
35-49	71	4.7	46	1	1	3	4	8	12	40
50-64	79	4.3	24	1	1	3	4	7	14	29
65+	20	4.9	6	1	2	5	7	8	10	11
TOT. SINGLE DX	1290	3.4	3	1	1	3	4	6	7	8
" MULTIPLE DX	1360	4.1	10	1	2	4	5	7	8	14
TOTAL 0-19 YRS	2275	3.7	5	1	2	3	5	6	7	10
20-34	112	3.4	10	1	1	3	4	5	6	19
35-49	113	4.2	32	1	1	3	4	7	9	39
50-64	120	3.8	17	1	1	3	4	6	8	26
65+	30	4.4	6	1	1	4	6	8	9	11
GRAND TOTAL	**2650**	**3.8**	**7**	**1**	**2**	**3**	**5**	**6**	**7**	**11**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1779	2.9	5	<1	<1	2	4	6	7	9
20-34	493	3.3	11	<1	<1	2	4	7	8	15
35-49	462	3.3	10	<1	1	2	4	7	9	20
50-64	834	3.9	19	<1	1	2	4	9	12	21
65+	788	3.8	22	<1	1	2	4	8	11	20
2. MULTIPLE DX										
0-19 YRS	1715	4.0	33	1	1	3	5	7	10	30
20-34	1136	4.7	30	1	1	3	6	10	14	27
35-49	942	6.4	70	1	1	4	7	14	22	41
50-64	1642	7.9	98	1	1	4	10	19	28	56
65+	2356	8.4	112	1	2	5	10	19	27	60
TOT. SINGLE DX	4356	3.3	12	<1	1	2	4	7	9	17
" MULTIPLE DX	7791	6.6	79	1	1	4	8	15	22	48
TOTAL 0-19 YRS	3494	3.4	20	<1	1	2	4	6	8	20
20-34	1629	4.3	25	<1	1	3	5	9	12	26
35-49	1404	5.4	53	<1	1	3	6	12	19	38
50-64	2476	6.6	75	1	1	3	8	16	23	44
65+	3144	7.3	94	1	1	4	9	16	24	53
GRAND TOTAL	**12147**	**5.4**	**57**	**<1**	**1**	**3**	**6**	**11**	**18**	**39**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17720	1.6		<1	1	1	2	2	3	4
20-34	10780	1.7		1	1	2	2	3	3	4
35-49	1184	1.9	1	1	1	2	2	3	4	6
50-64	198	2.3	2	1	1	2	3	4	5	11
65+	70	2.4	3	1	1	2	3	4	6	12
2. MULTIPLE DX										
0-19 YRS	4993	1.8	2	1	1	1	2	3	3	7
20-34	2813	2.2	2	1	1	2	2	4	5	9
35-49	569	2.9	9	1	1	2	3	5	8	18
50-64	158	4.6	40	1	1	3	5	9	15	37
65+	72	5.2	23	1	1	3	9	12	15	21
TOT. SINGLE DX	29952	1.6	1	1	1	2	2	2	3	4
" MULTIPLE DX	8605	2.0	4	1	1	2	2	3	4	10
TOTAL 0-19 YRS	22713	1.6	1	1	1	1	2	2	3	4
20-34	13593	1.8	1	1	1	2	2	3	3	5
35-49	1753	2.2	4	1	1	2	2	4	5	10
50-64	356	3.3	21	1	1	2	3	6	10	24
65+	142	3.8	16	1	1	2	4	10	12	18
GRAND TOTAL	38557	1.7	1	1	1	2	2	3	3	6

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28656	1.5	1	<1	1	1	2	2	2	3
20-34	884	1.8	1	1	1	2	2	3	3	5
35-49	72	2.2	2	1	1	2	3	3	5	9
50-64	14	2.0		<1	1	2	2	3	4	4
65+	25	1.4		<1	1	1	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	23381	1.6	1	<1	1	1	2	2	3	5
20-34	411	2.2	4	1	1	2	3	4	5	8
35-49	45	3.1	4	1	1	2	4	6	7	9
50-64	9	2.8	5	1	1	1	4	7	7	7
65+	18	2.8	9	<1	1	2	3	6	11	14
TOT. SINGLE DX	29651	1.5	1	<1	1	1	2	2	2	3
" MULTIPLE DX	23864	1.6	1	<1	1	1	2	2	3	5
TOTAL 0-19 YRS	52037	1.5	1	<1	1	1	2	2	2	4
20-34	1295	1.9	2	1	1	2	2	3	4	6
35-49	117	2.5	3	1	1	2	3	5	6	9
50-64	23	2.3	3	<1	1	2	3	5	6	7
65+	43	2.0	5	<1	1	1	2	3	5	14
GRAND TOTAL	53515	1.5	1	<1	1	1	2	2	2	4

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1521	1.3		<1	<1	1	2	2	2	2
20-34	22	1.5		<1	<1	1	2	2	3	4
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	4	2.3	6	<1	<1	1	4	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	4810	1.4	4	<1	<1	1	2	2	2	5
20-34	35	2.3	7	<1	<1	2	2	4	11	12
35-49	4	3.5	11	<1	<1	2	6	8	8	8
50-64	8	1.5	1	<1	<1	1	2	3	4	4
65+	4	3.0	11	<1	<1	1	5	8	8	8
TOT. SINGLE DX	1550	1.3		<1	<1	1	2	2	2	2
" MULTIPLE DX	4861	1.4	5	<1	<1	1	2	2	2	6
TOTAL 0-19 YRS	6331	1.4	4	<1	<1	1	2	2	2	4
20-34	57	2.0	5	<1	<1	1	2	3	7	12
35-49	7	3.0	7	<1	<1	2	4	7	8	8
50-64	12	1.8	3	<1	<1	1	2	5	6	6
65+	4	3.0	11	<1	<1	1	5	8	8	8
GRAND TOTAL	6411	1.4	4	<1	<1	1	2	2	2	5

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1730	2.2	4	<1	1	2	3	4	5	8
20-34	1129	2.5	3	1	1	2	3	5	6	9
35-49	449	2.7	8	<1	1	2	3	5	6	13
50-64	377	3.3	15	<1	1	2	3	7	10	21
65+	302	3.8	16	<1	1	2	4	9	11	17
2. MULTIPLE DX										
0-19 YRS	651	3.8	31	1	1	3	4	6	10	30
20-34	481	3.9	26	1	1	3	5	7	9	18
35-49	421	5.4	47	1	1	3	6	11	17	42
50-64	681	7.8	86	1	1	4	10	18	26	50
65+	749	9.0	132	1	1	5	11	21	28	64
TOT. SINGLE DX	3987	2.6	7	<1	1	2	3	5	6	12
" MULTIPLE DX	2983	6.3	75	1	1	3	7	14	21	46
TOTAL 0-19 YRS	2381	2.6	13	<1	1	2	3	5	6	14
20-34	1610	2.9	11	1	1	2	4	5	7	12
35-49	870	4.0	29	1	1	2	4	8	12	31
50-64	1058	6.2	66	1	1	3	7	14	22	43
65+	1051	7.5	105	1	1	4	9	18	26	59
GRAND TOTAL	6970	4.1	40	1	1	2	4	9	13	34

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	187	1.8	2	<1	<1	1	2	4	5	7
20-34	103	2.7	3	1	1	2	3	5	6	10
35-49	124	2.9	4	<1	1	2	4	6	7	12
50-64	153	4.0	18	1	1	3	5	7	9	28
65+	158	3.3	5	<1	1	3	5	6	8	10
2. MULTIPLE DX										
0-19 YRS	416	3.5	12	1	1	3	4	6	7	12
20-34	89	5.4	83	1	1	4	5	10	13	61
35-49	174	5.0	33	1	1	4	6	10	15	27
50-64	385	5.2	35	1	1	4	6	9	12	26
65+	829	5.4	42	1	1	4	6	11	14	32
TOT. SINGLE DX	725	2.9	7	<1	<1	2	4	6	7	11
" MULTIPLE DX	1893	4.9	36	1	1	4	5	9	13	29
TOTAL 0-19 YRS	603	3.0	10	<1	<1	2	3	5	7	11
20-34	192	4.0	42	1	1	3	5	6	11	24
35-49	298	4.2	22	<1	1	3	5	8	11	23
50-64	538	4.8	31	1	1	4	6	9	12	27
65+	987	5.0	37	1	1	4	6	10	13	30
GRAND TOTAL	**2618**	**4.3**	**29**	**<1**	**1**	**3**	**5**	**8**	**11**	**24**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	489	1.8	2	<1	<1	1	2	2	4	10
20-34	561	1.5	1	<1	<1	1	2	2	2	4
35-49	1088	1.7	1	<1	<1	2	2	2	3	7
50-64	1721	1.9	2	<1	<1	2	2	3	3	10
65+	1009	2.0	9	<1	1	2	2	3	4	10
2. MULTIPLE DX										
0-19 YRS	242	3.1	21	<1	1	2	3	7	10	23
20-34	286	2.7	16	<1	1	2	2	4	8	30
35-49	739	3.6	36	<1	1	2	3	8	13	27
50-64	1781	4.2	45	<1	1	2	4	10	15	39
65+	1717	5.0	69	1	1	2	4	11	20	53
TOT. SINGLE DX	4868	1.8	4	<1	<1	2	2	2	3	9
" MULTIPLE DX	4765	4.2	50	<1	1	2	4	10	16	40
TOTAL 0-19 YRS	731	2.2	9	<1	<1	2	2	4	7	14
20-34	847	1.9	7	<1	<1	1	2	2	4	15
35-49	1827	2.5	17	<1	<1	2	2	4	8	20
50-64	3502	3.1	26	<1	1	2	2	6	11	25
65+	2726	3.9	49	<1	1	2	3	9	15	40
GRAND TOTAL	**9633**	**3.0**	**28**	**<1**	**1**	**2**	**2**	**6**	**10**	**27**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	43	2.8	13	<1	1	2	2	8	12	17
20-34	33	4.2	23	<1	1	2	5	13	15	22
35-49	51	6.0	29	1	1	3	10	14	17	21
50-64	129	8.4	83	1	1	6	11	19	28	49
65+	95	8.7	61	1	1	9	13	18	22	39
2. MULTIPLE DX										
0-19 YRS	85	6.9	126	<1	1	2	7	20	30	59
20-34	43	6.1	65	1	1	4	8	10	12	53
35-49	60	10.8	105	<1	1	8	17	27	30	46
50-64	225	12.9	104	1	2	11	18	24	32	59
65+	251	13.5	214	1	2	10	18	32	49	99+
TOT. SINGLE DX	351	7.0	59	1	1	3	11	16	21	37
" MULTIPLE DX	664	11.7	153	1	2	9	16	26	35	87
TOTAL 0-19 YRS	128	5.5	92	<1	1	2	5	15	22	51
20-34	76	5.3	48	1	1	3	7	11	14	45
35-49	111	8.6	75	1	1	6	13	21	27	38
50-64	354	11.2	101	1	1	9	16	24	31	51
65+	346	12.2	176	1	2	10	16	26	40	99+
GRAND TOTAL	**1015**	**10.1**	**125**	**1**	**1**	**7**	**14**	**22**	**32**	**65**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	8.5	43	3	3	6	12	18	18	18
35-49	35	13.3	30	3	8	13	15	21	24	26
50-64	153	15.8	46	9	10	14	18	23	30	58
65+	97	16.4	59	9	10	14	18	25	33	48
2. MULTIPLE DX										
0-19 YRS										
20-34	2	12.5	1	12	12	12	13	13	13	13
35-49	82	22.9	223	8	10	19	26	47	52	85
50-64	471	20.6	148	10	11	17	25	37	49	99+
65+	474	22.6	218	10	10	18	27	42	62	99+
TOT. SINGLE DX	290	15.5	51	8	10	14	18	23	30	50
" MULTIPLE DX	1029	21.7	188	9	11	18	26	40	55	99+
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	9.8	30	3	3	9	13	17	18	18
35-49	117	20.0	184	7	9	17	22	34	50	78
50-64	624	19.4	128	10	10	16	23	33	45	99+
65+	571	21.6	197	9	10	17	25	39	57	99+
GRAND TOTAL	**1319**	**20.3**	**164**	**9**	**10**	**16**	**24**	**37**	**49**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	11.8	115	1	1	10	22	26	26	26
20-34	4	6.5	16	3	3	5	9	12	12	12
35-49	10	6.9	50	1	2	4	6	19	25	25
50-64	17	23.7	767	1	2	6	49	66	79	84
65+	22	9.1	49	1	2	8	15	20	23	25
2. MULTIPLE DX										
0-19 YRS	45	25.1	456	2	4	24	53	99+	99+	99+
20-34	46	35.6	797	2	3	38	74	99+	99+	99+
35-49	57	27.0	532	3	4	26	44	84	99+	99+
50-64	219	27.9	469	5	6	24	46	79	99+	99+
65+	310	33.3	523	4	8	32	54	85	99+	99+
TOT. SINGLE DX	59	13.1	297	1	2	6	15	34	53	83
" MULTIPLE DX	677	30.7	528	4	6	29	51	87	99+	99+
TOTAL 0-19 YRS	51	23.5	432	1	3	20	47	98	99+	99+
20-34	50	33.3	797	2	3	30	68	99+	99+	99+
35-49	67	24.0	511	3	4	20	42	80	99	99+
50-64	236	27.6	489	4	6	23	46	76	99+	99+
65+	332	31.7	528	4	7	29	51	83	99+	99+
GRAND TOTAL	736	29.3	532	3	5	26	50	84	99+	99+

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	156	5.5	56	<1	1	3	7	11	17	55
20-34	67	3.3	10	<1	<1	2	4	7	10	18
35-49	80	5.9	98	<1	1	3	7	11	16	62
50-64	115	6.5	127	1	1	2	7	17	32	80
65+	106	5.2	65	<1	1	2	6	13	17	50
2. MULTIPLE DX										
0-19 YRS	471	17.2	403	1	1	11	26	65	99+	99+
20-34	300	23.3	580	2	2	14	42	82	99+	99+
35-49	315	25.8	599	2	3	19	44	83	99+	99+
50-64	906	24.8	568	1	2	18	47	76	99+	99+
65+	1256	31.5	642	2	3	31	57	93	99+	99+
TOT. SINGLE DX	524	5.4	75	<1	1	2	6	13	18	57
" MULTIPLE DX	3248	26.3	600	1	2	21	49	84	99+	99+
TOTAL 0-19 YRS	627	14.3	343	1	1	8	20	56	95	99+
20-34	367	19.7	537	1	2	10	34	74	99+	99+
35-49	395	21.8	562	1	2	13	37	73	95	99+
50-64	1021	22.8	552	1	2	15	43	71	99+	99+
65+	1362	29.4	647	1	2	28	54	89	99+	99+
GRAND TOTAL	3772	23.4	579	1	2	16	44	77	99+	99+

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	75	4.1	14	<1	1	3	5	10	12	17
20-34	376	5.2	27	1	1	3	7	11	13	33
35-49	601	6.4	60	1	1	4	8	13	19	38
50-64	1258	6.1	31	1	1	4	8	13	17	28
65+	1333	6.2	38	1	1	4	8	14	18	29
2. MULTIPLE DX										
0-19 YRS	125	8.9	80	1	2	6	12	22	30	61
20-34	931	11.6	121	2	2	8	16	26	35	58
35-49	2270	10.9	108	2	2	8	14	23	31	55
50-64	7084	10.8	90	2	2	9	14	22	28	49
65+	12348	12.0	104	2	3	9	16	24	31	56
TOT. SINGLE DX	3643	6.0	38	1	1	4	8	13	17	29
" MULTIPLE DX	22758	11.5	101	2	2	9	15	23	31	54
TOTAL 0-19 YRS	200	7.1	61	1	1	4	10	17	24	47
20-34	1307	9.8	103	1	2	7	13	22	30	55
35-49	2871	10.0	102	1	2	7	13	21	29	54
50-64	8342	10.1	84	1	2	8	13	21	27	47
65+	13681	11.4	101	2	2	9	15	23	30	54
GRAND TOTAL	26401	10.7	96	2	2	8	14	22	29	52

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	7.0	72	1	1	7	13	13	13	13
35-49										
50-64	2	12.0	200	2	2	12	22	22	22	22
65+	2	8.5	85	2	2	8	15	15	15	15
2. MULTIPLE DX										
0-19 YRS	10	17.9	784	1	1	7	12	66	89	89
20-34	4	15.0	111	4	4	15	24	25	25	25
35-49	2	18.5	25	15	15	18	22	22	22	22
50-64	12	11.1	60	1	1	12	15	23	25	25
65+	11	13.0	148	2	3	11	14	29	45	47
TOT. SINGLE DX	6	9.2	77	1	1	8	15	21	22	22
" MULTIPLE DX	39	14.2	260	1	2	11	15	25	46	89
TOTAL 0-19 YRS	10	17.9	785	1	1	7	12	66	89	89
20-34	6	12.3	98	1	1	10	23	25	25	25
35-49	2	18.5	25	15	15	18	22	22	22	22
50-64	14	11.2	67	1	1	12	15	23	24	25
65+	13	12.3	133	2	2	11	15	23	42	47
GRAND TOTAL	45	13.5	236	1	1	11	15	25	45	89

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	88	10.6	95	3	4	8	12	20	24	62
20-34	291	9.2	56	1	3	8	11	16	22	28
35-49	452	8.6	32	1	2	8	11	16	20	29
50-64	856	8.9	38	1	2	8	11	16	20	34
65+	752	8.8	58	1	1	8	12	17	20	36
2. MULTIPLE DX										
0-19 YRS	225	13.8	159	3	5	9	18	29	47	84
20-34	665	13.5	123	3	5	10	17	26	33	61
35-49	1190	13.1	125	2	4	10	16	26	34	65
50-64	3736	13.5	111	2	4	11	17	26	34	58
65+	5272	13.9	130	2	3	11	18	27	36	61
TOT. SINGLE DX	2439	8.9	48	1	2	8	11	16	20	34
" MULTIPLE DX	11088	13.7	124	2	4	11	17	26	35	61
TOTAL 0-19 YRS	313	12.9	143	3	4	9	15	26	39	74
20-34	956	12.2	107	2	4	9	15	23	30	57
35-49	1642	11.9	104	2	3	9	15	23	31	59
50-64	4592	12.6	101	2	3	10	16	24	32	53
65+	6024	13.3	124	2	3	11	17	26	34	59
GRAND TOTAL	**13527**	**12.8**	**114**	**2**	**3**	**10**	**16**	**25**	**33**	**58**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	11.8	58	5	5	10	16	21	29	36
20-34	35	10.5	29	4	6	9	12	17	19	33
35-49	140	11.4	21	6	7	10	13	17	19	31
50-64	449	12.3	30	7	7	11	14	20	23	33
65+	363	13.2	34	7	8	12	[illegible]	20	25	34
2. MULTIPLE DX										
0-19 YRS	48	14.5	78	7	7	11	17	25	37	44
20-34	96	15.9	179	6	7	12	17	29	39	83
35-49	468	15.7	118	6	7	13	18	29	35	71
50-64	2046	16.2	96	7	8	14	19	27	33	59
65+	2185	17.8	100	8	9	15	22	31	37	59
TOT. SINGLE DX	1010	12.4	32	7	7	11	15	19	24	34
" MULTIPLE DX	4843	16.9	102	7	8	14	20	29	36	59
TOTAL 0-19 YRS	71	13.6	73	5	6	10	17	24	35	44
20-34	131	14.4	144	6	7	11	15	24	35	72
35-49	608	14.7	99	6	7	12	17	26	33	61
50-64	2495	15.5	87	7	8	13	19	26	32	56
65+	2548	17.1	93	8	9	14	21	29	36	58
GRAND TOTAL	**5853**	**16.1**	**93**	**7**	**8**	**13**	**19**	**28**	**34**	**58**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	828	3.1	25	<1	1	2	3	7	9	22
20-34	367	5.5	34	1	1	3	7	11	17	30
35-49	562	5.4	32	<1	1	3	7	12	16	27
50-64	924	5.9	32	1	1	4	8	13	17	26
65+	859	6.6	43	1	1	4	9	14	19	34
2. MULTIPLE DX										
0-19 YRS	1200	8.4	122	1	1	5	10	19	27	79
20-34	1036	10.5	102	1	2	8	14	22	30	56
35-49	2072	10.0	98	1	2	7	13	21	28	58
50-64	5341	10.5	98	2	2	8	13	22	29	56
65+	8392	13.0	132	2	3	10	17	26	34	64
TOT. SINGLE DX	3540	5.3	36	<1	1	3	7	12	16	28
" MULTIPLE DX	18041	11.5	119	2	2	9	15	24	32	60
TOTAL 0-19 YRS	2028	6.2	90	1	1	3	7	14	22	56
20-34	1403	9.2	90	1	2	7	12	20	28	52
35-49	2634	9.1	88	1	2	6	12	20	26	53
50-64	6265	9.9	92	1	2	7	13	20	27	52
65+	9251	12.4	128	2	2	10	16	25	33	62
GRAND TOTAL	**21581**	**10.5**	**110**	**1**	**2**	**8**	**14**	**22**	**30**	**57**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	60	5.7	10	2	2	5	7	10	12	17
20-34	203	5.5	12	2	2	4	7	10	13	18
35-49	77	6.9	30	1	2	5	9	13	19	28
50-64	53	8.3	83	1	1	5	9	17	32	43
65+	37	6.4	29	1	1	5	9	16	18	21
2. MULTIPLE DX										
0-19 YRS	96	10.3	105	2	3	7	12	22	33	56
20-34	206	10.5	103	3	3	8	11	20	32	72
35-49	163	10.0	62	2	3	7	13	22	29	39
50-64	274	13.8	135	2	3	10	19	29	37	59
65+	358	13.0	111	2	3	10	18	26	33	56
TOT. SINGLE DX	430	6.2	26	1	2	5	7	11	16	28
" MULTIPLE DX	1097	12.0	110	2	3	9	16	26	33	59
TOTAL 0-19 YRS	156	8.5	74	2	3	6	9	17	23	47
20-34	409	8.1	64	2	3	6	9	15	21	46
35-49	240	9.0	54	2	3	6	12	20	28	36
50-64	327	12.9	131	1	2	9	18	28	37	53
65+	395	12.4	107	2	3	10	17	26	33	55
GRAND TOTAL	**1527**	**10.4**	**93**	**2**	**3**	**7**	**13**	**22**	**29**	**50**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	561	5.3	11	2	2	5	7	9	11	18
20-34	2113	5.4	14	2	2	5	7	9	12	17
35-49	740	6.2	19	2	2	5	7	11	15	22
50-64	388	8.3	45	2	3	7	11	15	20	30
65+	312	9.0	62	2	3	7	11	16	21	41
2. MULTIPLE DX										
0-19 YRS	1006	13.1	219	2	3	8	15	32	51	99+
20-34	2169	9.5	89	2	3	7	11	19	27	57
35-49	1694	10.8	88	3	3	8	13	22	29	50
50-64	3010	12.6	114	3	4	9	16	25	34	59
65+	4308	14.5	132	3	4	11	18	28	37	67
TOT. SINGLE DX	4114	6.1	23	2	2	5	7	11	14	23
" MULTIPLE DX	12187	12.5	125	3	4	9	15	25	35	68
TOTAL 0-19 YRS	1567	10.3	159	2	3	6	11	22	37	94
20-34	4282	7.5	57	2	3	5	8	14	19	43
35-49	2434	9.4	72	2	3	7	11	19	26	45
50-64	3398	12.1	108	3	4	9	15	24	32	58
65+	4620	14.1	129	3	4	11	18	27	36	64
GRAND TOTAL	16301	10.9	107	2	3	8	13	22	31	60

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	723	5.7	9	1	2	6	7	8	10	18
20-34	494	6.0	24	1	1	5	8	12	15	25
35-49	427	6.0	25	<1	1	5	9	13	15	25
50-64	473	6.6	38	1	1	5	9	15	19	26
65+	380	7.6	58	1	1	5	10	17	22	36
2. MULTIPLE DX										
0-19 YRS	359	10.1	102	2	3	7	11	21	28	53
20-34	698	11.8	106	1	2	9	15	25	32	48
35-49	983	11.4	103	2	2	9	15	24	32	50
50-64	2156	12.3	123	2	2	9	16	25	33	61
65+	3389	13.5	133	2	3	10	18	27	36	58
TOT. SINGLE DX	2497	6.3	29	1	1	5	8	12	17	26
" MULTIPLE DX	7585	12.6	124	2	3	9	16	26	34	57
TOTAL 0-19 YRS	1082	7.2	45	1	2	6	8	12	18	31
20-34	1192	9.4	81	1	2	7	12	21	27	43
35-49	1410	9.8	86	1	2	8	13	21	28	48
50-64	2629	11.3	113	1	2	9	15	23	30	58
65+	3769	12.9	129	2	3	10	17	27	35	57
GRAND TOTAL	10082	11.0	108	1	2	8	14	23	31	54

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	789	9.0	19	5	5	8	10	14	17	26
20-34	132	9.3	13	6	6	9	10	13	15	27
35-49	188	11.7	26	6	7	10	13	18	22	32
50-64	284	12.6	25	7	8	12	15	19	21	33
65+	155	14.2	65	8	9	13	16	20	23	38
2. MULTIPLE DX										
0-19 YRS	1765	12.9	102	5	6	10	15	24	33	81
20-34	452	16.2	162	6	7	11	18	34	45	80
35-49	850	15.8	113	7	8	13	18	27	37	68
50-64	2173	17.0	104	8	9	14	20	28	36	60
65+	2395	19.8	150	9	10	16	23	35	46	79
TOT. SINGLE DX	1548	10.5	29	5	6	9	12	16	20	30
" MULTIPLE DX	7635	16.7	129	7	8	13	20	30	40	73
TOTAL 0-19 YRS	2554	11.7	80	5	6	9	13	20	29	68
20-34	584	14.6	137	6	7	11	15	28	42	78
35-49	1038	15.0	100	7	8	12	17	25	34	65
50-64	2457	16.5	97	8	9	14	19	27	35	59
65+	2550	19.4	147	9	10	16	23	35	45	77
GRAND TOTAL	9183	15.7	118	6	7	13	18	28	37	69

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	9.0		9	9	9	9	9	9	9
20-34	22	10.1	5	7	7	10	11	13	15	16
35-49	482	10.8	14	6	7	10	12	15	18	28
50-64	1451	11.4	18	7	8	11	13	16	19	29
65+	652	12.3	22	7	8	11	15	18	22	28
2. MULTIPLE DX										
0-19 YRS	15	12.2	16	6	8	11	15	18	20	21
20-34	115	12.0	27	7	8	11	14	18	21	34
35-49	3868	11.9	32	7	8	10	13	18	21	35
50-64	15062	13.3	48	7	8	11	15	21	26	43
65+	10751	15.9	84	8	9	13	18	26	33	59
TOT. SINGLE DX	2609	11.5	19	7	8	11	13	17	19	28
" MULTIPLE DX	29811	14.1	62	7	8	12	16	22	29	49
TOTAL 0-19 YRS	17	11.8	15	7	8	11	14	18	20	21
20-34	137	11.7	24	7	8	11	13	18	20	33
35-49	4350	11.8	31	7	8	10	13	17	21	33
50-64	16513	13.1	46	7	8	11	15	20	25	42
65+	11403	15.7	82	8	9	13	18	26	33	58
GRAND TOTAL	32420	13.9	59	7	8	12	16	22	28	47

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1769	1.8	2	1	1	2	2	2	3	9
20-34	798	3.0	7	1	1	2	3	7	9	14
35-49	5005	3.0	7	1	1	2	3	7	9	13
50-64	8716	2.9	7	1	1	2	2	6	9	14
65+	2954	3.1	10	1	1	2	3	6	9	17
2. MULTIPLE DX										
0-19 YRS	3654	2.7	25	1	1	2	2	4	7	24
20-34	1879	4.8	31	1	1	2	6	11	14	25
35-49	16707	4.3	19	1	1	2	6	10	13	21
50-64	42167	4.6	24	1	1	2	6	11	14	23
65+	24848	5.8	38	1	1	3	8	13	18	29
TOT. SINGLE DX	19242	2.9	8	1	1	2	2	6	9	14
" MULTIPLE DX	89255	4.8	28	1	1	2	6	11	15	25
TOTAL 0-19 YRS	5423	2.4	18	1	1	2	2	3	6	18
20-34	2677	4.3	25	1	1	2	5	10	13	23
35-49	21712	4.0	17	1	1	2	5	9	12	19
50-64	50883	4.3	22	1	1	2	5	10	13	22
65+	27802	5.5	37	1	1	3	7	13	17	29
GRAND TOTAL	**108497**	**4.5**	**25**	**1**	**1**	**2**	**6**	**10**	**14**	**23**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	79	4.6	7	1	2	4	6	9	10	13
20-34	72	4.3	12	1	1	3	6	9	11	17
35-49	126	5.2	15	1	2	4	7	10	12	20
50-64	574	6.0	20	1	2	5	8	12	15	21
65+	2344	5.0	17	1	2	4	6	10	13	21
2. MULTIPLE DX										
0-19 YRS	157	7.3	47	1	2	5	9	14	22	37
20-34	199	8.2	61	1	2	6	11	16	23	44
35-49	736	10.3	66	2	2	9	14	19	23	42
50-64	4421	10.6	65	2	3	9	14	20	25	40
65+	23947	10.9	77	2	3	9	14	21	27	47
TOT. SINGLE DX	3195	5.2	18	1	2	4	7	10	13	21
" MULTIPLE DX	29460	10.8	75	2	3	9	14	21	27	46
TOTAL 0-19 YRS	236	6.4	35	1	2	5	8	12	18	33
20-34	271	7.2	51	1	2	5	9	15	20	41
35-49	862	9.6	63	2	2	8	13	18	23	37
50-64	4995	10.1	63	2	3	8	14	19	24	39
65+	26291	10.4	75	2	3	8	13	20	27	46
GRAND TOTAL	**32655**	**10.3**	**73**	**2**	**3**	**8**	**13**	**20**	**26**	**44**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	113	6.0	9	1	2	6	8	10	11	13
20-34	102	5.7	10	1	2	6	8	10	11	15
35-49	515	4.8	14	1	2	3	7	10	13	17
50-64	891	4.7	15	2	2	3	6	10	12	21
65+	305	4.8	17	1	2	3	6	11	14	21
2. MULTIPLE DX										
0-19 YRS	231	11.7	167	1	2	8	13	24	37	65
20-34	371	10.3	82	2	3	8	13	21	32	46
35-49	2325	6.9	44	2	2	5	9	13	18	34
50-64	5485	7.4	49	2	2	5	9	15	20	36
65+	3058	9.2	81	2	2	7	12	19	26	49
TOT. SINGLE DX	1926	4.9	15	2	2	3	6	10	12	19
" MULTIPLE DX	11470	7.9	62	2	2	5	10	16	22	42
TOTAL 0-19 YRS	344	9.8	123	1	2	7	11	19	29	58
20-34	473	9.3	70	2	2	7	11	18	27	45
35-49	2840	6.5	39	2	2	4	9	13	17	30
50-64	6376	7.0	46	2	2	5	9	14	19	34
65+	3363	8.8	77	2	2	6	11	18	24	47
GRAND TOTAL	**13396**	**7.5**	**56**	**2**	**2**	**5**	**10**	**15**	**20**	**39**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1041	2.8	9	<1	<1	2	3	6	8	17
20-34	413	3.6	24	<1	1	2	4	8	10	33
35-49	499	3.5	22	<1	<1	2	4	8	12	23
50-64	697	3.8	20	<1	<1	2	4	10	14	20
65+	618	4.9	40	<1	1	2	6	12	17	28
2. MULTIPLE DX										
0-19 YRS	2261	5.8	55	1	1	3	6	12	18	43
20-34	950	9.1	80	1	2	7	12	19	28	51
35-49	1737	8.7	71	1	1	6	11	18	25	46
50-64	4307	9.7	87	1	2	7	13	20	27	49
65+	10570	12.0	110	2	3	9	15	24	31	59
TOT. SINGLE DX	3268	3.6	22	<1	1	2	4	9	12	22
" MULTIPLE DX	19825	10.4	99	1	2	8	14	22	29	53
TOTAL 0-19 YRS	3302	4.8	43	<1	1	3	5	10	15	36
20-34	1363	7.4	70	1	1	5	10	16	23	48
35-49	2236	7.5	65	1	1	5	10	17	23	42
50-64	5004	8.9	82	1	1	6	12	19	26	46
65+	11188	11.6	110	1	2	9	15	24	31	58
GRAND TOTAL	**23093**	**9.4**	**94**	**1**	**1**	**7**	**13**	**20**	**27**	**50**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	90	2.9	2	<1	1	3	4	5	6	8
20-34	2047	3.4	4	1	1	3	4	5	6	10
35-49	3111	3.6	4	1	2	3	4	6	7	11
50-64	2141	4.2	9	1	2	4	5	7	8	17
65+	558	5.0	16	2	2	4	6	9	13	22
2. MULTIPLE DX										
0-19 YRS	19	5.2	36	<1	1	3	4	16	21	23
20-34	604	4.4	12	1	1	4	5	7	10	22
35-49	1417	5.3	25	1	2	4	6	10	14	25
50-64	1614	6.3	35	2	2	5	7	12	17	33
65+	977	8.7	86	2	3	6	10	17	25	55
TOT. SINGLE DX	7947	3.8	7	1	2	3	4	6	7	13
" MULTIPLE DX	4631	6.3	42	2	2	4	7	12	17	32
TOTAL 0-19 YRS	109	3.3	9	<1	1	3	4	5	6	21
20-34	2651	3.6	6	1	1	3	4	6	7	13
35-49	4528	4.1	12	1	2	3	5	7	9	18
50-64	3755	5.1	22	2	2	4	6	9	13	25
65+	1535	7.3	64	2	2	5	8	15	21	43
GRAND TOTAL	12578	4.7	21	1	2	4	5	8	11	24

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	104	7.2	13	2	3	7	9	11	13	21
20-34	107	7.3	52	1	1	5	9	16	21	39
35-49	378	8.1	27	1	2	8	10	13	16	27
50-64	1195	9.9	33	3	4	9	12	16	19	31
65+	1031	10.6	40	3	5	9	13	17	22	32
2. MULTIPLE DX										
0-19 YRS	421	12.5	129	3	5	9	15	22	33	81
20-34	693	12.2	145	2	2	9	16	26	35	70
35-49	1972	12.7	126	2	3	10	15	25	34	67
50-64	7683	14.5	134	4	6	11	17	27	38	71
65+	11668	17.2	160	5	7	14	21	33	44	79
TOT. SINGLE DX	2815	9.7	36	2	4	9	12	16	20	31
" MULTIPLE DX	22437	15.6	150	4	6	12	19	30	41	75
TOTAL 0-19 YRS	525	11.4	111	3	4	9	13	20	30	76
20-34	800	11.6	136	1	2	8	15	25	34	68
35-49	2350	12.0	114	2	3	9	14	23	32	64
50-64	8878	13.8	123	4	5	11	16	25	36	68
65+	12699	16.7	154	5	7	13	20	32	43	78
GRAND TOTAL	25252	15.0	141	4	5	12	18	29	39	73

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	9.0		9	9	9	9	9	9	9
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	6.0		6	6	6	6	6	6	6
65+	3	27.3	108	19	19	24	35	39	39	39
2. MULTIPLE DX										
0-19 YRS	2	17.5	85	11	11	17	24	24	24	24
20-34	2	39.0	722	20	20	39	58	58	58	58
35-49	7	16.7	35	11	11	15	22	26	26	26
50-64	12	19.7	176	8	9	17	23	36	54	57
65+	20	13.6	113	2	4	11	15	30	40	44
TOT. SINGLE DX	7	15.7	155	6	6	9	23	36	39	39
" MULTIPLE DX	43	17.1	152	4	7	13	20	29	49	58
TOTAL 0-19 YRS	3	14.0	79	7	7	11	21	24	24	24
20-34	3	29.0	661	9	9	20	48	58	58	58
35-49	8	15.4	45	6	7	14	20	25	26	26
50-64	13	18.6	176	6	8	17	21	33	52	57
65+	23	15.3	130	3	4	12	19	37	41	44
GRAND TOTAL	50	16.9	150	4	6	13	20	32	44	58

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	3.7	9	<1	<1	3	5	9	9	9
20-34	36	4.0	11	1	1	3	5	10	11	12
35-49	42	5.5	49	<1	1	4	7	9	13	44
50-64	38	5.8	48	1	1	4	6	12	25	30
65+	55	6.8	68	<1	1	4	8	15	20	51
2. MULTIPLE DX										
0-19 YRS	192	5.5	31	1	1	4	6	12	18	29
20-34	1583	5.7	37	1	1	4	7	12	16	31
35-49	2106	6.3	44	1	1	4	8	13	17	33
50-64	3831	7.0	54	1	2	5	9	14	20	39
65+	3993	8.3	73	1	2	6	10	17	24	46
TOT. SINGLE DX	185	5.5	45	<1	1	4	7	11	18	39
" MULTIPLE DX	11705	7.1	57	1	2	5	9	15	20	41
TOTAL 0-19 YRS	206	5.3	30	1	1	4	6	12	17	28
20-34	1619	5.7	37	1	1	4	7	12	16	31
35-49	2148	6.3	45	1	1	4	8	13	17	33
50-64	3869	7.0	54	1	2	5	9	14	20	39
65+	4048	8.3	73	1	2	6	10	17	24	46
GRAND TOTAL	11890	7.1	57	1	2	5	9	15	20	41

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1120	6.7	33	1	2	5	8	12	15	32
20-34	841	5.9	42	1	1	4	8	14	18	32
35-49	1088	7.2	58	1	1	5	9	16	21	37
50-64	3206	7.2	32	1	2	6	9	13	17	28
65+	4122	7.5	29	2	3	6	10	14	17	26
2. MULTIPLE DX										
0-19 YRS	8375	17.8	363	2	3	10	24	51	74	99+
20-34	3000	9.9	142	1	1	6	12	24	34	71
35-49	4911	10.5	127	1	2	7	13	24	33	66
50-64	18303	11.2	108	2	3	8	14	23	32	60
65+	33769	12.6	116	3	4	10	16	25	33	63
TOT. SINGLE DX	10377	7.2	35	1	2	6	9	13	17	29
" MULTIPLE DX	68358	12.6	151	2	3	9	15	26	38	79
TOTAL 0-19 YRS	9495	16.5	337	2	3	9	22	48	69	99+
20-34	3841	9.0	123	1	1	5	11	21	31	62
35-49	5999	9.9	117	1	2	7	12	22	31	61
50-64	21509	10.6	99	2	3	8	13	21	29	56
65+	37891	12.0	110	2	4	9	15	24	32	60
GRAND TOTAL	78735	11.9	139	2	3	9	14	25	36	75

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1522	3.0	9	<1	<1	2	4	6	9	15
20-34	1481	3.8	21	<1	<1	2	4	8	11	23
35-49	1069	3.8	16	<1	<1	2	4	9	12	18
50-64	1083	4.8	21	<1	1	3	6	10	14	23
65+	911	5.4	28	<1	1	4	7	12	15	28
2. MULTIPLE DX										
0-19 YRS	795	4.9	20	1	1	4	7	11	13	22
20-34	1332	8.0	79	1	1	6	10	16	22	48
35-49	1651	7.9	79	1	1	5	10	17	24	43
50-64	3084	8.9	79	1	2	6	11	20	26	43
65+	4197	10.3	97	1	2	8	13	22	29	50
TOT. SINGLE DX	6066	4.0	19	<1	<1	2	5	9	12	21
" MULTIPLE DX	11059	8.9	84	1	2	6	11	19	26	47
TOTAL 0-19 YRS	2317	3.6	14	<1	<1	2	5	8	11	18
20-34	2813	5.8	54	<1	1	3	7	13	18	38
35-49	2720	6.3	59	<1	1	4	8	14	19	37
50-64	4167	7.9	68	1	1	5	10	17	24	41
65+	5108	9.5	89	1	2	7	12	20	27	48
GRAND TOTAL	17125	7.2	67	<1	1	4	9	16	22	41

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	65	3.8	8	1	1	3	5	8	10	14
20-34	126	5.0	12	1	2	4	8	9	11	19
35-49	157	5.3	14	<1	1	4	7	10	13	20
50-64	247	6.7	33	1	2	6	8	12	17	28
65+	251	6.8	24	2	2	6	8	12	16	24
2. MULTIPLE DX										
0-19 YRS	64	6.7	25	1	2	6	9	13	17	25
20-34	259	7.9	25	2	3	7	9	14	17	26
35-49	340	9.1	92	2	2	7	10	17	26	58
50-64	973	10.9	95	2	3	8	13	22	30	51
65+	1231	11.4	106	3	4	8	13	22	30	59
TOT. SINGLE DX	846	6.0	23	1	2	5	8	10	15	24
" MULTIPLE DX	2867	10.5	94	2	3	8	12	21	29	55
TOTAL 0-19 YRS	129	5.2	19	1	1	4	7	10	13	23
20-34	385	6.9	23	1	2	6	9	12	15	24
35-49	497	7.9	71	1	2	6	9	15	22	51
50-64	1220	10.0	86	2	3	7	12	20	28	50
65+	1482	10.7	96	2	3	8	12	21	29	55
GRAND TOTAL	3713	9.5	81	2	3	7	11	19	26	50

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	7	8.6	13	5	5	7	11	14	15	15
35-49	6	16.2	254	3	3	11	25	42	44	44
50-64	4	3.3	7	1	1	2	5	7	7	7
65+	3	5.3	24	2	2	3	9	11	11	11
2. MULTIPLE DX										
0-19 YRS	4	20.8	134	6	6	23	30	30	30	30
20-34	9	20.0	487	2	2	11	25	59	65	65
35-49	5	17.6	373	2	2	10	31	48	48	48
50-64	8	6.1	15	2	2	5	10	11	11	11
65+	9	7.7	27	2	2	7	11	15	17	17
TOT. SINGLE DX	22	8.9	93	1	2	6	11	18	33	44
" MULTIPLE DX	35	13.4	222	2	2	10	16	30	49	65
TOTAL 0-19 YRS	6	15.3	152	3	3	12	30	30	30	30
20-34	16	15.0	299	2	3	9	14	47	60	65
35-49	11	16.8	277	2	2	10	25	46	48	48
50-64	12	5.2	14	1	1	4	8	11	11	11
65+	12	7.1	26	2	2	6	11	14	17	17
GRAND TOTAL	57	11.6	174	2	2	7	13	29	47	64

585: Bone marrow transplant (41.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	8	32.0	914	3	4	26	58	72	74	74
20-34	9	30.2	506	5	5	28	33	65	82	82
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	31	41.9	377	11	19	44	55	82	98	99+
20-34	17	45.4	238	28	29	39	59	68	75	78
35-49	8	34.8	80	22	24	32	41	48	49	49
50-64	4	39.3	49	31	31	39	44	48	48	48
65+	2	43.5	1513	16	16	43	71	71	71	71
TOT. SINGLE DX	17	31.1	654	4	5	28	45	73	79	82
" MULTIPLE DX	62	41.8	295	15	24	39	53	71	82	99+
TOTAL 0-19 YRS	39	39.9	483	4	7	44	55	77	92	99+
20-34	26	40.2	369	6	25	37	56	69	79	82
35-49	8	34.8	80	22	24	32	41	48	49	49
50-64	4	39.3	49	31	31	39	44	48	48	48
65+	2	43.5	1513	16	16	43	71	71	71	71
GRAND TOTAL	**79**	**39.5**	**385**	**6**	**12**	**38**	**51**	**72**	**81**	**99+**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	1291	6.0	32	1	1	5	7	10	13	32
20-34	975	7.3	41	2	2	6	8	13	18	35
35-49	695	8.0	62	2	2	6	9	15	25	41
50-64	832	7.9	54	2	2	6	9	15	22	37
65+	1029	8.2	62	2	2	6	10	16	23	42
2. MULTIPLE DX										
0-19 YRS	1946	9.9	115	1	2	7	11	22	30	55
20-34	2729	11.6	114	2	3	8	13	24	35	60
35-49	3010	12.0	123	2	3	9	15	25	35	60
50-64	6415	12.3	123	2	3	9	15	25	35	60
65+	17269	12.8	117	3	4	10	16	25	34	62
TOT. SINGLE DX	4822	7.3	49	1	2	6	8	14	20	37
" MULTIPLE DX	31369	12.3	120	2	3	9	15	25	34	61
TOTAL 0-19 YRS	3237	8.3	86	1	2	6	9	17	25	50
20-34	3704	10.5	99	2	3	8	12	22	31	56
35-49	3705	11.3	114	2	3	8	14	24	34	58
50-64	7247	11.8	118	2	3	9	14	24	34	58
65+	18298	12.6	116	3	4	10	15	25	33	61
GRAND TOTAL	**36191**	**11.7**	**113**	**2**	**3**	**9**	**14**	**24**	**33**	**59**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	311	10.1	145	1	2	5	14	27	35	54
20-34	230	10.8	130	1	1	7	14	25	31	57
35-49	210	8.9	109	1	1	4	12	24	32	56
50-64	250	8.9	127	<1	1	5	10	23	38	54
65+	140	10.4	170	1	2	6	13	25	34	89
2. MULTIPLE DX										
0-19 YRS	1065	16.7	313	1	2	10	24	46	67	99+
20-34	1196	14.4	203	2	2	10	19	33	44	72
35-49	1793	12.9	182	1	2	8	17	31	42	73
50-64	3199	13.3	174	2	2	9	17	31	41	70
65+	3901	16.0	201	2	3	12	21	35	46	77
TOT. SINGLE DX	1141	9.8	135	1	1	5	13	25	33	59
" MULTIPLE DX	11154	14.6	204	2	2	10	19	34	46	79
TOTAL 0-19 YRS	1376	15.2	283	1	2	9	21	42	58	99+
20-34	1426	13.8	194	1	2	9	18	32	43	72
35-49	2003	12.5	176	1	2	8	16	30	42	72
50-64	3449	13.0	172	1	2	8	17	31	41	70
65+	4041	15.8	201	2	3	12	21	35	46	77
GRAND TOTAL	**12295**	**14.2**	**199**	**2**	**2**	**10**	**19**	**33**	**45**	**77**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	307	3.4	21	<1	<1	2	4	8	11	24
20-34	254	4.6	16	1	1	3	6	11	13	22
35-49	380	4.6	27	<1	1	3	6	10	14	23
50-64	635	5.7	46	1	1	3	7	12	19	39
65+	668	5.3	30	<1	1	4	7	12	15	27
2. MULTIPLE DX										
0-19 YRS	588	7.5	129	1	1	3	9	17	29	69
20-34	978	7.5	58	1	2	5	9	15	23	40
35-49	1959	8.4	72	1	2	6	10	18	24	43
50-64	4224	9.1	96	1	2	6	11	19	28	58
65+	8019	10.2	107	1	2	7	13	21	29	57
TOT. SINGLE DX	2244	4.9	32	<1	1	3	6	11	15	29
" MULTIPLE DX	15768	9.4	99	1	2	7	12	20	28	55
TOTAL 0-19 YRS	895	6.1	96	<1	1	3	7	14	22	55
20-34	1232	6.9	51	1	1	5	9	14	20	39
35-49	2339	7.8	67	1	1	5	10	17	22	42
50-64	4859	8.7	92	1	2	6	11	18	27	54
65+	8687	9.8	103	1	2	7	12	20	28	56
GRAND TOTAL	**18012**	**8.9**	**93**	**1**	**2**	**6**	**11**	**19**	**26**	**54**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2340	3.5	2	2	2	3	4	5	6	9
20-34	18	10.0	128	2	3	7	10	15	38	53
35-49	8	6.6	36	1	1	5	11	16	16	16
50-64	9	13.9	47	6	6	13	16	25	29	29
65+	11	12.1	70	3	3	14	17	24	29	29
2. MULTIPLE DX										
0-19 YRS	695	5.3	22	2	2	4	6	9	12	25
20-34	35	19.4	330	4	4	13	22	50	63	72
35-49	44	15.3	106	3	4	12	21	32	38	99+
50-64	76	18.5	194	7	7	16	21	39	66	99+
65+	186	20.0	232	6	8	16	23	39	51	91
TOT. SINGLE DX	2386	3.6	5	2	2	3	4	6	7	12
" MULTIPLE DX	1036	9.8	128	2	3	6	11	22	31	79
TOTAL 0-19 YRS	3035	3.9	8	2	2	3	4	6	8	13
20-34	53	16.2	279	3	4	9	18	44	56	72
35-49	52	14.0	105	2	3	12	21	30	33	99
50-64	85	18.0	180	7	7	15	21	35	57	99+
65+	197	19.6	226	5	8	16	23	37	50	89
GRAND TOTAL	**3422**	**5.5**	**51**	**2**	**2**	**4**	**5**	**10**	**17**	**42**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	15.2	313	2	2	8	20	37	64	73
20-34	8	22.5	328	6	7	15	42	82	99+	99+
35-49	17	7.5	54	1	1	6	8	15	25	31
50-64	52	13.4	104	3	4	11	16	29	37	48
65+	97	15.4	216	2	3	9	20	41	54	99+
2. MULTIPLE DX										
0-19 YRS	318	19.4	324	3	4	14	27	55	80	99+
20-34	133	22.1	445	4	5	15	34	76	99+	99+
35-49	202	18.9	313	3	4	14	27	63	99+	99+
50-64	635	21.3	320	4	6	16	29	52	76	99+
65+	3207	21.8	298	4	6	17	30	51	75	99+
TOT. SINGLE DX	207	14.5	198	2	3	9	18	38	48	99+
" MULTIPLE DX	4495	21.4	309	4	6	17	29	52	77	99+
TOTAL 0-19 YRS	351	19.0	324	3	4	14	26	53	76	99+
20-34	141	22.1	437	4	5	15	36	76	99+	99+
35-49	219	18.0	302	3	4	14	25	51	99	99+
50-64	687	20.7	308	4	5	15	27	51	72	99+
65+	3304	21.6	297	4	6	17	30	51	74	99+
GRAND TOTAL	**4702**	**21.1**	**306**	**4**	**5**	**16**	**29**	**51**	**76**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	80	5.6	18	1	1	5	7	11	16	76
20-34	354	5.2	14	1	2	4	7	9	11	17
35-49	600	5.3	23	<1	1	4	7	10	11	21
50-64	690	5.5	18	<1	1	5	7	10	12	20
65+	684	6.4	27	<1	1	5	8	12	15	26
2. MULTIPLE DX										
0-19 YRS	206	6.5	44	1	2	5	7	11	18	34
20-34	1536	7.1	37	2	3	6	8	13	18	32
35-49	3205	7.7	37	2	3	6	9	14	18	32
50-64	6257	8.5	48	2	3	7	10	16	21	38
65+	14271	10.3	73	3	3	8	12	19	26	47
TOT. SINGLE DX	2408	5.7	22	<1	1	5	7	10	13	22
" MULTIPLE DX	25475	9.3	62	2	3	7	11	17	23	42
TOTAL 0-19 YRS	286	6.3	37	1	2	5	7	11	18	35
20-34	1890	6.8	34	2	2	5	8	13	16	30
35-49	3805	7.3	36	2	2	6	9	14	18	32
50-64	6947	8.2	47	2	3	7	10	15	20	37
65+	14955	10.1	72	2	3	8	12	19	26	47
GRAND TOTAL	**27883**	**9.0**	**59**	**2**	**3**	**7**	**11**	**17**	**23**	**42**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	7.7	21	2	2	7	10	15	17	18
20-34	150	10.1	24	4	6	9	12	16	19	25
35-49	377	11.1	21	6	7	10	13	17	20	27
50-64	368	11.9	25	6	7	10	14	19	22	29
65+	307	15.3	64	8	8	14	18	24	29	47
2. MULTIPLE DX										
0-19 YRS	16	15.4	144	3	4	12	17	33	45	50
20-34	298	16.1	145	6	7	13	18	31	45	89
35-49	908	16.0	118	7	8	13	18	28	35	60
50-64	1688	17.5	120	8	9	15	20	30	40	69
65+	2922	21.3	179	9	10	18	25	38	50	84
TOT. SINGLE DX	1220	12.2	38	6	7	11	14	19	23	33
" MULTIPLE DX	5832	19.1	156	8	9	16	22	34	46	76
TOTAL 0-19 YRS	34	11.3	92	2	3	9	14	19	32	50
20-34	448	14.1	113	6	6	11	16	24	37	65
35-49	1285	14.5	95	7	7	11	17	24	32	57
50-64	2056	16.5	108	8	8	14	19	28	37	65
65+	3229	20.7	171	8	9	17	25	37	49	83
GRAND TOTAL	7052	17.9	142	7	8	15	21	32	43	74

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	5	14.0	23	7	7	14	18	19	19	19
35-49	13	16.1	38	8	9	14	23	24	25	25
50-64	54	19.6	145	9	11	15	22	34	48	70
65+	51	18.7	89	10	10	16	23	29	35	63
2. MULTIPLE DX										
0-19 YRS										
20-34	18	22.5	167	8	9	17	30	37	49	57
35-49	88	22.5	183	9	11	18	28	45	57	87
50-64	348	23.9	222	10	11	19	28	43	56	80
65+	478	24.7	203	11	12	21	29	43	60	99+
TOT. SINGLE DX	124	18.6	106	9	10	16	22	29	38	65
" MULTIPLE DX	932	24.2	208	10	12	20	29	43	57	96
TOTAL 0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	23	20.7	146	7	8	17	27	37	44	57
35-49	101	21.7	169	9	10	18	25	45	56	83
50-64	402	23.3	213	10	11	19	27	42	53	79
65+	529	24.2	195	11	12	21	29	41	58	99+
GRAND TOTAL	1056	23.5	199	10	11	20	28	42	56	88

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	11.1	6	8	8	10	13	15	16	16
20-34	164	9.5	30	5	6	8	10	14	19	35
35-49	249	9.7	16	5	6	9	10	14	18	25
50-64	183	11.3	37	6	7	10	13	17	21	39
65+	80	12.6	39	6	7	11	15	19	21	39
2. MULTIPLE DX										
0-19 YRS	12	17.7	175	6	7	10	29	58	92	99+
20-34	183	11.6	36	6	7	10	13	19	23	31
35-49	465	12.7	64	6	7	10	15	20	28	56
50-64	630	15.4	99	7	8	12	18	27	35	59
65+	745	18.4	123	7	8	16	22	32	41	62
TOT. SINGLE DX	685	10.4	29	6	6	9	12	17	19	33
" MULTIPLE DX	2035	15.6	101	7	7	13	18	28	36	58
TOTAL 0-19 YRS	21	14.9	110	7	8	10	23	36	69	99+
20-34	347	10.6	35	5	6	9	12	18	21	31
35-49	714	11.7	50	6	6	10	13	18	24	48
50-64	813	14.5	88	6	7	12	17	25	32	57
65+	825	17.8	118	7	8	15	21	32	40	59
GRAND TOTAL	2720	14.3	88	6	7	11	17	25	33	56

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	279	7.7	36	2	2	7	9	13	18	35
20-34	949	7.3	7	4	5	7	8	10	11	14
35-49	948	8.0	11	4	5	7	9	11	14	21
50-64	481	9.4	27	5	6	8	10	14	18	31
65+	325	12.0	46	5	7	10	14	20	25	39
2. MULTIPLE DX										
0-19 YRS	752	17.3	238	4	5	12	22	40	56	99+
20-34	1832	9.7	60	5	5	8	10	15	22	48
35-49	3095	10.5	67	5	6	8	11	17	25	51
50-64	2228	14.1	131	5	6	10	16	27	35	67
65+	3285	18.8	164	7	8	15	22	36	45	76
TOT. SINGLE DX	2982	8.4	21	4	5	8	9	13	16	26
" MULTIPLE DX	11192	14.0	133	5	6	10	16	27	37	69
TOTAL 0-19 YRS	1031	14.7	202	2	4	10	18	34	50	99+
20-34	2781	8.9	44	5	5	8	9	12	17	40
35-49	4043	9.9	56	5	5	8	10	16	23	43
50-64	2709	13.3	116	5	6	10	15	24	33	64
65+	3610	18.2	158	7	8	14	22	35	43	73
GRAND TOTAL	14174	12.8	115	5	6	9	14	24	34	65

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	617	5.0	30	1	1	4	6	9	12	25
20-34	1140	5.7	19	1	2	5	7	10	13	22
35-49	1088	5.0	18	<1	1	4	7	10	13	21
50-64	1660	4.3	19	<1	<1	2	6	10	12	20
65+	1652	4.2	21	<1	1	2	6	10	12	22
2. MULTIPLE DX										
0-19 YRS	916	7.3	73	1	2	5	8	14	21	52
20-34	2656	7.7	50	2	2	6	9	14	20	38
35-49	3747	7.8	52	1	2	6	9	15	20	36
50-64	7917	7.8	52	1	2	6	10	16	21	37
65+	17341	9.3	77	1	2	7	12	19	25	48
TOT. SINGLE DX	6157	4.7	21	<1	1	3	7	10	12	22
" MULTIPLE DX	32577	8.6	67	1	2	7	11	17	23	43
TOTAL 0-19 YRS	1533	6.4	58	1	1	5	8	12	16	45
20-34	3796	7.1	42	1	2	6	8	13	18	35
35-49	4835	7.2	46	1	2	6	9	14	19	35
50-64	9577	7.2	49	1	1	6	9	15	19	36
65+	18993	8.9	75	1	2	7	11	18	24	46
GRAND TOTAL	**38734**	**8.0**	**62**	**1**	**2**	**6**	**10**	**16**	**22**	**40**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	10.0	31	5	5	8	12	18	23	30
20-34	135	10.3	20	5	6	9	12	17	19	25
35-49	146	12.1	58	5	6	9	13	23	29	42
50-64	160	12.2	45	6	7	10	14	19	25	43
65+	204	12.9	43	6	7	11	16	20	27	40
2. MULTIPLE DX										
0-19 YRS	297	17.1	320	5	6	11	21	70	99+	99+
20-34	655	15.2	150	6	7	11	17	28	44	77
35-49	823	17.2	165	7	7	13	20	34	49	97
50-64	1367	19.9	219	7	8	15	24	41	56	99
65+	2854	20.6	200	8	9	16	25	39	53	88
TOT. SINGLE DX	730	11.8	42	5	6	10	14	19	25	40
" MULTIPLE DX	5996	19.2	204	7	8	15	23	39	54	99+
TOTAL 0-19 YRS	382	15.5	265	5	6	10	18	48	95	99+
20-34	790	14.4	131	6	7	11	16	27	41	73
35-49	969	16.4	153	6	7	12	19	32	46	91
50-64	1527	19.1	206	7	8	15	23	39	53	95
65+	3058	20.1	194	8	9	16	24	38	52	86
GRAND TOTAL	**6726**	**18.4**	**192**	**7**	**8**	**14**	**22**	**38**	**51**	**99**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	160	11.4	79	4	6	9	12	17	26	51
20-34	433	11.8	47	5	6	10	13	20	27	39
35-49	784	11.2	28	6	7	10	13	17	19	36
50-64	1873	11.4	18	7	7	10	13	17	20	28
65+	2313	12.8	34	7	8	11	15	19	23	37
2. MULTIPLE DX										
0-19 YRS	360	18.3	327	6	7	11	20	50	71	99+
20-34	1118	15.9	139	7	7	12	18	30	42	85
35-49	2693	14.9	94	7	8	12	17	25	33	58
50-64	8450	15.5	87	7	8	13	18	26	33	60
65+	21588	18.3	122	8	9	15	21	31	40	70
TOT. SINGLE DX	5563	12.0	31	7	7	11	13	18	22	34
" MULTIPLE DX	34209	17.2	117	8	9	14	20	30	38	68
TOTAL 0-19 YRS	520	16.2	261	5	6	10	17	37	64	99+
20-34	1551	14.8	117	6	7	11	17	27	37	68
35-49	3477	14.1	82	7	7	11	16	23	31	55
50-64	10323	14.7	78	7	8	12	17	24	31	56
65+	23901	17.7	117	8	9	15	21	30	39	67
GRAND TOTAL	**39772**	**16.5**	**108**	**7**	**8**	**13**	**19**	**28**	**37**	**65**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	7.9	20	2	3	7	10	14	17	24
20-34	31	11.0	52	4	4	9	13	23	26	34
35-49	51	10.3	64	4	5	9	10	16	26	44
50-64	82	9.7	21	4	5	9	12	14	20	26
65+	113	13.0	74	5	6	11	15	22	27	55
2. MULTIPLE DX										
0-19 YRS	80	13.5	138	4	5	10	15	28	48	90
20-34	153	14.9	192	4	5	11	17	29	43	94
35-49	229	15.4	112	6	7	13	18	31	43	99+
50-64	475	17.7	130	6	8	14	21	34	45	72
65+	1206	19.9	167	8	9	16	25	36	48	89
TOT. SINGLE DX	325	10.8	52	4	5	9	13	18	24	44
" MULTIPLE DX	2143	18.4	158	7	8	15	23	34	46	89
TOTAL 0-19 YRS	128	11.4	101	3	4	9	14	21	33	74
20-34	184	14.3	170	4	5	11	16	28	39	92
35-49	280	14.5	107	6	7	11	17	31	43	91
50-64	557	16.5	123	6	7	14	20	30	43	62
65+	1319	19.3	163	7	8	16	24	35	47	86
GRAND TOTAL	**2468**	**17.4**	**150**	**6**	**7**	**14**	**21**	**33**	**44**	**84**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	549	6.1	11	2	3	6	8	10	12	18
20-34	475	8.3	11	4	5	8	10	12	14	22
35-49	468	8.6	15	4	5	8	10	13	16	25
50-64	552	9.2	16	4	5	9	11	13	15	26
65+	644	9.8	22	4	5	9	12	15	17	28
2. MULTIPLE DX										
0-19 YRS	856	11.1	120	3	4	8	12	22	34	99+
20-34	1033	11.9	94	4	5	9	13	21	32	62
35-49	1295	12.9	85	5	6	10	14	24	33	61
50-64	2266	13.9	116	5	6	11	15	25	37	71
65+	4328	14.6	103	5	7	12	17	26	34	61
TOT. SINGLE DX	2688	8.5	18	3	4	8	10	13	16	24
" MULTIPLE DX	9778	13.6	106	5	6	11	16	25	34	66
TOTAL 0-19 YRS	1405	9.2	84	3	3	7	10	16	26	78
20-34	1508	10.7	71	4	5	9	11	18	25	49
35-49	1763	11.8	70	5	6	9	13	21	30	55
50-64	2818	13.0	100	5	6	10	14	23	33	64
65+	4972	14.0	95	5	6	11	16	24	32	59
GRAND TOTAL	**12466**	**12.5**	**91**	**4**	**5**	**10**	**14**	**22**	**31**	**60**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	58	11.6	95	4	5	8	14	22	26	59
20-34	40	12.9	213	1	3	10	13	24	28	93
35-49	54	12.5	85	3	5	11	14	21	25	63
50-64	91	13.8	71	5	6	11	17	24	31	48
65+	139	14.5	52	5	7	13	19	23	27	38
2. MULTIPLE DX										
0-19 YRS	159	21.6	401	4	6	14	25	53	73	99+
20-34	175	20.9	362	5	7	14	28	59	90	99+
35-49	331	19.0	218	6	8	14	22	37	55	99+
50-64	1067	20.8	200	7	8	17	25	40	51	82
65+	2540	22.4	199	8	10	19	28	42	57	99+
TOT. SINGLE DX	382	13.4	85	4	5	11	17	23	27	56
" MULTIPLE DX	4272	21.7	216	7	9	18	27	42	56	99+
TOTAL 0-19 YRS	217	18.9	338	4	5	13	22	47	64	99
20-34	215	19.4	343	5	6	12	26	48	87	99+
35-49	385	18.1	205	5	8	14	21	35	53	98
50-64	1158	20.2	194	7	8	16	25	40	49	80
65+	2679	22.0	195	8	9	19	28	41	56	99+
GRAND TOTAL	**4654**	**21.0**	**210**	**7**	**8**	**17**	**26**	**41**	**54**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23905	3.9	4	2	2	3	4	7	8	12
20-34	16247	3.9	4	2	2	3	5	6	8	11
35-49	5412	4.7	6	2	2	4	6	8	9	13
50-64	2344	5.9	10	2	3	5	7	10	12	17
65+	835	7.3	15	3	3	7	9	11	14	21
2. MULTIPLE DX										
0-19 YRS	7254	6.1	20	2	3	5	7	11	14	24
20-34	6100	6.0	20	2	3	5	7	10	13	21
35-49	2998	7.7	30	3	3	6	9	14	17	30
50-64	2421	9.5	41	3	4	8	12	16	20	34
65+	2146	11.9	71	4	5	10	14	21	26	48
TOT. SINGLE DX	48743	4.2	6	2	2	4	5	7	9	13
" MULTIPLE DX	20919	7.3	33	2	3	6	9	13	17	30
TOTAL 0-19 YRS	31159	4.4	9	2	2	4	5	8	10	16
20-34	22347	4.5	9	2	2	4	5	8	9	15
35-49	8410	5.8	17	2	3	5	7	10	13	22
50-64	4765	7.7	30	3	3	6	10	13	17	28
65+	2981	10.6	60	4	4	9	12	19	23	43
GRAND TOTAL	**69662**	**5.1**	**16**	**2**	**2**	**4**	**6**	**9**	**12**	**20**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	228	4.0	5	2	2	4	5	6	8	13
20-34	163	4.5	3	2	2	4	6	7	8	10
35-49	58	5.7	6	3	3	5	7	8	10	17
50-64	18	6.2	8	2	3	6	8	10	11	11
65+	6	9.3	32	3	3	8	12	18	19	19
2. MULTIPLE DX										
0-19 YRS	125	5.6	14	2	3	4	7	10	13	21
20-34	147	5.7	9	2	3	5	7	9	11	19
35-49	52	8.1	26	3	4	6	10	14	20	24
50-64	31	13.4	246	4	5	9	14	21	31	91
65+	30	17.6	292	5	7	12	21	44	85	99+
TOT. SINGLE DX	473	4.5	6	2	2	4	5	7	8	12
" MULTIPLE DX	385	7.5	66	2	3	5	8	13	19	48
TOTAL 0-19 YRS	353	4.6	9	2	2	4	5	8	9	19
20-34	310	5.0	7	2	2	4	6	8	10	17
35-49	110	6.8	17	3	3	6	8	12	15	23
50-64	49	10.8	169	3	4	7	11	19	22	91
65+	36	16.2	257	4	6	12	18	37	75	99+
GRAND TOTAL	**858**	**5.9**	**35**	**2**	**2**	**5**	**7**	**10**	**13**	**28**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	70	8.2	22	2	3	8	11	15	18	22
20-34	68	7.8	15	3	4	7	9	13	14	22
35-49	27	10.9	23	5	5	10	15	18	19	23
50-64	24	10.6	33	3	4	10	13	16	23	28
65+	16	10.0	20	3	4	9	12	17	19	20
2. MULTIPLE DX										
0-19 YRS	51	11.4	27	4	5	11	14	19	22	23
20-34	45	10.6	29	4	5	10	13	17	21	29
35-49	30	12.9	50	3	5	12	15	22	27	36
50-64	45	14.6	53	6	7	13	18	28	30	37
65+	47	16.8	123	6	8	15	20	27	36	68
TOT. SINGLE DX	205	8.9	22	3	3	8	11	15	18	23
" MULTIPLE DX	218	13.3	61	5	5	12	16	22	28	40
TOTAL 0-19 YRS	121	9.6	27	3	3	9	13	17	20	23
20-34	113	8.9	22	3	4	8	11	14	19	25
35-49	57	11.9	38	4	5	11	15	18	24	35
50-64	69	13.2	50	5	7	12	16	22	28	36
65+	63	15.1	106	5	7	12	19	24	31	65
GRAND TOTAL	423	11.1	47	3	4	10	14	19	23	35

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	377	3.4	9	<1	1	2	4	7	10	14
20-34	399	3.6	15	<1	1	3	4	7	9	16
35-49	302	3.9	15	1	1	3	4	8	10	22
50-64	512	4.3	27	<1	1	3	5	9	13	26
65+	898	4.7	26	1	1	3	6	9	13	24
2. MULTIPLE DX										
0-19 YRS	313	6.5	78	1	1	4	7	13	18	62
20-34	490	6.0	42	1	2	4	7	12	16	30
35-49	754	6.9	40	1	2	5	9	15	21	31
50-64	1490	7.0	43	1	2	5	9	15	20	32
65+	3914	9.2	83	2	2	7	12	19	26	53
TOT. SINGLE DX	2488	4.1	21	<1	1	3	5	8	11	22
" MULTIPLE DX	6961	8.1	69	1	2	6	10	17	23	44
TOTAL 0-19 YRS	690	4.8	43	<1	1	3	5	10	13	31
20-34	889	4.9	32	1	1	3	6	10	14	25
35-49	1056	6.0	35	1	1	4	7	12	18	30
50-64	2002	6.3	41	1	1	4	8	14	19	31
65+	4812	8.4	76	1	2	6	10	18	24	49
GRAND TOTAL	9449	7.1	59	1	2	5	9	15	21	40

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	183	2.8	5	1	1	2	3	5	7	14
20-34	926	2.9	4	1	1	2	4	5	7	10
35-49	705	3.1	5	1	1	3	4	6	7	11
50-64	314	3.5	6	1	1	3	4	6	8	14
65+	110	5.3	27	1	2	4	6	9	14	28
2. MULTIPLE DX										
0-19 YRS	114	4.4	13	1	1	4	5	8	11	20
20-34	577	4.4	20	1	1	3	5	8	11	23
35-49	662	5.7	54	1	1	4	7	11	16	39
50-64	606	7.0	64	1	2	4	8	16	22	43
65+	449	9.5	81	2	2	6	12	21	28	47
TOT. SINGLE DX	2238	3.2	6	1	1	3	4	6	7	13
" MULTIPLE DX	2408	6.4	55	1	2	4	7	13	20	40
TOTAL 0-19 YRS	297	3.4	9	1	1	3	4	7	9	17
20-34	1503	3.5	11	1	1	3	4	6	8	15
35-49	1367	4.4	31	1	1	3	5	8	11	27
50-64	920	5.8	47	1	1	4	6	12	18	37
65+	559	8.6	73	2	2	6	11	19	27	44
GRAND TOTAL	4646	4.8	34	1	1	3	5	10	14	29

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	111	10.8	22	5	7	10	12	15	19	31
20-34	75	13.4	65	4	6	11	15	24	27	49
35-49	176	12.3	24	6	8	12	14	18	20	29
50-64	531	13.1	22	7	8	12	15	19	22	28
65+	629	14.5	53	6	8	13	17	22	26	42
2. MULTIPLE DX										
0-19 YRS	160	12.9	86	5	6	10	14	23	30	69
20-34	176	16.2	112	5	8	13	19	29	38	59
35-49	496	16.0	84	7	8	13	18	29	35	56
50-64	1833	17.4	92	8	9	15	21	29	36	58
65+	4175	19.8	127	9	10	17	24	33	42	74
TOT. SINGLE DX	1522	13.4	39	6	8	12	16	20	24	36
" MULTIPLE DX	6840	18.6	116	8	9	16	22	31	40	66
TOTAL 0-19 YRS	271	12.0	61	5	7	10	13	20	27	60
20-34	251	15.4	100	5	7	12	18	28	36	57
35-49	672	15.0	71	7	8	13	17	25	32	52
50-64	2364	16.5	80	8	9	14	19	27	33	53
65+	4804	19.1	121	8	10	16	23	32	40	71
GRAND TOTAL	8362	17.7	106	8	9	15	21	30	37	63

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	909	3.6	13	<1	1	3	5	7	9	13
20-34	2745	4.6	13	1	1	4	6	8	11	17
35-49	2783	4.6	14	1	1	4	6	9	11	18
50-64	2466	4.8	18	<1	1	4	6	9	11	19
65+	2080	5.4	25	<1	1	4	7	10	13	24
2. MULTIPLE DX										
0-19 YRS	1740	5.7	33	1	2	4	7	10	14	32
20-34	8795	6.2	33	1	2	5	7	11	15	30
35-49	13340	6.8	34	2	2	5	8	12	16	30
50-64	18251	7.4	40	2	2	6	9	14	18	33
65+	32151	9.0	61	2	3	7	11	17	22	42
TOT. SINGLE DX	10983	4.7	17	<1	1	4	6	9	11	19
" MULTIPLE DX	74277	7.8	48	2	2	6	9	15	20	37
TOTAL 0-19 YRS	2649	5.0	27	1	1	4	6	9	12	28
20-34	11540	5.8	29	1	2	4	7	11	14	28
35-49	16123	6.4	32	1	2	5	8	12	16	29
50-64	20717	7.1	38	1	2	6	9	13	17	32
65+	34231	8.8	60	2	3	7	11	17	22	42
GRAND TOTAL	**85260**	**7.4**	**45**	**2**	**2**	**6**	**9**	**14**	**19**	**35**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	167	2.3	2	<1	<1	2	3	4	5	8
20-34	1074	2.9	3	1	1	3	4	5	6	8
35-49	1263	3.0	3	1	1	3	4	5	6	9
50-64	638	3.1	3	1	1	3	4	5	6	11
65+	236	3.1	3	1	1	3	4	5	6	10
2. MULTIPLE DX										
0-19 YRS	64	3.8	16	<1	1	3	4	8	12	22
20-34	943	4.0	9	1	1	3	5	6	9	18
35-49	1395	3.9	8	1	1	3	5	6	8	16
50-64	1141	4.4	12	1	2	4	5	7	10	19
65+	618	5.6	39	1	2	4	6	10	15	27
TOT. SINGLE DX	3378	2.9	3	1	1	3	4	5	6	9
" MULTIPLE DX	4161	4.3	15	1	2	4	5	7	10	20
TOTAL 0-19 YRS	231	2.7	7	<1	<1	2	3	5	7	16
20-34	2017	3.4	6	1	1	3	4	6	7	14
35-49	2658	3.4	6	1	1	3	4	6	7	13
50-64	1779	3.9	10	1	2	3	4	7	9	16
65+	854	4.9	31	1	2	4	5	9	13	26
GRAND TOTAL	**7539**	**3.7**	**10**	**1**	**1**	**3**	**4**	**6**	**8**	**16**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	148	2.3	3	<1	<1	2	3	4	4	12
20-34	1028	2.6	3	<1	1	2	3	4	5	8
35-49	648	3.0	3	<1	1	3	4	5	6	9
50-64	313	3.2	3	1	1	3	4	5	6	11
65+	149	3.7	12	1	1	3	4	6	9	21
2. MULTIPLE DX										
0-19 YRS	95	4.6	80	1	1	3	4	5	8	58
20-34	1007	3.9	16	1	1	3	5	6	8	15
35-49	1358	4.0	9	1	2	4	5	6	8	15
50-64	1085	4.5	11	1	2	4	5	7	10	18
65+	862	6.4	43	2	2	4	7	12	16	33
TOT. SINGLE DX	2286	2.8	4	<1	1	3	4	5	6	9
" MULTIPLE DX	4407	4.6	20	1	2	4	5	8	11	22
TOTAL 0-19 YRS	243	3.2	34	<1	1	2	4	5	6	21
20-34	2035	3.2	10	1	1	3	4	5	7	11
35-49	2006	3.7	8	1	1	3	4	6	7	14
50-64	1398	4.2	10	1	2	4	5	7	9	16
65+	1011	6.0	40	1	2	4	7	11	15	32
GRAND TOTAL	**6693**	**4.0**	**16**	**1**	**1**	**3**	**5**	**7**	**9**	**19**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	62	3.4	3	1	1	3	4	6	7	9
20-34	1231	4.0	3	1	2	4	5	6	7	9
35-49	1666	4.2	3	2	2	4	5	7	8	10
50-64	1038	4.3	4	1	2	4	5	7	8	11
65+	352	4.5	4	2	2	4	6	7	9	12
2. MULTIPLE DX										
0-19 YRS	158	4.3	8	1	2	4	5	6	8	12
20-34	5228	4.5	6	2	2	4	5	7	8	13
35-49	8935	4.9	9	2	2	4	6	8	9	15
50-64	7089	5.3	11	2	3	5	6	9	11	18
65+	3905	6.5	25	2	3	5	8	12	15	28
TOT. SINGLE DX	4349	4.2	4	1	2	4	5	7	8	10
" MULTIPLE DX	25315	5.2	12	2	2	4	6	8	11	18
TOTAL 0-19 YRS	220	4.0	7	1	1	4	5	6	8	11
20-34	6459	4.4	6	2	2	4	5	7	8	12
35-49	10601	4.8	9	2	2	4	6	7	9	15
50-64	8127	5.2	11	2	2	4	6	8	10	17
65+	4257	6.4	24	2	3	5	7	11	14	27
GRAND TOTAL	**29664**	**5.0**	**11**	**2**	**2**	**4**	**6**	**8**	**10**	**17**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	318	3.2	6	<1	1	3	4	6	8	14
20-34	1056	3.0	3	1	1	3	4	5	6	10
35-49	967	3.3	7	1	1	3	4	6	7	11
50-64	486	3.7	10	1	1	3	5	6	8	18
65+	281	4.1	7	1	1	3	5	8	10	13
2. MULTIPLE DX										
0-19 YRS	263	5.7	42	1	2	4	7	10	15	36
20-34	889	4.6	27	1	1	3	5	8	11	24
35-49	1142	4.7	19	1	1	4	6	9	11	24
50-64	1053	6.1	46	1	2	4	7	12	16	40
65+	1084	7.9	75	2	2	5	9	16	22	47
TOT. SINGLE DX	3108	3.3	7	1	1	3	4	6	7	12
" MULTIPLE DX	4431	5.9	44	1	2	4	7	11	16	35
TOTAL 0-19 YRS	581	4.3	24	1	1	3	5	8	11	20
20-34	1945	3.7	15	1	1	3	4	7	9	16
35-49	2109	4.0	15	1	1	3	5	8	10	19
50-64	1539	5.3	36	1	1	4	6	10	14	35
65+	1365	7.1	64	1	2	5	8	15	20	43
GRAND TOTAL	**7539**	**4.8**	**30**	**1**	**1**	**3**	**5**	**9**	**13**	**27**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	10.1	48	2	3	7	17	20	22	22
20-34	27	10.1	39	1	3	9	13	19	23	27
35-49	19	7.2	24	2	3	6	9	15	18	20
50-64	22	10.0	60	1	2	8	15	22	27	28
65+	16	11.1	74	1	1	13	16	23	27	29
2. MULTIPLE DX										
0-19 YRS	32	15.4	111	4	5	11	22	33	41	99+
20-34	78	17.9	225	4	5	13	22	43	64	99+
35-49	71	16.8	185	2	4	13	23	36	45	68
50-64	138	15.6	147	2	2	13	21	33	43	66
65+	188	18.0	174	3	4	15	24	36	46	72
TOT. SINGLE DX	95	9.6	48	1	2	7	14	20	23	29
" MULTIPLE DX	507	17.0	173	2	4	14	23	36	45	87
TOTAL 0-19 YRS	43	14.1	99	3	4	11	21	31	40	99+
20-34	105	15.9	189	3	5	12	20	36	51	99+
35-49	90	14.8	166	2	4	10	18	34	42	63
50-64	160	14.8	139	2	2	13	20	31	42	61
65+	204	17.4	170	3	3	15	23	35	45	71
GRAND TOTAL	**602**	**15.8**	**160**	**2**	**4**	**13**	**22**	**34**	**43**	**77**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	245	4.9	24	1	1	3	6	13	16	23
20-34	720	3.7	24	1	1	2	5	8	12	21
35-49	703	3.8	29	<1	1	2	4	9	12	24
50-64	760	3.9	24	<1	1	2	4	10	15	24
65+	467	5.7	45	1	1	3	8	14	20	32
2. MULTIPLE DX										
0-19 YRS	517	11.5	182	1	2	7	14	28	37	75
20-34	1397	10.1	129	1	1	7	13	23	32	67
35-49	2281	9.8	115	1	1	7	13	22	31	59
50-64	4021	9.9	89	1	1	8	14	21	28	47
65+	4536	12.2	115	1	2	10	16	24	33	56
TOT. SINGLE DX	2895	4.2	30	1	1	2	5	10	15	25
" MULTIPLE DX	12752	10.8	113	1	2	8	14	23	31	56
TOTAL 0-19 YRS	762	9.4	141	1	1	6	11	23	32	71
20-34	2117	8.0	103	1	1	5	10	18	27	62
35-49	2984	8.4	102	1	1	5	11	19	27	52
50-64	4781	9.0	84	1	1	7	12	20	26	45
65+	5003	11.6	113	1	2	9	15	24	32	55
GRAND TOTAL	**15647**	**9.6**	**104**	**1**	**1**	**7**	**13**	**21**	**29**	**52**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1141	6.0	5	3	4	5	7	9	10	15
20-34	13433	6.1	5	3	4	6	7	9	10	14
35-49	12222	6.4	5	4	4	6	7	9	11	15
50-64	10297	7.0	7	4	4	6	8	10	12	17
65+	5089	8.4	14	4	5	8	10	13	15	23
2. MULTIPLE DX										
0-19 YRS	991	8.9	42	4	4	7	10	15	19	34
20-34	12053	7.8	19	4	4	7	9	12	15	25
35-49	16042	8.5	26	4	5	7	10	14	17	29
50-64	22179	9.7	37	4	5	8	11	16	20	34
65+	28098	13.0	71	5	6	11	15	22	28	49
TOT. SINGLE DX	42182	6.7	8	4	4	6	8	10	12	16
" MULTIPLE DX	79363	10.3	49	4	5	8	12	18	23	39
TOTAL 0-19 YRS	2132	7.3	25	3	4	6	8	12	15	26
20-34	25486	6.9	13	4	4	6	8	10	13	20
35-49	28264	7.6	19	4	4	7	9	12	15	23
50-64	32476	8.9	29	4	5	7	10	14	18	30
65+	33187	12.3	65	5	6	10	15	21	27	46
GRAND TOTAL	**121545**	**9.1**	**38**	**4**	**5**	**7**	**10**	**15**	**20**	**34**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	12.3	47	2	3	11	18	22	22	30
20-34	156	7.0	35	1	2	6	9	12	16	37
35-49	215	8.0	39	1	2	7	11	17	21	28
50-64	275	10.1	59	1	2	9	14	20	24	37
65+	442	11.5	80	1	2	10	15	21	29	42
2. MULTIPLE DX										
0-19 YRS	87	20.0	321	2	4	15	22	44	58	88
20-34	278	11.8	88	2	2	9	15	24	32	46
35-49	527	14.2	107	2	3	12	18	27	34	52
50-64	1252	16.4	146	3	5	14	20	30	40	65
65+	3704	17.5	134	4	6	15	22	32	40	68
TOT. SINGLE DX	1134	9.9	63	1	2	9	13	20	24	39
" MULTIPLE DX	5848	16.7	138	3	5	14	21	31	39	66
TOTAL 0-19 YRS	133	17.3	239	2	3	14	21	36	53	78
20-34	434	10.1	75	1	2	8	12	20	28	42
35-49	742	12.4	96	1	2	10	17	24	32	46
50-64	1527	15.2	137	2	4	12	19	29	37	64
65+	4146	16.9	132	3	5	14	21	31	39	66
GRAND TOTAL	6982	15.6	132	2	4	13	20	30	37	62

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	5.9	36	1	1	3	8	14	18	27
20-34	332	6.0	39	1	1	4	8	11	16	34
35-49	501	5.9	40	<1	1	4	8	12	17	36
50-64	503	7.3	59	1	1	4	10	16	23	39
65+	400	7.6	90	1	1	4	9	19	25	47
2. MULTIPLE DX										
0-19 YRS	101	19.2	325	1	2	13	27	43	58	84
20-34	762	12.1	166	1	2	8	15	28	41	80
35-49	1418	13.6	177	1	2	10	17	31	44	96
50-64	2060	14.0	186	2	2	10	18	32	44	70
65+	3034	14.2	187	2	3	10	18	31	43	77
TOT. SINGLE DX	1774	6.7	57	1	1	4	9	14	20	38
" MULTIPLE DX	7375	13.9	186	2	2	10	18	31	43	77
TOTAL 0-19 YRS	139	15.6	281	1	2	10	22	37	52	82
20-34	1094	10.2	136	1	2	7	12	23	36	69
35-49	1919	11.6	153	1	2	8	15	28	39	73
50-64	2563	12.7	169	1	2	9	16	29	40	68
65+	3434	13.5	181	1	2	10	17	29	41	77
GRAND TOTAL	9149	12.5	169	1	2	9	16	29	40	72

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	905	3.7	11	<1	1	3	4	7	9	19
20-34	2331	4.5	19	1	1	4	5	8	11	19
35-49	2204	4.6	14	1	1	4	6	9	11	18
50-64	2493	4.6	18	<1	1	4	6	9	11	20
65+	2500	4.8	22	<1	1	4	6	10	13	23
2. MULTIPLE DX										
0-19 YRS	1209	5.7	39	1	2	4	7	11	15	33
20-34	4931	6.0	31	2	2	5	7	11	15	30
35-49	7660	6.4	32	2	2	5	8	12	16	29
50-64	13711	6.8	39	1	2	5	8	13	17	32
65+	32739	8.2	53	2	2	6	10	15	21	41
TOT. SINGLE DX	10433	4.6	18	<1	1	4	6	9	11	20
" MULTIPLE DX	60250	7.4	46	2	2	6	9	14	19	36
TOTAL 0-19 YRS	2114	4.8	28	1	1	3	6	9	12	26
20-34	7262	5.6	28	1	2	4	7	10	14	28
35-49	9864	6.0	29	1	2	5	7	11	15	28
50-64	16204	6.5	37	1	2	5	8	12	16	31
65+	35239	7.9	52	2	2	6	10	15	20	40
GRAND TOTAL	70683	7.0	43	1	2	5	9	13	18	34

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9207	1.8	1	<1	<1	2	2	3	4	5
20-34	11844	2.8	2	1	1	3	3	4	5	7
35-49	10354	3.0	2	1	1	3	4	5	5	7
50-64	13907	3.2	3	1	1	3	4	5	6	8
65+	10319	3.7	4	1	2	3	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	5365	2.3	14	<1	<1	2	2	4	5	13
20-34	4232	3.4	5	1	1	3	4	5	7	11
35-49	6037	3.9	7	1	2	3	5	6	8	15
50-64	12936	4.3	10	1	2	4	5	7	9	16
65+	19745	5.7	26	2	2	4	7	10	14	27
TOT. SINGLE DX	55631	2.9	3	1	1	3	4	5	6	8
" MULTIPLE DX	48315	4.5	18	1	1	4	5	8	11	21
TOTAL 0-19 YRS	14572	2.0	6	<1	<1	2	2	3	4	8
20-34	16076	2.9	3	1	1	3	4	5	5	8
35-49	16391	3.3	4	1	1	3	4	5	6	11
50-64	26843	3.8	7	1	2	3	4	6	8	13
65+	30064	5.0	20	1	2	4	6	9	12	23
GRAND TOTAL	103946	3.7	11	1	1	3	4	6	8	16

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2797	1.5		<1	<1	1	2	2	3	5
20-34	991	3.3	1	1	1	3	4	5	5	7
35-49	1389	3.6	2	1	2	4	5	6	6	8
50-64	2014	3.8	2	1	2	4	5	6	7	9
65+	1215	4.1	3	1	2	4	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	2386	3.3	87	<1	<1	1	2	4	9	86
20-34	512	3.8	5	1	2	3	4	6	7	12
35-49	1016	4.3	5	1	2	4	5	7	8	14
50-64	2172	4.9	12	2	2	4	6	8	10	17
65+	2721	6.3	26	2	3	5	7	11	14	26
TOT. SINGLE DX	8406	3.0	3	<1	<1	3	4	5	6	8
" MULTIPLE DX	8807	4.7	37	<1	1	4	5	8	11	31
TOTAL 0-19 YRS	5183	2.3	41	<1	<1	1	2	3	4	47
20-34	1503	3.4	3	1	2	3	4	5	6	9
35-49	2405	3.9	4	1	2	4	5	6	7	10
50-64	4186	4.4	8	1	2	4	5	7	8	14
65+	3936	5.6	20	2	2	5	6	9	12	22
GRAND TOTAL	17213	3.9	21	<1	1	3	5	7	9	19

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	77	2.4	3	<1	1	2	3	4	5	11
20-34	280	3.0	2	1	1	3	4	5	6	8
35-49	442	3.2	2	1	1	3	4	5	6	9
50-64	514	3.9	5	1	2	4	5	6	7	11
65+	626	5.0	9	1	2	4	6	8	11	18
2. MULTIPLE DX										
0-19 YRS	20	5.4	47	<1	<1	3	5	16	24	27
20-34	138	3.7	4	1	1	3	4	6	7	15
35-49	248	3.9	4	1	2	4	5	6	8	12
50-64	497	5.9	20	2	2	5	7	11	15	25
65+	1551	8.5	57	2	3	6	10	17	22	38
TOT. SINGLE DX	1939	3.9	7	1	1	3	5	7	8	13
" MULTIPLE DX	2454	7.2	45	2	2	5	9	14	19	34
TOTAL 0-19 YRS	97	3.0	13	<1	1	2	3	5	8	24
20-34	418	3.2	3	1	1	3	4	5	6	9
35-49	690	3.5	4	1	1	3	4	6	7	11
50-64	1011	4.9	14	1	2	4	6	8	11	20
65+	2177	7.5	46	2	3	5	9	14	20	35
GRAND TOTAL	4393	5.8	31	1	2	4	7	11	15	30

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1844	1.9	6	<1	<1	2	2	3	3	5
20-34	836	2.8	2	1	1	2	3	5	6	8
35-49	1261	2.9	2	1	1	3	4	5	6	9
50-64	904	3.3	3	1	1	3	4	6	7	10
65+	457	4.6	14	1	2	4	6	8	10	16
2. MULTIPLE DX										
0-19 YRS	516	3.7	38	<1	<1	2	4	6	11	36
20-34	503	4.2	8	1	2	4	5	7	9	15
35-49	1095	4.8	14	1	2	4	6	8	11	20
50-64	1514	5.7	22	1	2	4	7	11	15	26
65+	1412	8.0	59	2	2	6	9	16	21	44
TOT. SINGLE DX	5302	2.8	6	<1	1	2	3	5	6	10
" MULTIPLE DX	5040	5.8	34	1	2	4	7	11	16	30
TOTAL 0-19 YRS	2360	2.3	14	<1	<1	2	2	3	5	13
20-34	1339	3.3	5	1	1	3	4	6	7	12
35-49	2356	3.8	9	1	1	3	5	7	9	15
50-64	2418	4.8	17	1	2	4	6	9	12	22
65+	1869	7.2	51	2	2	5	8	14	19	42
GRAND TOTAL	10342	4.2	22	<1	1	3	5	8	11	23

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	391	2.3	3	<1	<1	2	3	4	5	9
20-34	1357	3.5	4	1	1	3	5	6	7	9
35-49	2233	4.4	5	1	2	4	6	7	9	12
50-64	2461	4.9	6	1	2	5	6	8	10	13
65+	1706	5.6	7	2	2	5	7	9	11	14
2. MULTIPLE DX										
0-19 YRS	177	4.1	16	<1	1	3	5	8	11	24
20-34	1019	5.6	20	2	2	5	7	9	13	23
35-49	2646	6.6	24	2	2	5	8	11	15	27
50-64	4346	7.6	34	2	3	6	9	13	17	31
65+	5103	9.0	54	3	3	7	11	16	21	40
TOT. SINGLE DX	8148	4.5	7	1	2	4	6	8	9	13
" MULTIPLE DX	13291	7.7	40	2	3	6	9	14	18	32
TOTAL 0-19 YRS	568	2.9	8	<1	<1	2	3	6	8	15
20-34	2376	4.4	12	1	1	4	5	8	9	18
35-49	4879	5.6	17	2	2	5	7	10	12	21
50-64	6807	6.6	26	2	3	6	8	11	14	26
65+	6809	8.1	45	2	3	7	10	14	19	34
GRAND TOTAL	21439	6.5	30	2	2	5	8	11	15	27

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	64	4.2	8	<1	1	4	6	7	11	14
20-34	84	6.1	10	2	3	6	8	10	14	16
35-49	85	6.7	12	2	2	7	9	10	12	19
50-64	169	7.4	11	2	3	7	9	11	13	18
65+	121	9.3	25	3	4	9	11	15	20	28
2. MULTIPLE DX										
0-19 YRS	107	12.8	224	2	2	8	16	28	59	99+
20-34	210	8.9	32	3	5	8	10	14	20	35
35-49	428	9.9	42	4	5	8	11	16	20	44
50-64	659	11.1	43	5	6	9	13	18	24	40
65+	822	14.8	115	6	7	12	18	25	34	74
TOT. SINGLE DX	523	7.1	17	2	2	7	9	12	14	21
" MULTIPLE DX	2226	12.1	82	5	6	10	14	21	28	60
TOTAL 0-19 YRS	171	9.6	161	1	1	6	11	23	33	97
20-34	294	8.1	28	3	4	7	9	13	16	33
35-49	513	9.4	39	3	5	8	11	16	20	42
50-64	828	10.4	39	4	5	9	12	17	22	39
65+	943	14.1	107	5	6	11	17	23	32	71
GRAND TOTAL	2749	11.2	74	3	5	9	13	20	26	51

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	707	3.9	14	<1	1	3	5	8	10	15
20-34	1016	4.3	14	1	1	3	5	8	11	20
35-49	746	5.1	25	1	1	4	7	10	14	24
50-64	744	6.5	31	1	1	5	9	13	18	28
65+	515	7.7	45	1	2	6	10	16	20	32
2. MULTIPLE DX										
0-19 YRS	688	7.2	57	1	1	5	9	15	22	41
20-34	1617	8.2	74	1	2	6	10	17	25	47
35-49	2428	10.2	93	1	2	7	12	21	29	53
50-64	4386	11.5	101	2	3	9	15	23	31	56
65+	5796	13.2	124	2	3	10	17	26	34	60
TOT. SINGLE DX	3728	5.3	26	1	1	4	7	11	14	24
" MULTIPLE DX	14915	11.4	108	2	2	9	15	24	31	56
TOTAL 0-19 YRS	1395	5.5	39	<1	1	4	7	11	16	31
20-34	2633	6.7	55	1	1	5	8	14	20	41
35-49	3174	9.0	83	1	2	6	11	19	26	51
50-64	5130	10.8	95	1	2	8	14	22	29	52
65+	6311	12.7	120	2	3	10	17	26	33	58
GRAND TOTAL	18643	10.2	97	1	2	7	13	22	29	52

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	756	5.7	20	2	2	5	7	10	13	21
20-34	1572	5.6	12	2	2	5	7	9	12	19
35-49	644	7.3	23	2	3	6	9	12	16	26
50-64	414	9.0	33	3	4	8	11	15	19	33
65+	326	11.4	41	3	5	10	14	19	22	40
2. MULTIPLE DX										
0-19 YRS	1116	9.1	89	3	3	6	10	16	29	60
20-34	2871	8.6	75	2	3	6	9	16	24	53
35-49	1753	11.8	116	3	4	8	14	23	34	66
50-64	2015	15.8	165	4	6	12	19	30	42	76
65+	2797	18.0	158	6	7	15	22	34	44	75
TOT. SINGLE DX	3712	6.8	24	2	3	6	8	12	16	24
" MULTIPLE DX	10552	13.0	138	3	4	9	16	26	37	69
TOTAL 0-19 YRS	1872	7.7	64	2	3	6	9	14	19	46
20-34	4443	7.5	55	2	3	6	8	13	19	42
35-49	2397	10.6	96	3	4	8	12	20	29	57
50-64	2429	14.6	150	4	5	11	18	28	39	71
65+	3123	17.3	150	5	7	14	21	32	43	73
GRAND TOTAL	14264	11.4	116	3	3	8	14	23	32	64

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1295	2.9	5	<1	1	2	4	6	8	11
20-34	5496	2.4	4	<1	<1	2	3	5	7	10
35-49	1000	2.3	4	<1	<1	2	2	5	7	11
50-64	158	2.9	14	<1	<1	2	3	6	8	19
65+	58	2.7	5	<1	<1	2	3	6	9	11
2. MULTIPLE DX										
0-19 YRS	1319	3.9	9	<1	1	3	5	8	9	14
20-34	7821	3.2	10	<1	<1	2	4	7	9	15
35-49	1727	3.5	17	<1	<1	2	4	8	11	20
50-64	295	5.6	39	<1	1	3	7	13	18	33
65+	248	10.1	102	1	2	7	14	22	31	47
TOT. SINGLE DX	8007	2.5	5	<1	<1	2	3	5	7	10
" MULTIPLE DX	11410	3.5	15	<1	<1	2	4	8	10	18
TOTAL 0-19 YRS	2614	3.4	8	<1	1	2	5	7	9	13
20-34	13317	2.9	8	<1	<1	2	4	6	8	13
35-49	2727	3.1	13	<1	<1	2	3	7	10	18
50-64	453	4.6	32	<1	1	2	5	11	16	32
65+	306	8.7	92	1	1	5	13	21	26	47
GRAND TOTAL	19417	3.1	11	<1	<1	2	4	7	9	16

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	404	6.3	20	1	2	6	8	10	13	22
20-34	1383	5.9	15	1	1	5	8	11	14	20
35-49	1051	7.8	27	1	2	7	10	13	16	28
50-64	799	9.2	33	2	4	8	11	15	18	32
65+	654	10.7	29	4	5	10	13	18	22	29
2. MULTIPLE DX										
0-19 YRS	828	10.4	127	2	3	7	12	21	32	69
20-34	4683	6.9	43	1	2	5	8	13	18	36
35-49	3290	10.4	87	2	3	8	12	21	27	53
50-64	3178	13.9	116	3	4	11	17	27	36	60
65+	4562	17.0	152	5	7	14	21	31	42	80
TOT. SINGLE DX	4291	7.8	28	1	2	7	10	14	17	27
" MULTIPLE DX	16541	11.9	116	2	3	9	15	24	33	61
TOTAL 0-19 YRS	1232	9.1	96	1	2	7	10	17	26	58
20-34	6066	6.7	38	1	2	5	8	12	16	33
35-49	4341	9.8	74	2	3	8	12	19	25	47
50-64	3977	12.9	104	3	4	10	16	25	33	55
65+	5216	16.2	142	5	6	13	20	30	40	76
GRAND TOTAL	20832	11.1	101	2	3	8	14	22	30	56

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	135	8.0	16	3	4	8	10	12	15	26
20-34	185	8.3	8	5	6	8	9	11	13	20
35-49	248	9.3	13	5	6	9	10	13	16	22
50-64	400	10.3	13	6	6	9	12	15	18	22
65+	362	11.8	26	6	7	11	14	18	21	31
2. MULTIPLE DX										
0-19 YRS	431	10.1	46	4	4	8	12	18	24	38
20-34	498	11.7	98	5	5	9	12	21	27	67
35-49	711	13.7	103	6	6	11	16	23	33	77
50-64	1608	13.9	69	6	7	12	16	23	30	49
65+	2437	16.6	100	7	8	14	20	29	37	65
TOT. SINGLE DX	1330	10.0	18	5	6	9	12	15	18	25
" MULTIPLE DX	5685	14.6	92	6	7	12	17	26	33	60
TOTAL 0-19 YRS	566	9.6	40	3	4	8	11	17	23	35
20-34	683	10.8	76	5	6	8	11	18	23	59
35-49	959	12.5	84	5	6	10	14	21	29	65
50-64	2008	13.2	60	6	7	11	15	22	27	47
65+	2799	16.0	94	7	8	13	19	28	36	63
GRAND TOTAL	7015	13.7	81	6	7	11	16	24	31	56

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	842	5.7	24	1	2	4	8	11	14	23
20-34	1141	6.8	21	1	2	6	9	12	15	23
35-49	1334	7.1	23	1	2	7	9	12	15	24
50-64	1104	7.1	19	1	2	7	9	12	15	20
65+	540	7.4	24	1	2	7	9	13	16	26
2. MULTIPLE DX										
0-19 YRS	1148	11.6	112	2	2	8	15	25	33	49
20-34	2054	11.2	96	2	2	9	14	22	29	51
35-49	2282	11.6	98	2	2	9	15	22	30	55
50-64	2740	11.9	101	2	2	10	15	23	30	58
65+	2813	13.3	118	2	3	10	17	26	34	57
TOT. SINGLE DX	4961	6.8	23	1	2	6	9	12	15	23
" MULTIPLE DX	11037	12.0	106	2	2	9	15	24	32	55
TOTAL 0-19 YRS	1990	9.1	84	1	2	6	11	20	28	45
20-34	3195	9.6	74	2	2	8	12	19	25	42
35-49	3616	9.9	75	2	2	8	12	19	26	47
50-64	3844	10.5	83	2	2	9	13	20	26	50
65+	3353	12.3	108	2	3	10	15	24	32	55
GRAND TOTAL	15998	10.4	86	2	2	8	13	21	28	49

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	84	6.1	10	1	2	6	8	11	12	16
20-34	789	7.0	11	2	3	7	9	11	13	16
35-49	1185	7.6	14	2	3	7	10	12	13	19
50-64	990	7.8	13	2	3	8	10	12	14	19
65+	375	8.7	16	3	5	8	11	14	17	21
2. MULTIPLE DX										
0-19 YRS	91	6.7	17	1	1	7	10	12	15	18
20-34	722	9.0	36	2	4	8	11	15	18	28
35-49	1115	9.2	27	3	4	8	11	15	18	30
50-64	1669	10.5	44	3	4	9	13	18	22	33
65+	1657	12.5	66	3	4	11	16	22	29	42
TOT. SINGLE DX	3423	7.6	14	2	3	7	10	12	14	19
" MULTIPLE DX	5254	10.6	49	2	4	9	13	18	23	36
TOTAL 0-19 YRS	175	6.4	14	1	2	6	9	11	13	17
20-34	1511	7.9	24	2	3	7	10	13	16	23
35-49	2300	8.4	21	2	3	8	10	13	16	25
50-64	2659	9.5	35	2	4	8	12	16	19	29
65+	2032	11.8	60	3	5	10	15	21	27	41
GRAND TOTAL	8677	9.4	37	2	4	8	12	16	20	32

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	744	6.9	6	3	4	7	8	10	11	14
20-34	79	8.8	17	2	3	9	10	14	15	24
35-49	51	10.6	21	3	5	11	14	16	19	22
50-64	29	11.0	22	5	6	10	13	16	18	26
65+	37	14.4	67	2	5	13	20	23	32	36
2. MULTIPLE DX										
0-19 YRS	939	9.4	38	3	4	8	11	16	20	34
20-34	208	13.2	102	5	6	10	14	26	31	59
35-49	158	14.6	91	6	7	12	17	23	30	51
50-64	245	17.4	194	4	7	13	20	35	39	84
65+	380	19.1	148	6	8	16	25	34	43	77
TOT. SINGLE DX	940	7.7	14	3	4	7	9	12	14	23
" MULTIPLE DX	1930	13.2	107	4	5	10	16	25	33	56
TOTAL 0-19 YRS	1683	8.3	26	3	4	7	10	13	16	27
20-34	287	12.0	83	4	5	9	14	20	28	50
35-49	209	13.6	77	5	6	12	17	21	26	49
50-64	274	16.7	180	4	7	13	18	34	39	84
65+	417	18.6	143	5	8	16	24	34	42	77
GRAND TOTAL	2870	11.4	83	3	5	9	13	21	28	49

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	301	4.5	11	<1	1	4	6	9	12	15
20-34	2141	4.0	7	1	1	3	5	7	9	13
35-49	2710	4.0	6	1	1	3	5	7	9	12
50-64	1733	4.2	7	1	2	4	5	7	10	14
65+	632	4.7	13	1	2	4	6	8	11	16
2. MULTIPLE DX										
0-19 YRS	290	8.1	48	1	2	6	11	16	20	35
20-34	1143	5.6	30	1	2	4	7	10	13	24
35-49	1775	5.3	18	1	2	4	7	10	12	21
50-64	1979	6.3	25	2	2	5	8	11	16	27
65+	1746	8.3	50	2	2	6	10	16	22	36
TOT. SINGLE DX	7517	4.1	8	1	2	4	5	7	9	14
" MULTIPLE DX	6933	6.5	33	2	2	5	8	12	17	29
TOTAL 0-19 YRS	591	6.3	33	1	1	5	8	13	16	26
20-34	3284	4.6	16	1	2	4	6	8	10	17
35-49	4485	4.5	11	1	2	4	6	8	10	16
50-64	3712	5.4	18	1	2	4	7	10	13	22
65+	2378	7.3	43	2	2	6	9	15	19	34
GRAND TOTAL	14450	5.3	21	1	2	4	6	10	13	23

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1749	2.1	4	<1	<1	1	2	5	6	11
20-34	2564	3.6	9	<1	<1	3	5	7	9	15
35-49	2941	3.6	9	<1	1	3	5	7	9	14
50-64	3058	3.6	12	<1	1	2	5	8	10	16
65+	2723	3.9	14	<1	1	3	5	8	10	19
2. MULTIPLE DX										
0-19 YRS	2701	3.6	22	<1	<1	2	4	8	10	20
20-34	5082	5.8	38	1	1	4	7	12	16	32
35-49	6975	6.5	49	1	1	5	8	13	19	36
50-64	11883	6.8	61	1	1	5	9	14	20	40
65+	24019	9.0	91	1	2	6	11	19	26	56
TOT. SINGLE DX	13035	3.5	11	<1	<1	2	5	7	9	16
" MULTIPLE DX	50660	7.5	72	1	1	5	9	16	22	46
TOTAL 0-19 YRS	4450	3.0	16	<1	<1	2	4	7	9	17
20-34	7646	5.1	30	<1	1	4	6	10	14	28
35-49	9916	5.7	39	1	1	4	7	11	16	31
50-64	14941	6.2	53	1	1	4	8	13	18	38
65+	26742	8.5	86	1	2	6	11	18	25	53
GRAND TOTAL	63695	6.7	62	1	1	4	8	14	20	42

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	3.1	7	<1	<1	2	4	7	9	12
20-34	199	2.8	7	<1	1	2	3	5	6	17
35-49	658	2.9	4	1	1	2	4	5	7	11
50-64	2581	3.4	8	1	1	3	4	6	8	13
65+	4958	3.7	8	1	1	3	5	7	8	14
2. MULTIPLE DX										
0-19 YRS	111	5.6	46	1	1	3	7	13	17	39
20-34	511	5.0	52	<1	1	3	6	9	13	34
35-49	1208	4.7	23	<1	1	3	6	10	13	25
50-64	4713	5.2	33	1	1	4	6	10	14	30
65+	16118	6.6	50	1	2	5	8	14	19	37
TOT. SINGLE DX	8444	3.5	8	1	1	3	4	6	8	13
" MULTIPLE DX	22661	6.2	46	1	2	4	7	13	18	35
TOTAL 0-19 YRS	159	4.8	36	<1	1	3	6	11	13	34
20-34	710	4.4	41	<1	1	3	5	9	11	28
35-49	1866	4.0	18	<1	1	3	5	8	11	23
50-64	7294	4.5	25	1	1	3	5	9	12	25
65+	21076	5.9	42	1	2	4	7	12	17	34
GRAND TOTAL	31105	5.5	37	1	1	4	6	11	15	31

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	251	5.4	23	1	1	4	7	11	15	28
20-34	333	5.0	24	1	1	4	7	9	13	23
35-49	551	5.7	26	1	1	4	7	11	14	30
50-64	824	5.7	24	1	1	4	8	13	15	22
65+	1130	6.4	36	1	1	4	9	14	18	30
2. MULTIPLE DX										
0-19 YRS	807	9.2	99	1	2	6	11	20	29	60
20-34	810	9.5	126	1	2	6	11	20	30	68
35-49	1161	9.3	111	1	2	6	11	19	27	79
50-64	2591	9.8	100	1	2	7	13	20	27	49
65+	6821	11.3	114	2	2	8	15	24	32	63
TOT. SINGLE DX	3089	5.8	29	1	1	4	8	13	16	26
" MULTIPLE DX	12190	10.5	112	1	2	8	14	22	31	61
TOTAL 0-19 YRS	1058	8.3	84	1	2	6	10	17	26	54
20-34	1143	8.2	101	1	1	5	9	17	25	56
35-49	1712	8.1	87	1	2	6	10	16	24	57
50-64	3415	8.8	85	1	2	6	12	18	24	45
65+	7951	10.6	106	1	2	8	14	23	31	59
GRAND TOTAL	15279	9.5	99	1	2	7	12	21	28	57

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	432	1.3	1	<1	<1	1	1	2	2	4
20-34	43	2.3	4	<1	<1	1	3	5	6	11
35-49	31	2.9	6	<1	<1	2	4	7	9	11
50-64	32	2.1	2	<1	<1	2	2	5	7	7
65+	33	3.1	7	<1	<1	2	4	6	9	13
2. MULTIPLE DX										
0-19 YRS	351	2.1	2	<1	<1	1	2	4	6	7
20-34	87	4.1	35	<1	<1	2	5	8	14	36
35-49	82	3.4	9	<1	<1	2	5	8	10	14
50-64	120	4.4	20	<1	<1	3	6	11	13	23
65+	143	6.5	29	1	2	5	9	14	18	25
TOT. SINGLE DX	571	1.6	3	<1	<1	1	2	3	4	9
" MULTIPLE DX	783	3.6	17	<1	<1	2	4	8	12	22
TOTAL 0-19 YRS	783	1.6	2	<1	<1	1	2	3	4	7
20-34	130	3.5	26	<1	<1	2	4	7	11	31
35-49	113	3.3	9	<1	<1	2	4	8	9	14
50-64	152	3.9	18	<1	<1	2	5	9	13	22
65+	176	5.9	27	<1	1	4	8	13	17	25
GRAND TOTAL	1354	2.8	12	<1	<1	1	3	6	9	18

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2057	4.8	14	<1	1	4	7	10	12	16
20-34	484	3.5	9	<1	<1	2	5	8	10	15
35-49	352	4.4	8	<1	1	4	6	8	10	12
50-64	329	4.1	11	<1	1	3	6	9	10	14
65+	308	3.9	10	1	1	3	5	8	10	16
2. MULTIPLE DX										
0-19 YRS	1274	5.9	22	<1	1	5	8	12	14	21
20-34	427	5.5	60	<1	1	3	6	12	16	37
35-49	519	6.2	38	1	1	5	8	12	15	34
50-64	630	5.7	23	1	1	4	7	12	15	23
65+	1113	6.8	45	1	2	5	8	14	19	35
TOT. SINGLE DX	3530	4.5	13	<1	1	3	6	9	11	16
" MULTIPLE DX	3963	6.1	35	1	1	4	8	12	16	30
TOTAL 0-19 YRS	3331	5.2	18	<1	1	4	8	11	13	17
20-34	911	4.5	34	<1	1	3	5	9	12	27
35-49	871	5.4	27	1	1	4	7	10	13	27
50-64	959	5.1	20	1	1	4	7	10	13	21
65+	1421	6.2	39	1	1	4	8	13	17	32
GRAND TOTAL	7493	5.3	25	<1	1	4	7	11	14	24

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	440	1.8	1	<1	<1	1	2	3	5	8
20-34	348	2.8	5	<1	<1	2	4	6	8	11
35-49	307	2.9	5	<1	<1	2	3	6	8	13
50-64	280	3.0	8	<1	<1	2	4	6	7	16
65+	317	3.0	5	<1	1	2	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	1109	[illegible]	18	<1	<1	1	3	6	8	16
20-34	1312	[illegible]	39	<1	1	4	7	11	15	32
35-49	1497	5.9	40	<1	1	4	8	12	16	31
50-64	2157	6.7	55	1	1	5	9	14	19	40
65+	4968	8.7	67	1	2	7	11	18	25	44
TOT. SINGLE DX	1692	2.6	6	<1	<1	2	3	5	7	12
" MULTIPLE DX	11043	6.9	57	1	1	5	9	15	21	40
TOTAL 0-19 YRS	1549	2.4	14	<1	<1	1	3	5	7	13
20-34	1660	4.8	33	<1	1	3	6	10	13	31
35-49	1804	5.4	36	<1	1	4	7	11	15	30
50-64	2437	6.3	51	1	1	4	8	13	18	37
65+	5285	8.4	66	1	2	6	11	17	24	43
GRAND TOTAL	**12735**	**6.4**	**52**	**<1**	**1**	**4**	**8**	**14**	**19**	**38**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	397	2.0	2	<1	<1	1	2	4	5	9
20-34	502	3.0	8	<1	1	2	4	6	8	15
35-49	364	3.3	7	<1	1	2	4	7	9	13
50-64	331	3.5	9	1	1	3	4	7	9	15
65+	441	3.7	8	1	1	3	4	7	9	15
2. MULTIPLE DX										
0-19 YRS	446	2.9	25	<1	<1	2	3	6	8	21
20-34	670	3.8	18	1	1	2	4	8	11	19
35-49	676	4.7	22	1	1	3	6	10	13	26
50-64	960	5.6	32	1	2	4	7	11	16	28
65+	2178	7.0	50	1	2	5	8	15	21	39
TOT. SINGLE DX	2035	3.1	8	<1	1	2	4	6	8	14
" MULTIPLE DX	4930	5.6	39	1	1	4	7	12	17	33
TOTAL 0-19 YRS	843	2.4	15	<1	<1	2	3	5	7	13
20-34	1172	3.5	15	1	1	2	4	7	10	17
35-49	1040	4.2	18	1	1	3	5	9	12	22
50-64	1291	5.1	27	1	1	3	6	10	14	25
65+	2619	6.5	45	1	2	4	8	13	19	37
GRAND TOTAL	**6965**	**4.9**	**31**	**1**	**1**	**3**	**6**	**10**	**14**	**29**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	6.2	8	2	2	7	8	10	11	11
20-34	205	6.1	4	2	4	6	7	8	10	12
35-49	876	6.9	5	4	4	7	8	10	11	13
50-64	741	7.3	6	4	5	7	8	10	11	16
65+	327	8.1	8	4	5	8	9	12	13	18
2. MULTIPLE DX										
0-19 YRS	9	5.2	7	3	3	3	8	8	8	8
20-34	378	7.3	12	4	5	7	8	10	13	20
35-49	1555	8.0	14	4	5	7	9	11	14	23
50-64	1593	8.5	19	4	5	8	10	13	15	23
65+	1124	9.6	27	4	5	8	11	15	19	29
TOT. SINGLE DX	2158	7.1	6	4	4	7	8	10	11	16
" MULTIPLE DX	4659	8.5	20	4	5	8	10	13	16	23
TOTAL 0-19 YRS	18	5.7	8	2	3	7	8	8	10	11
20-34	583	6.9	10	3	4	6	8	10	11	19
35-49	2431	7.6	12	4	5	7	9	11	13	19
50-64	2334	8.1	16	4	5	7	9	12	14	21
65+	1451	9.3	24	4	5	8	10	14	18	27
GRAND TOTAL	**6817**	**8.1**	**16**	**4**	**5**	**7**	**9**	**12**	**14**	**22**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	4.6	2	2	3	5	5	7	7	7
20-34	105	6.0	4	3	4	6	7	9	10	12
35-49	356	5.9	4	3	4	6	7	8	9	14
50-64	363	6.3	6	3	4	6	8	9	10	18
65+	207	6.9	5	4	4	7	8	10	11	14
2. MULTIPLE DX										
0-19 YRS	17	6.6	15	1	2	6	9	11	14	16
20-34	130	6.4	7	3	4	6	7	9	11	17
35-49	543	7.3	18	3	4	7	8	11	13	22
50-64	753	7.3	12	3	4	7	9	11	13	21
65+	644	8.2	15	4	4	8	10	13	15	24
TOT. SINGLE DX	1039	6.2	6	3	4	6	8	9	10	15
" MULTIPLE DX	2087	7.5	15	3	4	7	9	11	14	23
TOTAL 0-19 YRS	25	6.0	12	2	2	5	8	11	12	16
20-34	235	6.2	6	3	4	6	7	9	10	15
35-49	899	6.8	13	3	4	6	8	10	12	17
50-64	1116	6.9	11	3	4	6	8	10	12	20
65+	851	7.9	14	4	4	7	9	12	15	23
GRAND TOTAL	**3126**	**7.1**	**12**	**3**	**4**	**6**	**8**	**11**	**13**	**20**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	4.0	6	<1	1	3	6	7	9	10
20-34	89	4.8	7	1	2	4	6	9	10	13
35-49	135	5.1	13	1	1	4	7	9	12	19
50-64	109	4.8	16	1	1	4	7	8	11	24
65+	40	4.1	10	1	1	3	5	9	10	16
2. MULTIPLE DX										
0-19 YRS	49	5.8	70	<1	1	3	7	14	18	52
20-34	159	6.5	22	1	2	5	8	12	15	24
35-49	181	6.9	33	1	2	5	8	15	19	28
50-64	296	8.1	74	1	2	6	10	17	23	46
65+	370	9.7	83	1	2	8	12	19	26	50
TOT. SINGLE DX	397	4.8	12	1	1	4	6	9	11	17
" MULTIPLE DX	1055	8.1	64	1	2	6	10	17	22	44
TOTAL 0-19 YRS	73	5.2	50	<1	1	3	6	10	16	46
20-34	248	5.9	18	1	2	5	8	11	14	23
35-49	316	6.1	25	1	2	5	8	12	17	27
50-64	405	7.2	61	1	1	5	8	15	21	41
65+	410	9.2	79	1	2	7	12	18	24	49
GRAND TOTAL	1452	7.2	52	1	2	5	9	15	20	36

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	5.9	51	1	1	4	7	12	25	29
20-34	51	6.5	22	1	2	6	8	11	14	28
35-49	53	6.2	25	1	2	5	8	10	12	32
50-64	37	7.1	38	1	2	5	8	15	17	34
65+	25	8.2	48	1	2	6	11	21	24	26
2. MULTIPLE DX										
0-19 YRS	24	9.9	54	2	3	7	14	19	26	31
20-34	85	8.4	80	1	2	6	11	15	17	58
35-49	94	10.1	36	3	4	9	13	20	22	28
50-64	149	12.9	128	2	3	9	16	26	34	63
65+	253	12.3	100	2	3	10	15	25	33	51
TOT. SINGLE DX	181	6.7	32	1	2	6	8	12	17	31
" MULTIPLE DX	605	11.5	95	2	3	9	14	23	30	52
TOTAL 0-19 YRS	39	8.4	55	1	1	6	11	19	27	31
20-34	136	7.7	59	1	2	6	10	14	16	58
35-49	147	8.7	36	2	3	8	10	17	22	28
50-64	186	11.8	115	2	3	9	15	25	33	59
65+	278	11.9	97	2	3	9	15	25	32	50
GRAND TOTAL	786	10.4	84	2	2	8	13	21	28	50

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	6.2	5	2	3	7	8	9	9	9
20-34	11	5.3	19	<1	<1	4	7	13	14	14
35-49	217	5.2	6	2	3	5	6	8	10	16
50-64	5012	5.5	5	3	3	5	6	8	9	13
65+	9941	6.1	8	3	4	6	7	9	11	16
2. MULTIPLE DX										
0-19 YRS	57	9.4	74	3	4	7	10	18	23	57
20-34	50	9.6	68	2	3	6	13	27	32	99+
35-49	542	7.0	37	3	3	6	8	11	15	30
50-64	13967	7.3	29	3	4	6	8	12	16	30
65+	51457	9.2	55	3	4	7	10	16	22	42
TOT. SINGLE DX	15193	5.9	7	3	3	5	7	9	10	15
" MULTIPLE DX	66073	8.8	50	3	4	7	10	16	21	40
TOTAL 0-19 YRS	69	8.8	64	3	3	7	9	18	20	53
20-34	61	8.8	62	1	2	5	12	26	30	99+
35-49	759	6.5	29	2	3	5	7	11	14	28
50-64	18979	6.8	24	3	4	6	8	11	14	26
65+	61398	8.7	49	3	4	7	10	15	21	39
GRAND TOTAL	81266	8.2	43	3	4	6	9	14	19	36

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	3	6.0	37	2	2	3	10	13	13	13
35-49	19	9.7	30	1	2	9	13	19	20	20
50-64	514	10.6	17	5	6	10	13	16	19	24
65+	828	10.9	20	5	7	10	13	16	20	27
2. MULTIPLE DX										
0-19 YRS	13	8.2	30	2	2	8	13	16	18	18
20-34	5	3.0	2	<1	<1	3	4	5	5	5
35-49	33	13.3	77	2	6	12	17	23	24	51
50-64	1225	12.4	41	5	7	11	15	20	23	37
65+	4147	13.6	55	6	7	12	16	22	27	43
TOT. SINGLE DX	1367	10.7	20	5	6	10	13	16	19	25
" MULTIPLE DX	5423	13.3	53	6	7	12	16	21	26	41
TOTAL 0-19 YRS	16	7.1	30	2	2	4	12	15	17	18
20-34	8	4.1	14	<1	1	3	4	11	13	13
35-49	52	12.0	62	2	3	11	15	19	24	50
50-64	1739	11.9	35	5	6	11	14	18	22	33
65+	4975	13.1	51	6	7	11	15	21	26	40
GRAND TOTAL	6790	12.8	47	5	7	11	15	20	25	38

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	3.0	9	1	1	2	4	8	10	10
20-34	23	3.2	8	<1	1	2	4	6	10	13
35-49	182	2.1	1	<1	1	2	2	3	5	8
50-64	1425	2.3	4	<1	1	2	2	4	5	11
65+	1886	2.7	9	<1	1	2	3	5	7	13
2. MULTIPLE DX										
0-19 YRS	16	4.6	20	<1	1	3	6	9	15	18
20-34	37	4.8	29	<1	<1	2	7	11	18	24
35-49	278	4.4	18	1	1	3	6	10	12	26
50-64	2050	4.6	32	1	1	3	5	10	14	26
65+	5132	6.3	52	1	1	4	8	14	20	37
TOT. SINGLE DX	3524	2.5	7	<1	1	2	3	4	6	12
" MULTIPLE DX	7513	5.8	47	1	1	3	7	13	18	34
TOTAL 0-19 YRS	24	4.1	17	<1	1	2	6	9	12	18
20-34	60	4.2	22	<1	1	2	5	10	13	24
35-49	460	3.5	13	1	1	2	4	8	10	15
50-64	3475	3.7	22	<1	1	2	4	8	11	22
65+	7018	5.4	44	1	1	3	6	12	17	33
GRAND TOTAL	11037	4.7	36	1	1	3	5	11	15	30

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	462	2.1	2	<1	<1	2	3	4	5	9
20-34	364	2.7	4	<1	1	2	3	5	6	11
35-49	280	3.3	12	<1	1	2	4	6	8	17
50-64	273	2.9	4	1	1	2	4	5	7	12
65+	189	3.1	5	1	1	3	4	5	7	13
2. MULTIPLE DX										
0-19 YRS	304	3.0	13	<1	1	2	3	6	8	22
20-34	274	4.6	21	1	1	3	6	9	11	25
35-49	317	5.8	47	1	1	4	7	11	16	32
50-64	421	7.0	101	1	2	4	8	13	19	63
65+	501	7.8	76	1	2	5	10	17	23	67
TOT. SINGLE DX	1568	2.7	6	<1	1	2	3	5	6	13
" MULTIPLE DX	1817	6.0	61	1	1	4	7	12	18	41
TOTAL 0-19 YRS	766	2.4	7	<1	<1	2	3	4	6	16
20-34	638	3.5	12	1	1	3	4	7	9	18
35-49	597	4.6	33	1	1	3	5	9	13	31
50-64	694	5.4	67	1	1	3	5	11	15	48
65+	690	6.5	61	1	1	4	8	15	20	47
GRAND TOTAL	3385	4.5	38	1	1	3	5	9	14	31

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	666	2.2	2	<1	1	2	3	4	5	8
20-34	864	3.5	10	1	1	3	4	6	8	15
35-49	403	3.2	5	1	1	3	4	6	7	11
50-64	295	3.8	10	1	1	3	5	7	10	18
65+	651	3.9	9	1	1	3	4	8	11	16
2. MULTIPLE DX										
0-19 YRS	661	2.6	5	<1	1	2	3	5	6	11
20-34	585	5.2	40	1	1	3	5	11	16	35
35-49	407	5.8	56	1	1	4	7	12	17	44
50-64	821	7.7	85	1	2	5	10	16	20	45
65+	3444	8.3	75	1	2	5	11	18	24	46
TOT. SINGLE DX	2879	3.3	8	1	1	3	4	6	8	15
" MULTIPLE DX	5918	7.1	68	1	1	4	9	16	21	42
TOTAL 0-19 YRS	1327	2.4	4	<1	1	2	3	4	5	10
20-34	1449	4.2	23	1	1	3	5	8	12	25
35-49	810	4.5	33	1	1	3	5	9	13	25
50-64	1116	6.7	68	1	1	4	8	14	19	39
65+	4095	7.6	68	1	2	5	10	17	22	44
GRAND TOTAL	8797	5.9	52	1	1	3	7	13	18	38

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3268	1.9	1	<1	<1	2	2	3	4	6
20-34	431	2.1	1	1	1	2	3	4	5	7
35-49	48	2.4	2	<1	1	2	3	4	5	10
50-64	12	2.3	1	<1	<1	2	3	4	5	5
65+	4	3.0	2	<1	<1	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	2431	2.2	4	<1	1	2	3	4	5	8
20-34	153	2.7	3	1	1	2	3	5	6	8
35-49	43	3.2	4	<1	1	3	4	5	7	13
50-64	12	4.3	7	1	1	4	6	8	11	11
65+	9	13.3	550	<1	1	4	11	52	74	74
TOT. SINGLE DX	3763	1.9	1	<1	<1	2	2	3	4	6
" MULTIPLE DX	2648	2.3	7	<1	1	2	3	4	5	9
TOTAL 0-19 YRS	5699	2.0	3	<1	<1	2	2	3	4	7
20-34	584	2.2	2	1	1	2	3	4	5	8
35-49	91	2.7	4	<1	1	2	4	5	6	12
50-64	24	3.3	6	<1	1	3	4	6	8	11
65+	13	10.2	392	<1	<1	3	6	31	66	74
GRAND TOTAL	6411	2.1	4	<1	<1	2	2	4	5	7

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	682	1.8	1	<1	1	1	2	3	4	6
20-34	469	2.2	4	<1	1	2	3	3	5	9
35-49	189	2.3	2	<1	1	2	3	4	6	10
50-64	48	2.5	1	1	1	2	3	4	5	6
65+	16	2.8	3	1	1	2	3	5	8	9
2. MULTIPLE DX										
0-19 YRS	276	2.9	9	<1	1	2	3	5	9	18
20-34	240	3.0	8	<1	1	2	4	5	7	17
35-49	117	3.4	13	1	1	2	4	7	9	20
50-64	98	5.2	29	1	2	3	5	15	19	25
65+	59	7.5	56	1	2	4	9	19	24	35
TOT. SINGLE DX	1404	2.0	3	<1	1	2	2	3	5	8
" MULTIPLE DX	790	3.6	17	1	1	2	4	7	13	22
TOTAL 0-19 YRS	958	2.1	4	<1	1	2	2	4	5	11
20-34	709	2.5	6	<1	1	2	3	4	5	14
35-49	306	2.7	7	<1	1	2	3	5	8	16
50-64	146	4.3	22	1	1	3	4	7	17	24
65+	75	6.5	49	1	1	4	7	15	22	34
GRAND TOTAL	2194	2.6	9	<1	1	2	3	4	7	17

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	306	1.2		<1	<1	<1	1	2	2	3
35-49	228	1.4	6	<1	<1	<1	1	2	3	10
50-64	27	4.3	14	<1	<1	3	7	9	12	14
65+	6	5.8	13	1	1	6	9	10	10	10
2. MULTIPLE DX										
0-19 YRS	6	2.0		<1	<1	2	3	3	3	3
20-34	126	4.9	82	<1	<1	2	3	14	28	42
35-49	149	3.4	18	<1	<1	2	4	8	11	24
50-64	33	5.5	24	<1	<1	4	7	10	15	24
65+	23	11.3	77	1	3	10	14	23	32	38
TOT. SINGLE DX	571	1.5	4	<1	<1	<1	1	2	3	10
" MULTIPLE DX	337	4.7	50	<1	<1	2	5	11	17	32
TOTAL 0-19 YRS	10	1.9	1	<1	<1	2	3	3	3	3
20-34	432	2.3	27	<1	<1	<1	1	3	8	29
35-49	377	2.2	12	<1	<1	<1	2	4	7	22
50-64	60	5.0	20	<1	<1	4	7	10	13	23
65+	29	10.2	68	1	2	9	13	19	29	38
GRAND TOTAL	908	2.7	24	<1	<1	<1	2	6	10	28

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1630	1.8	1	<1	<1	2	2	3	3	6
20-34	1984	2.1	1	<1	1	2	3	3	4	6
35-49	1586	2.2	1	<1	1	2	3	4	4	7
50-64	1203	2.6	2	1	1	2	3	4	5	8
65+	594	2.7	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	1029	2.1	8	<1	<1	2	2	3	4	7
20-34	1399	2.6	7	<1	1	2	3	4	6	12
35-49	1064	3.0	9	1	1	2	3	5	8	14
50-64	1407	4.0	11	1	1	3	5	7	10	20
65+	1080	4.6	25	1	2	3	5	8	11	27
TOT. SINGLE DX	6997	2.2	2	<1	1	2	3	4	4	7
" MULTIPLE DX	5979	3.3	13	1	1	2	4	6	8	16
TOTAL 0-19 YRS	2659	1.9	4	<1	<1	2	2	3	4	6
20-34	3383	2.3	4	<1	1	2	3	4	5	9
35-49	2650	2.5	5	<1	1	2	3	4	6	11
50-64	2610	3.3	8	1	1	3	4	6	8	14
65+	1674	3.9	18	1	1	3	4	7	10	23
GRAND TOTAL	12976	2.7	7	<1	1	2	3	5	6	12

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1280	1.4	1	<1	<1	1	2	2	2	5
20-34	389	1.8	9	<1	<1	2	2	3	3	4
35-49	288	1.6		<1	<1	2	2	2	3	5
50-64	204	1.7		<1	<1	2	2	2	3	5
65+	115	2.2	3	<1	<1	2	2	3	5	11
2. MULTIPLE DX										
0-19 YRS	558	2.8	19	<1	<1	1	2	5	11	24
20-34	354	3.0	14	<1	1	2	3	6	9	24
35-49	552	3.4	13	<1	1	2	4	8	10	14
50-64	599	3.9	35	<1	1	2	5	8	11	24
65+	708	5.0	48	1	1	2	6	11	16	39
TOT. SINGLE DX	4502	1.6	3	<1	<1	1	2	2	3	6
" MULTIPLE DX	4171	4.0	34	<1	1	2	4	9	13	30
TOTAL 0-19 YRS	3617	2.1	13	<1	<1	1	2	3	6	21
20-34	1299	2.3	12	<1	<1	2	2	4	6	13
35-49	1323	2.8	10	<1	<1	2	3	6	9	14
50-64	1227	3.2	22	<1	1	2	3	7	9	19
65+	1207	4.7	49	1	1	2	5	10	15	40
GRAND TOTAL	8673	2.8	19	<1	<1	2	2	5	9	22

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	340	2.8	6	<1	<1	2	3	7	8	13
20-34	316	2.8	10	<1	<1	2	3	5	7	19
35-49	330	4.2	12	1	1	3	5	7	10	19
50-64	712	4.0	6	1	2	4	5	6	7	13
65+	359	4.1	6	1	2	4	5	7	8	12
2. MULTIPLE DX										
0-19 YRS	308	4.1	24	<1	<1	3	4	9	11	30
20-34	400	6.5	47	1	1	4	8	14	21	31
35-49	744	5.9	38	1	2	4	7	11	14	34
50-64	1610	4.9	13	1	2	4	6	8	11	19
65+	1046	5.7	37	1	2	4	6	10	17	33
TOT. SINGLE DX	2057	3.7	9	<1	1	3	5	7	8	14
" MULTIPLE DX	4108	5.4	29	1	2	4	6	10	14	28
TOTAL 0-19 YRS	648	3.4	16	<1	<1	2	4	7	10	18
20-34	716	4.8	34	<1	1	3	6	10	16	30
35-49	1074	5.4	31	1	2	4	6	9	13	29
50-64	2322	4.6	12	1	2	4	6	8	10	17
65+	1405	5.3	30	1	2	4	6	9	14	28
GRAND TOTAL	6165	4.8	23	1	1	4	6	8	12	25

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	964	4.9	3	2	3	5	6	7	8	12
20-34	3132	4.9	3	2	3	5	6	7	8	11
35-49	465	5.4	5	2	3	5	6	8	9	14
50-64	78	6.9	7	2	4	7	8	11	12	17
65+	49	8.0	16	1	2	8	11	13	15	19
2. MULTIPLE DX										
0-19 YRS	1079	5.6	8	2	3	5	6	9	11	16
20-34	6837	5.6	7	2	3	5	6	8	10	16
35-49	1387	6.5	15	2	3	6	7	10	13	20
50-64	245	10.7	67	2	4	8	13	19	28	41
65+	330	14.8	110	5	6	12	18	28	34	51
TOT. SINGLE DX	4688	5.0	4	2	3	5	6	7	8	12
" MULTIPLE DX	9878	6.2	17	2	3	5	7	9	12	23
TOTAL 0-19 YRS	2043	5.3	6	2	3	5	6	8	10	14
20-34	9969	5.4	6	2	3	5	6	8	9	15
35-49	1852	6.2	13	2	3	6	7	10	13	19
50-64	323	9.8	56	2	4	8	11	18	23	40
65+	379	13.9	103	4	5	11	17	27	33	51
GRAND TOTAL	14566	5.8	13	2	3	5	6	9	11	20

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	463	5.3	3	3	3	5	6	8	8	12
20-34	2754	5.3	4	3	3	5	6	7	9	12
35-49	1120	5.7	4	3	4	6	7	8	9	13
50-64	189	6.5	6	4	4	6	7	9	12	17
65+	86	7.6	10	4	4	7	8	11	14	22
2. MULTIPLE DX										
0-19 YRS	680	6.4	9	3	4	6	7	10	11	18
20-34	7199	6.0	6	3	4	6	7	9	10	16
35-49	3723	6.9	17	4	4	6	8	10	13	20
50-64	528	10.6	83	4	5	8	12	19	26	62
65+	564	14.2	112	5	6	11	17	26	34	54
TOT. SINGLE DX	4612	5.5	5	3	3	5	6	8	9	13
" MULTIPLE DX	12694	6.8	22	3	4	6	7	10	14	26
TOTAL 0-19 YRS	1143	5.9	7	3	4	5	7	9	10	16
20-34	9953	5.8	6	3	4	5	7	8	10	15
35-49	4843	6.6	15	3	4	6	7	10	12	19
50-64	717	9.5	66	4	5	7	10	16	22	56
65+	650	13.3	104	5	6	10	16	25	32	53
GRAND TOTAL	**17306**	**6.5**	**17**	**3**	**4**	**6**	**7**	**10**	**12**	**23**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	4.7	2	1	3	5	6	7	77	99+
20-34	339	5.8	3	3	4	6	7	8	9	13
35-49	504	6.0	4	3	4	6	7	8	9	13
50-64	291	7.5	10	4	5	7	9	12	14	20
65+	119	8.3	13	4	5	7	10	12	17	23
2. MULTIPLE DX										
0-19 YRS	26	8.2	85	3	4	6	8	11	27	50
20-34	1609	6.6	10	4	4	6	7	10	12	18
35-49	3098	7.0	13	4	4	6	8	10	13	21
50-64	1130	9.7	42	4	5	8	11	17	21	33
65+	895	13.1	68	5	6	10	16	23	30	54
TOT. SINGLE DX	1267	6.5	7	4	4	6	7	9	11	17
" MULTIPLE DX	6758	8.2	30	4	4	7	9	14	18	31
TOTAL 0-19 YRS	40	7.0	58	3	3	5	7	10	34	99+
20-34	1948	6.4	9	4	4	6	7	9	12	18
35-49	3602	6.9	12	4	4	6	8	10	13	20
50-64	1421	9.2	37	4	5	7	10	16	20	32
65+	1014	12.6	65	5	6	10	15	22	29	46
GRAND TOTAL	**8025**	**7.9**	**27**	**4**	**4**	**6**	**9**	**13**	**17**	**30**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	243	3.1	4	<1	1	3	4	5	7	12
20-34	826	3.0	4	<1	1	2	4	6	7	9
35-49	154	3.1	7	<1	<1	2	4	6	7	15
50-64	14	4.1	5	1	1	4	6	7	9	9
65+	6	4.2	3	1	1	5	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	315	4.7	9	1	1	4	6	8	11	14
20-34	2660	4.3	7	1	1	4	6	7	8	14
35-49	607	4.7	14	<1	1	4	6	9	12	18
50-64	52	7.4	36	1	1	7	10	14	21	28
65+	24	13.7	147	3	4	10	16	29	48	49
TOT. SINGLE DX	1243	3.0	5	<1	1	2	4	6	7	10
" MULTIPLE DX	3658	4.5	11	1	1	4	6	8	9	16
TOTAL 0-19 YRS	558	4.0	8	1	1	3	5	7	9	13
20-34	3486	4.0	7	<1	1	4	5	7	8	13
35-49	761	4.4	13	<1	1	4	6	8	11	17
50-64	66	6.7	32	1	1	5	9	14	18	28
65+	30	11.8	132	3	3	8	14	23	48	49
GRAND TOTAL	**4901**	**4.1**	**10**	**<1**	**1**	**4**	**6**	**7**	**9**	**15**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	1.8	2	<1	<1	<1	2	4	6	7
20-34	4713	1.3		<1	<1	1	2	2	2	4
35-49	2111	1.3		<1	<1	1	1	2	2	3
50-64	15	1.2		<1	<1	1	1	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	27	1.5		<1	<1	1	2	3	3	3
20-34	4243	1.8	4	<1	<1	1	2	3	4	7
35-49	2260	1.9	10	<1	<1	1	2	3	4	11
50-64	9	1.9		<1	<1	2	2	3	3	3
65+										
TOT. SINGLE DX	6862	1.3	1	<1	<1	1	2	2	2	4
" MULTIPLE DX	6539	1.8	7	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	50	1.7	1	<1	<1	1	2	3	4	7
20-34	8956	1.6	3	<1	<1	1	2	2	3	6
35-49	4371	1.6	6	<1	<1	1	2	2	3	7
50-64	24	1.5		<1	<1	1	2	2	3	3
65+										
GRAND TOTAL	**13401**	**1.6**	**4**	**<1**	**<1**	**1**	**2**	**2**	**3**	**6**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	61	2.9	1	<1	1	3	4	4	5	7
20-34	5995	2.2	1	<1	<1	2	3	4	5	6
35-49	2130	2.1	1	<1	<1	2	3	4	4	6
50-64	12	3.2	4	1	1	2	5	6	7	7
65+										
2. MULTIPLE DX										
0-19 YRS	142	3.7	9	1	2	3	4	5	8	15
20-34	12548	3.3	3	1	1	3	4	5	6	8
35-49	3354	3.2	4	1	1	3	4	5	6	10
50-64	22	8.0	70	1	2	6	11	14	26	41
65+										
TOT. SINGLE DX	8198	2.2	2	<1	<1	2	3	4	5	6
" MULTIPLE DX	16066	3.3	4	1	1	3	4	5	6	9
TOTAL 0-19 YRS	203	3.4	7	1	1	3	4	5	7	14
20-34	18543	2.9	3	1	1	3	4	5	5	8
35-49	5484	2.8	4	<1	1	3	4	5	6	9
50-64	34	6.3	52	1	1	5	6	13	15	41
65+										
GRAND TOTAL	24264	2.9	3	<1	1	3	4	5	6	8

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	448	4.4	2	2	3	4	5	6	7	10
20-34	6788	4.5	3	2	3	4	5	6	7	9
35-49	918	4.6	3	1	2	5	6	7	7	11
50-64	7	5.0	10	1	1	4	7	10	10	10
65+	6	5.2	2	3	3	5	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	536	5.2	4	2	3	5	6	8	9	13
20-34	8617	4.9	5	2	3	5	6	7	8	11
35-49	1508	5.2	10	2	2	5	6	8	9	14
50-64	24	10.2	70	3	4	8	10	26	31	35
65+	16	15.5	102	3	6	13	20	34	35	35
TOT. SINGLE DX	8167	4.5	4	2	3	4	5	6	7	9
" MULTIPLE DX	10701	5.0	6	2	3	5	6	7	8	12
TOTAL 0-19 YRS	984	4.8	4	2	3	5	6	7	8	12
20-34	15405	4.7	5	2	3	5	6	7	7	11
35-49	2426	4.9	8	1	2	5	6	7	8	13
50-64	31	9.0	61	1	3	7	10	21	29	35
65+	22	12.7	96	3	4	9	18	32	34	35
GRAND TOTAL	18868	4.8	5	2	3	5	6	7	8	11

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	84	1.9	1	<1	<1	2	2	3	3	7
20-34	2297	1.9	1	<1	<1	2	2	3	4	6
35-49	944	2.0	2	<1	<1	2	2	3	4	7
50-64	290	2.0	1	<1	<1	2	2	3	4	7
65+	132	2.2	2	<1	1	2	2	3	4	9
2. MULTIPLE DX										
0-19 YRS	67	2.4	4	<1	<1	2	3	4	6	14
20-34	1618	2.3	12	<1	1	2	3	4	5	10
35-49	936	2.5	8	<1	1	2	3	4	6	18
50-64	416	2.8	7	<1	1	2	3	5	8	15
65+	244	4.9	63	1	1	2	5	10	15	38
TOT. SINGLE DX	3747	1.9	2	<1	<1	2	2	3	4	6
" MULTIPLE DX	3281	2.6	15	<1	1	2	3	5	7	15
TOTAL 0-19 YRS	151	2.1	3	<1	<1	2	2	3	4	9
20-34	3915	2.1	6	<1	<1	2	2	3	4	7
35-49	1880	2.3	5	<1	<1	2	3	4	5	12
50-64	706	2.4	5	<1	1	2	3	4	6	12
65+	376	3.9	44	1	1	2	3	9	13	33
GRAND TOTAL	7028	2.3	8	<1	<1	2	3	4	5	10

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	1.9	2	<1	<1	2	2	4	4	9
20-34	960	1.8	1	<1	<1	1	2	3	4	6
35-49	1030	1.9	2	<1	<1	2	2	3	4	8
50-64	632	2.2	3	<1	<1	2	2	4	6	10
65+	307	3.4	7	1	1	2	5	7	10	14
2. MULTIPLE DX										
0-19 YRS	98	2.4	3	<1	<1	2	3	5	7	9
20-34	1671	2.6	7	<1	<1	2	3	5	7	14
35-49	2826	2.7	11	<1	<1	2	2	5	8	16
50-64	1689	3.6	23	<1	1	2	3	8	11	24
65+	1428	6.1	43	1	2	4	8	12	17	34
TOT. SINGLE DX	2986	2.1	3	<1	<1	2	2	3	5	10
" MULTIPLE DX	7712	3.5	21	<1	1	2	3	8	11	22
TOTAL 0-19 YRS	155	2.2	3	<1	<1	2	3	4	7	9
20-34	2631	2.3	6	<1	<1	2	2	4	6	12
35-49	3856	2.5	9	<1	<1	2	2	4	7	16
50-64	2321	3.2	19	<1	1	2	3	7	10	20
65+	1735	5.6	38	1	2	3	7	12	15	32
GRAND TOTAL	10698	3.1	16	<1	<1	2	3	7	10	19

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	128	3.3	9	1	1	3	4	5	7	15
20-34	2837	2.5	2	1	1	2	3	4	5	8
35-49	301	2.4	2	1	1	2	3	4	5	9
50-64	4	1.3		1	1	1	2	2	2	2
65+	3	3.7	4	2	2	3	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	45	3.9	5	1	2	3	4	7	10	12
20-34	873	3.9	26	1	1	3	4	7	9	28
35-49	117	3.9	28	1	1	3	4	6	11	32
50-64	4	3.8	6	1	1	3	5	7	7	7
65+	2	9.0	18	6	6	9	12	12	12	12
TOT. SINGLE DX	3273	2.6	3	1	1	2	3	4	5	8
" MULTIPLE DX	1041	3.9	26	1	1	3	4	7	10	27
TOTAL 0-19 YRS	173	3.5	9	1	1	3	4	6	8	12
20-34	3710	2.9	9	1	1	2	3	5	6	12
35-49	418	2.8	10	1	1	2	3	5	6	13
50-64	8	2.5	5	1	1	2	3	6	7	7
65+	5	5.8	15	2	2	6	8	12	12	12
GRAND TOTAL	4314	2.9	9	1	1	2	3	5	6	12

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	3.9	8	<1	1	4	5	6	7	18
20-34	978	4.9	5	<1	1	5	6	7	8	11
35-49	401	4.4	6	<1	1	5	6	7	8	10
50-64	94	2.8	6	<1	<1	2	3	6	8	13
65+	49	3.0	7	<1	1	2	3	7	10	14
2. MULTIPLE DX										
0-19 YRS	67	3.7	5	<1	1	3	5	7	8	10
20-34	1919	5.4	20	1	1	5	6	8	10	19
35-49	1061	5.3	18	<1	1	5	7	9	11	21
50-64	322	5.0	47	<1	1	2	6	11	19	36
65+	288	8.0	96	1	2	4	10	19	24	65
TOT. SINGLE DX	1563	4.5	6	<1	1	5	6	7	8	11
" MULTIPLE DX	3657	5.5	29	1	1	5	7	9	12	27
TOTAL 0-19 YRS	108	3.8	7	<1	1	3	5	7	8	13
20-34	2897	5.2	15	1	1	5	6	8	10	16
35-49	1462	5.0	16	<1	1	5	7	8	10	18
50-64	416	4.5	39	<1	1	2	5	10	17	30
65+	337	7.3	87	1	2	4	9	18	24	55
GRAND TOTAL	5220	5.2	22	<1	1	5	6	8	11	22

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	6.3	5	3	3	6	7	9	10	15
20-34	3670	6.2	3	4	4	6	7	8	9	12
35-49	6819	6.5	3	4	5	6	7	8	9	13
50-64	2146	7.2	5	4	5	7	8	10	11	16
65+	938	7.9	10	5	5	7	9	11	13	21
2. MULTIPLE DX										
0-19 YRS	221	7.6	15	4	4	6	9	12	15	23
20-34	24778	6.6	7	4	5	6	7	9	11	16
35-49	57896	7.0	7	4	5	6	8	9	11	17
50-64	15211	7.9	16	5	5	7	8	11	14	24
65+	6467	10.5	45	5	6	8	12	17	23	39
TOT. SINGLE DX	13602	6.6	4	4	5	6	7	9	10	14
" MULTIPLE DX	104573	7.2	12	4	5	7	8	10	12	21
TOTAL 0-19 YRS	250	7.5	15	4	4	6	8	12	15	20
20-34	28448	6.6	7	4	5	6	7	9	10	16
35-49	64715	6.9	7	4	5	6	8	9	11	17
50-64	17357	7.8	16	5	5	7	8	11	14	23
65+	7405	10.2	41	5	6	8	11	16	22	37
GRAND TOTAL	118175	7.2	11	4	5	6	8	10	12	20

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	6.6	10	4	4	6	7	12	14	14
20-34	2254	5.2	2	3	4	5	6	7	8	10
35-49	2288	5.5	3	3	4	5	6	7	9	11
50-64	1137	6.9	4	4	5	7	8	10	11	14
65+	984	7.3	6	5	5	7	8	10	11	15
2. MULTIPLE DX										
0-19 YRS	39	5.4	3	2	2	6	7	8	8	9
20-34	9177	5.6	3	3	4	5	6	8	9	13
35-49	16681	6.0	5	3	4	6	7	8	10	14
50-64	5293	7.2	9	4	5	7	8	10	12	18
65+	4508	8.3	15	5	5	7	9	12	14	22
TOT. SINGLE DX	6671	5.9	4	3	4	6	7	8	10	13
" MULTIPLE DX	35698	6.4	8	4	4	6	7	9	11	16
TOTAL 0-19 YRS	47	5.6	5	2	2	6	7	8	9	14
20-34	11431	5.5	4	3	4	5	6	7	9	12
35-49	18969	6.0	5	3	4	6	7	8	10	14
50-64	6430	7.2	9	4	5	7	8	10	12	17
65+	5492	8.1	14	5	5	7	9	11	14	22
GRAND TOTAL	42369	6.3	7	4	4	6	7	9	11	15

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	86	9.8	7	6	7	10	11	13	14	19
35-49	95	11.0	12	7	7	10	13	15	18	23
50-64	32	12.0	27	6	7	10	15	19	20	29
65+	21	12.4	19	6	7	12	15	18	21	23
2. MULTIPLE DX										
0-19 YRS	4	14.0	82	6	6	11	19	27	27	27
20-34	118	11.3	30	5	6	10	14	18	24	29
35-49	226	13.6	92	6	7	11	15	21	35	50
50-64	159	17.3	147	6	8	14	21	32	42	92
65+	133	19.0	163	9	9	16	22	28	37	92
TOT. SINGLE DX	235	10.8	14	6	7	10	13	16	18	23
" MULTIPLE DX	640	15.2	116	6	7	12	18	26	35	68
TOTAL 0-19 YRS	5	13.2	65	6	6	11	16	27	27	27
20-34	204	10.7	21	5	6	10	12	16	19	27
35-49	321	12.8	70	6	7	11	14	20	27	48
50-64	191	16.4	131	6	8	13	19	29	37	86
65+	154	18.1	149	8	9	16	20	27	36	90
GRAND TOTAL	**875**	**14.0**	**93**	**6**	**7**	**11**	**16**	**23**	**30**	**53**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	543	1.2		<1	<1	<1	1	2	2	4
20-34	2446	1.2		<1	<1	<1	1	1	2	5
35-49	328	1.2		<1	<1	<1	1	1	2	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	129	2.9	7	<1	<1	2	4	6	8	13
20-34	849	2.9	11	<1	<1	2	3	6	9	18
35-49	274	2.3	7	<1	<1	1	3	4	8	15
50-64										
65+										
TOT. SINGLE DX	3317	1.2	1	<1	<1	<1	1	1	2	5
" MULTIPLE DX	1252	2.7	10	<1	<1	2	3	6	8	17
TOTAL 0-19 YRS	672	1.5	2	<1	<1	<1	1	3	4	9
20-34	3295	1.6	4	<1	<1	<1	1	3	5	10
35-49	602	1.7	4	<1	<1	1	2	3	5	10
50-64										
65+										
GRAND TOTAL	**4569**	**1.6**	**4**	**<1**	**<1**	**<1**	**1**	**3**	**5**	**10**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6471	1.6	1	<1	<1	1	2	3	4	6
20-34	42211	1.5	1	<1	<1	1	2	2	3	6
35-49	13948	1.5	1	<1	<1	1	2	2	3	6
50-64	4588	1.6	1	<1	<1	1	2	2	3	7
65+	1437	2.3	6	<1	<1	2	2	4	5	11
2. MULTIPLE DX										
0-19 YRS	2505	2.8	6	<1	1	2	3	6	7	13
20-34	22485	2.7	8	<1	<1	2	3	6	8	14
35-49	19217	2.5	11	<1	<1	2	2	5	8	16
50-64	8641	2.9	16	<1	<1	2	3	6	10	20
65+	4679	4.4	36	1	1	2	5	10	15	28
TOT. SINGLE DX	68655	1.5	2	<1	<1	1	2	2	3	6
" MULTIPLE DX	57527	2.8	13	<1	<1	2	3	6	8	17
TOTAL 0-19 YRS	8976	1.9	3	<1	<1	1	2	4	5	9
20-34	64696	1.9	4	<1	<1	1	2	4	5	9
35-49	33165	2.1	7	<1	<1	1	2	4	6	13
50-64	13229	2.5	11	<1	<1	2	2	5	8	16
65+	6116	3.9	30	<1	1	2	4	9	13	26
GRAND TOTAL	**126182**	**2.1**	**7**	**<1**	**<1**	**1**	**2**	**4**	**6**	**13**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1997	1.1		<1	<1	<1	<1	1	1	3
20-34	7081	1.1		<1	<1	<1	<1	1	1	3
35-49	901	1.1		<1	<1	<1	1	1	2	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	925	1.8	28	<1	<1	<1	<1	2	4	16
20-34	3416	1.9	13	<1	<1	<1	1	3	6	17
35-49	746	1.9	3	<1	<1	1	2	3	5	9
50-64										
65+										
TOT. SINGLE DX	9979	1.1		<1	<1	<1	<1	1	1	3
" MULTIPLE DX	5087	1.9	14	<1	<1	<1	2	3	5	16
TOTAL 0-19 YRS	2922	1.3	9	<1	<1	<1	<1	1	2	7
20-34	10497	1.4	5	<1	<1	<1	1	2	3	8
35-49	1647	1.5	2	<1	<1	<1	1	2	3	6
50-64										
65+										
GRAND TOTAL	**15066**	**1.4**	**5**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**7**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1020	1.3		<1	<1	1	1	2	3	4
20-34	6292	1.3		<1	<1	1	1	2	3	4
35-49	968	1.3		<1	<1	1	1	2	3	4
50-64	8	2.0	1	<1	<1	2	2	4	5	5
65+	5	2.0		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	208	3.0	13	<1	1	2	3	6	7	20
20-34	1324	2.2	4	<1	<1	1	3	4	6	10
35-49	324	2.2	4	<1	<1	1	2	5	6	10
50-64	18	8.1	189	<1	<1	2	5	31	46	50
65+	30	14.1	367	2	2	7	17	34	38	98
TOT. SINGLE DX	8293	1.3	1	<1	<1	1	1	2	3	4
" MULTIPLE DX	1904	2.5	15	<1	<1	2	3	5	7	15
TOTAL 0-19 YRS	1228	1.6	3	<1	<1	1	2	3	4	7
20-34	7616	1.4	1	<1	<1	1	1	2	3	6
35-49	1292	1.5	2	<1	<1	1	1	2	4	7
50-64	26	6.2	138	<1	<1	2	5	13	41	50
65+	35	12.4	332	1	2	7	15	33	37	98
GRAND TOTAL	**10197**	**1.5**	**4**	**<1**	**<1**	**1**	**2**	**2**	**4**	**7**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	4.6	2	3	3	5	6	6	6	6
20-34	99	4.3	4	<1	1	5	5	7	8	10
35-49	32	5.1	8	<1	<1	5	7	8	9	13
50-64	13	6.9	1	5	5	7	8	9	9	9
65+	6	9.2	7	5	6	10	12	83	99+	99+
2. MULTIPLE DX										
0-19 YRS	35	5.3	2	4	4	5	6	8	8	9
20-34	561	5.1	4	2	3	5	6	7	8	13
35-49	63	5.2	6	1	2	5	7	8	10	13
50-64	26	8.2	18	3	4	7	9	15	19	20
65+	45	9.1	19	4	5	8	11	14	18	24
TOT. SINGLE DX	155	4.9	6	<1	1	5	6	8	9	13
" MULTIPLE DX	730	5.5	7	2	3	5	6	8	10	17
TOTAL 0-19 YRS	40	5.3	2	3	4	5	6	8	8	9
20-34	660	5.0	5	1	2	5	6	7	8	13
35-49	95	5.2	7	<1	1	5	7	8	9	13
50-64	39	7.7	13	4	4	7	9	10	18	20
65+	51	9.1	18	4	5	8	11	15	21	98
GRAND TOTAL	**885**	**5.4**	**7**	**1**	**2**	**5**	**6**	**8**	**10**	**17**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	157	2.3	4	<1	1	1	3	5	6	9
20-34	651	2.8	8	<1	<1	2	4	6	7	10
35-49	183	3.0	4	<1	<1	3	4	6	8	10
50-64	98	3.6	5	<1	1	3	4	5	7	15
65+	68	3.6	1	2	2	4	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	93	4.0	10	1	1	3	5	7	10	17
20-34	989	3.7	7	<1	1	3	5	7	8	14
35-49	301	4.2	19	<1	1	3	5	8	10	22
50-64	193	4.1	8	1	2	3	5	6	9	17
65+	207	5.1	38	2	2	4	5	9	11	37
TOT. SINGLE DX	1157	2.9	7	<1	<1	2	4	6	7	10
" MULTIPLE DX	1783	4.0	14	<1	1	3	5	7	9	18
TOTAL 0-19 YRS	250	2.9	7	<1	1	2	4	6	8	15
20-34	1640	3.4	8	<1	1	3	5	6	7	12
35-49	484	3.8	14	<1	<1	3	5	7	9	19
50-64	291	3.9	7	1	2	3	4	6	9	16
65+	275	4.7	30	2	2	4	5	7	10	22
GRAND TOTAL	**2940**	**3.6**	**11**	**<1**	**1**	**3**	**5**	**6**	**8**	**16**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	4.3	10	1	1	4	5	10	10	10
20-34	222	4.9	6	1	2	5	6	8	10	13
35-49	892	5.6	5	2	3	5	7	8	9	12
50-64	1558	6.2	5	3	4	6	7	9	11	15
65+	1049	6.4	5	3	4	6	8	9	11	15
2. MULTIPLE DX										
0-19 YRS	7	6.4	6	3	3	6	8	10	10	10
20-34	661	6.4	9	3	3	6	8	10	11	17
35-49	2158	6.9	11	3	4	6	8	10	12	18
50-64	3291	7.2	11	4	4	7	8	11	13	19
65+	3005	7.8	19	4	4	7	9	12	14	24
TOT. SINGLE DX	3727	6.0	6	3	3	6	7	9	10	14
" MULTIPLE DX	9122	7.3	14	3	4	7	8	11	13	21
TOTAL 0-19 YRS	13	5.5	9	1	2	5	7	10	10	10
20-34	883	6.0	10	2	3	6	7	9	11	15
35-49	3050	6.5	10	3	4	6	8	10	12	17
50-64	4849	6.9	10	3	4	6	8	10	12	18
65+	4054	7.5	16	4	4	7	8	11	14	23
GRAND TOTAL	**12849**	**6.9**	**12**	**3**	**4**	**6**	**8**	**10**	**12**	**19**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	173	2.9	8	<1	<1	2	4	7	9	14
20-34	572	3.3	5	<1	1	3	4	6	7	11
35-49	226	3.6	6	1	1	3	5	7	9	12
50-64	142	5.1	13	1	1	5	7	9	11	18
65+	78	5.7	12	1	1	6	7	9	11	20
2. MULTIPLE DX										
0-19 YRS	165	4.9	26	1	1	3	6	11	15	21
20-34	365	4.3	11	1	1	4	5	8	10	20
35-49	272	5.8	22	1	1	5	7	11	15	25
50-64	281	9.1	75	2	3	7	10	17	24	56
65+	309	10.0	96	2	3	8	11	18	27	64
TOT. SINGLE DX	1191	3.7	8	<1	1	3	5	7	9	14
" MULTIPLE DX	1392	6.9	53	1	1	5	8	13	18	39
TOTAL 0-19 YRS	338	3.9	18	<1	1	2	5	10	12	20
20-34	937	3.7	8	1	1	3	5	7	9	15
35-49	498	4.8	17	1	1	4	6	9	12	22
50-64	423	7.8	58	1	2	6	9	14	19	44
65+	387	9.2	83	1	2	7	10	16	24	55
GRAND TOTAL	**2583**	**5.4**	**35**	**1**	**1**	**4**	**7**	**10**	**14**	**30**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	365	3.2	12	<1	<1	2	4	7	10	14
20-34	1071	3.2	8	<1	<1	2	4	7	9	13
35-49	423	3.7	18	<1	1	2	5	8	10	15
50-64	256	4.0	10	<1	1	3	5	8	9	17
65+	354	5.0	10	1	2	4	7	8	10	19
2. MULTIPLE DX										
0-19 YRS	396	4.1	31	<1	1	3	5	8	11	35
20-34	1315	4.6	18	<1	1	3	6	9	12	23
35-49	686	6.0	34	1	1	4	8	13	17	32
50-64	806	7.0	45	1	2	5	8	13	19	40
65+	1358	8.0	61	2	2	6	9	15	24	49
TOT. SINGLE DX	2469	3.6	12	<1	<1	3	5	8	9	15
" MULTIPLE DX	4561	6.2	42	1	1	5	8	12	17	36
TOTAL 0-19 YRS	761	3.6	22	<1	<1	2	5	8	10	18
20-34	2386	4.0	14	<1	<1	3	5	8	11	19
35-49	1109	5.1	29	<1	1	3	7	11	15	28
50-64	1062	6.3	38	1	2	5	7	11	18	38
65+	1712	7.4	53	2	2	6	8	14	21	44
GRAND TOTAL	**7030**	**5.3**	**33**	**<1**	**1**	**4**	**7**	**10**	**15**	**31**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	542	2.1	2	<1	<1	2	2	4	6	8
20-34	2036	2.0	2	<1	<1	2	2	4	4	6
35-49	1012	2.0	1	<1	<1	2	2	3	4	7
50-64	408	2.3	4	<1	<1	2	3	4	5	10
65+	199	3.4	16	1	1	2	3	6	9	29
2. MULTIPLE DX										
0-19 YRS	275	4.0	31	1	1	3	5	7	10	23
20-34	949	3.5	22	<1	1	2	4	7	9	21
35-49	695	4.3	43	<1	1	3	5	9	13	29
50-64	542	5.7	49	1	1	3	7	13	19	34
65+	659	7.4	70	1	2	5	9	16	22	48
TOT. SINGLE DX	4197	2.1	3	<1	<1	2	3	4	5	8
" MULTIPLE DX	3120	4.9	45	1	1	3	5	10	15	35
TOTAL 0-19 YRS	817	2.7	13	<1	<1	2	3	5	7	12
20-34	2985	2.5	9	<1	<1	2	3	4	6	12
35-49	1707	2.9	20	<1	<1	2	3	5	8	19
50-64	950	4.2	33	<1	1	2	4	9	14	30
65+	858	6.4	61	1	1	4	8	14	20	45
GRAND TOTAL	**7317**	**3.3**	**23**	**<1**	**<1**	**2**	**3**	**6**	**10**	**24**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	2.4		<1	<1	3	3	3	3	3
20-34	37	4.0	10	<1	1	3	6	8	9	15
35-49	69	6.0	41	1	2	4	7	14	16	40
50-64	63	7.9	51	1	2	5	10	19	21	36
65+	107	9.6	98	1	2	7	12	22	26	58
2. MULTIPLE DX										
0-19 YRS	5	2.6	2	1	1	2	4	4	4	4
20-34	48	7.3	52	1	1	4	10	21	23	26
35-49	80	9.7	161	1	2	6	12	18	30	81
50-64	101	13.7	184	2	3	10	18	29	42	96
65+	278	15.1	158	3	4	12	20	30	38	60
TOT. SINGLE DX	285	7.4	64	1	2	5	9	16	21	43
" MULTIPLE DX	512	13.1	160	2	2	9	18	27	36	63
TOTAL 0-19 YRS	14	2.5	1	<1	1	3	3	4	4	4
20-34	85	5.8	37	1	1	3	8	15	22	26
35-49	149	8.0	109	1	2	5	9	16	22	49
50-64	164	11.5	141	2	2	8	16	25	32	87
65+	385	13.5	148	2	3	10	18	28	37	60
GRAND TOTAL	**797**	**11.1**	**133**	**1**	**2**	**7**	**15**	**25**	**32**	**58**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	156	1.7	3	<1	<1	1	2	3	4	14
20-34	199	2.9	3	<1	1	2	3	5	7	11
35-49	51	2.9	4	<1	1	2	4	5	7	11
50-64	39	2.9	4	<1	1	2	4	5	7	11
65+	13	3.7	10	1	1	3	4	7	13	14
2. MULTIPLE DX										
0-19 YRS	89	3.0	21	<1	1	2	3	6	9	29
20-34	187	3.7	15	1	1	3	4	7	9	14
35-49	71	6.0	88	<1	1	4	6	12	14	65
50-64	36	4.5	15	<1	1	3	7	11	13	15
65+	34	7.1	55	1	2	4	9	17	18	39
TOT. SINGLE DX	458	2.5	4	<1	1	2	3	5	6	13
" MULTIPLE DX	417	4.3	34	<1	1	3	5	8	12	26
TOTAL 0-19 YRS	245	2.2	10	<1	<1	1	2	4	6	14
20-34	386	3.3	10	<1	1	3	4	6	8	13
35-49	122	4.7	56	<1	1	3	5	9	12	36
50-64	75	3.7	10	<1	1	3	4	8	11	15
65+	47	6.2	45	1	2	4	7	16	17	39
GRAND TOTAL	**875**	**3.3**	**19**	**<1**	**1**	**2**	**4**	**6**	**9**	**17**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	2.0	3	<1	<1	1	2	3	6	11
20-34	36	2.8	8	<1	<1	2	4	5	7	16
35-49	16	2.6	3	<1	<1	2	3	5	7	8
50-64	7	4.0	18	1	1	2	5	12	13	13
65+	5	2.4	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
0-19 YRS	26	3.6	14	<1	<1	2	4	11	13	14
20-34	60	7.6	196	1	1	4	7	14	27	92
35-49	19	11.3	98	<1	1	7	21	27	29	29
50-64	19	6.9	43	<1	<1	6	11	14	21	26
65+	31	7.0	63	1	1	4	9	19	30	31
TOT. SINGLE DX	96	2.6	6	<1	<1	2	3	5	7	15
" MULTIPLE DX	155	7.2	111	<1	1	4	8	15	26	42
TOTAL 0-19 YRS	58	2.7	9	<1	<1	2	3	7	11	14
20-34	96	5.8	130	<1	1	3	6	10	18	73
35-49	35	7.3	73	<1	<1	3	8	24	27	29
50-64	26	6.1	37	<1	1	4	10	13	17	26
65+	36	6.3	57	1	1	4	7	17	27	31
GRAND TOTAL	**251**	**5.4**	**76**	**<1**	**<1**	**2**	**6**	**13**	**21**	**33**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6354	2.8	1	1	2	3	3	4	4	6
20-34	32881	2.9	1	1	2	3	3	4	4	6
35-49	1638	3.1	1	1	2	3	4	4	5	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	5364	3.2	3	1	2	3	4	5	5	9
20-34	31153	3.3	3	2	2	3	4	5	5	8
35-49	2295	3.6	4	2	2	3	4	5	6	10
50-64										
65+										
TOT. SINGLE DX	40873	2.9	1	1	2	3	3	4	4	6
" MULTIPLE DX	38812	3.3	4	2	2	3	4	5	5	9
TOTAL 0-19 YRS	11718	3.0	2	1	2	3	3	4	5	8
20-34	64034	3.1	2	2	2	3	4	4	5	7
35-49	3933	3.4	4	2	2	3	4	5	5	9
50-64										
65+										
GRAND TOTAL	**79685**	**3.1**	**2**	**1**	**2**	**3**	**4**	**4**	**5**	**7**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	78	2.6	1	1	1	3	3	4	4	6
20-34	812	2.7		1	1	3	3	4	4	5
35-49	67	2.7		1	1	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	204	2.7	2	1	1	2	3	5	6	9
20-34	1574	3.2	6	1	1	3	4	5	6	14
35-49	187	3.4	3	1	1	3	4	5	7	12
50-64										
65+										
TOT. SINGLE DX	957	2.7	1	1	1	3	3	4	4	5
" MULTIPLE DX	1965	3.2	6	1	1	3	4	5	6	13
TOTAL 0-19 YRS	282	2.7	2	1	1	2	3	4	5	8
20-34	2386	3.1	5	1	1	3	3	4	5	10
35-49	254	3.2	3	1	1	3	4	5	6	12
50-64										
65+										
GRAND TOTAL	**2922**	**3.0**	**4**	**1**	**1**	**3**	**3**	**4**	**6**	**10**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1119	2.8	1	1	2	3	3	4	4	5
20-34	7528	2.9	1	1	2	3	3	4	5	6
35-49	464	3.0	1	1	2	3	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1877	3.1	3	1	2	3	4	4	5	9
20-34	11977	3.3	3	1	2	3	4	5	5	8
35-49	968	3.4	3	2	2	3	4	5	6	10
50-64										
65+										
TOT. SINGLE DX	9111	2.9	1	1	2	3	3	4	5	6
" MULTIPLE DX	14822	3.3	3	1	2	3	4	5	5	9
TOTAL 0-19 YRS	2996	3.0	3	1	2	3	3	4	5	7
20-34	19505	3.1	3	1	2	3	4	4	5	8
35-49	1432	3.3	3	1	2	3	4	5	5	8
50-64										
65+										
GRAND TOTAL	**23933**	**3.1**	**3**	**1**	**2**	**3**	**4**	**4**	**5**	**8**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44112	2.6	1	1	1	3	3	4	4	5
20-34	266456	2.6	1	1	1	3	3	4	4	5
35-49	15171	2.7	1	1	1	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	13499	3.0	3	1	1	3	3	4	6	9
20-34	94481	3.1	4	1	2	3	4	4	5	9
35-49	8412	3.3	5	1	2	3	4	5	6	10
50-64										
65+										
TOT. SINGLE DX	325739	2.6	1	1	1	3	3	4	4	5
" MULTIPLE DX	116392	3.1	4	1	2	3	4	4	5	9
TOTAL 0-19 YRS	57611	2.7	2	1	1	3	3	4	4	6
20-34	360937	2.7	2	1	1	3	3	4	4	6
35-49	23583	2.9	3	1	1	3	3	4	5	7
50-64										
65+										
GRAND TOTAL	**442131**	**2.7**	**2**	**1**	**1**	**3**	**3**	**4**	**4**	**6**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5307	5.1	2	3	4	5	6	7	7	10
20-34	49544	5.2	3	3	4	5	6	7	7	9
35-49	3279	5.6	7	3	4	5	6	7	8	11
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	11933	5.9	9	3	4	5	6	8	10	17
20-34	103176	5.7	9	3	4	5	6	7	9	16
35-49	11228	6.1	14	4	4	6	7	8	10	21
50-64										
65+										
TOT. SINGLE DX	58130	5.2	3	3	4	5	6	7	7	9
" MULTIPLE DX	126337	5.7	10	3	4	5	6	8	9	17
TOTAL 0-19 YRS	17240	5.6	7	3	4	5	6	8	9	15
20-34	152720	5.5	8	3	4	5	6	7	8	14
35-49	14507	6.0	13	3	4	5	6	8	9	20
50-64										
65+										
GRAND TOTAL	**184467**	**5.6**	**8**	**3**	**4**	**5**	**6**	**7**	**8**	**15**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	411	5.0	2	3	3	5	6	6	7	9
20-34	2403	5.0	3	3	3	5	6	7	7	10
35-49	137	5.7	8	3	4	5	6	8	9	21
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	586	6.0	14	3	4	5	7	9	10	21
20-34	4372	6.0	14	3	4	5	6	8	10	21
35-49	511	6.6	29	3	4	6	7	10	12	30
50-64										
65+										
TOT. SINGLE DX	2951	5.1	4	3	3	5	6	7	7	10
" MULTIPLE DX	5469	6.1	16	3	4	5	6	8	11	22
TOTAL 0-19 YRS	997	5.6	9	3	4	5	6	8	10	16
20-34	6775	5.7	11	3	4	5	6	8	9	18
35-49	648	6.4	26	3	4	5	7	9	11	28
50-64										
65+										
GRAND TOTAL	**8420**	**5.7**	**12**	**3**	**4**	**5**	**6**	**8**	**9**	**18**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	4.1	2	2	2	4	5	7	7	8
20-34	294	4.3	2	2	3	4	5	6	7	9
35-49	21	5.9	14	3	3	5	6	8	15	21
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	22	5.0	7	2	3	4	6	7	11	16
20-34	386	5.4	14	3	3	5	6	8	10	18
35-49	40	5.8	7	3	3	5	7	9	12	15
50-64										
65+										
TOT. SINGLE DX	340	4.4	3	2	3	4	5	6	7	10
" MULTIPLE DX	448	5.4	14	3	3	5	6	8	10	16
TOTAL 0-19 YRS	47	4.5	5	2	3	4	5	7	7	16
20-34	680	4.9	10	2	3	4	6	7	8	14
35-49	61	5.8	10	3	3	5	6	9	12	20
50-64										
65+										
GRAND TOTAL	**788**	**4.9**	**10**	**2**	**3**	**4**	**6**	**7**	**8**	**15**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1369	1.7		1	1	2	2	2	3	4
20-34	1774	1.7		1	1	2	2	3	3	5
35-49	153	1.8		1	1	2	2	3	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	251	1.9	1	<1	1	2	2	3	4	8
20-34	451	2.5	6	<1	1	2	3	4	6	15
35-49	65	2.2	3	<1	1	2	3	5	6	10
50-64										
65+										
TOT. SINGLE DX	3296	1.7	1	1	1	2	2	2	3	4
" MULTIPLE DX	767	2.3	5	<1	1	2	2	4	6	12
TOTAL 0-19 YRS	1620	1.7	1	1	1	2	2	2	3	5
20-34	2225	1.9	2	1	1	2	2	3	3	7
35-49	218	1.9	2	1	1	2	2	3	4	7
50-64										
65+										
GRAND TOTAL	**4063**	**1.8**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**6**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	186	3.6	9	<1	1	3	5	8	9	16
20-34	856	3.6	15	<1	<1	2	4	8	10	21
35-49	84	3.2	14	<1	<1	1	3	7	14	19
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	128	5.4	47	1	1	3	6	11	18	33
20-34	1138	4.4	37	<1	<1	2	5	10	15	32
35-49	667	1.7	5	<1	<1	<1	<1	3	6	12
50-64										
65+										
TOT. SINGLE DX	1126	3.6	15	<1	<1	2	4	8	10	19
" MULTIPLE DX	1933	3.5	29	<1	<1	1	4	9	13	26
TOTAL 0-19 YRS	314	4.3	26	<1	1	3	5	9	11	24
20-34	1994	4.1	28	<1	<1	2	5	9	13	27
35-49	751	1.8	7	<1	<1	<1	<1	4	6	15
50-64										
65+										
GRAND TOTAL	**3059**	**3.5**	**24**	**<1**	**<1**	**2**	**4**	**8**	**12**	**25**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3744	2.2	1	<1	<1	2	3	3	4	6
20-34	21195	2.4	2	<1	<1	2	3	4	4	6
35-49	1311	2.4	2	<1	<1	2	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1563	2.8	6	<1	<1	3	3	4	5	10
20-34	9917	2.9	6	<1	1	3	3	4	5	11
35-49	843	3.0	4	<1	1	3	4	5	6	12
50-64										
65+										
TOT. SINGLE DX	26250	2.3	2	<1	<1	2	3	4	4	6
" MULTIPLE DX	12323	2.9	6	<1	<1	3	3	4	5	11
TOTAL 0-19 YRS	5307	2.3	3	<1	<1	2	3	4	4	7
20-34	31112	2.6	4	<1	<1	2	3	4	4	7
35-49	2154	2.7	3	<1	<1	3	3	4	5	9
50-64										
65+										
GRAND TOTAL	**38573**	**2.5**	**4**	**<1**	**<1**	**2**	**3**	**4**	**4**	**7**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6570	2.5		1	1	3	3	4	4	5
20-34	41213	2.5	1	1	1	3	3	4	4	5
35-49	2860	2.5	1	1	1	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	6058	2.9	3	1	1	3	3	4	5	8
20-34	40002	2.9	3	1	1	3	3	4	5	8
35-49	3541	3.1	6	1	1	3	4	4	5	9
50-64										
65+										
TOT. SINGLE DX	50643	2.5	1	1	1	3	3	4	4	5
" MULTIPLE DX	49601	2.9	4	1	1	3	3	4	5	8
TOTAL 0-19 YRS	12628	2.7	2	1	1	3	3	4	4	7
20-34	81215	2.7	2	1	1	3	3	4	4	6
35-49	6401	2.8	4	1	1	3	3	4	5	8
50-64										
65+										
GRAND TOTAL	**100244**	**2.7**	**2**	**1**	**1**	**3**	**3**	**4**	**4**	**6**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	121	3.0	4	<1	1	2	4	6	8	37
20-34	141	3.3	6	<1	1	3	4	6	8	15
35-49	125	3.4	7	1	1	2	4	7	9	13
50-64	115	6.1	61	1	1	3	7	12	17	48
65+	88	5.6	29	1	1	3	7	13	16	28
2. MULTIPLE DX										
0-19 YRS	117	3.6	6	1	1	3	4	5	8	14
20-34	176	4.2	22	1	2	3	4	7	10	33
35-49	187	6.0	63	1	2	3	6	13	24	51
50-64	282	8.8	116	1	2	4	11	22	34	56
65+	290	10.2	107	1	2	7	15	23	30	54
TOT. SINGLE DX	590	4.1	22	1	1	3	5	9	12	25
" MULTIPLE DX	1052	7.3	83	1	2	4	8	18	27	51
TOTAL 0-19 YRS	238	3.3	6	1	1	3	4	5	8	14
20-34	317	3.8	16	1	1	3	4	6	9	25
35-49	312	4.9	42	1	1	3	5	10	18	43
50-64	397	8.0	102	1	1	4	9	19	31	52
65+	378	9.1	93	1	2	6	13	21	27	52
GRAND TOTAL	**1642**	**6.2**	**63**	**1**	**1**	**3**	**7**	**15**	**22**	**48**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1396	3.5	3	1	2	3	4	5	6	9
20-34	2656	3.3	2	1	2	3	4	5	6	8
35-49	1119	3.3	2	1	2	3	4	5	6	8
50-64	359	3.0	2	1	1	3	4	5	6	9
65+	104	3.9	16	1	1	3	4	9	15	22
2. MULTIPLE DX										
0-19 YRS	1429	4.1	8	2	2	4	4	6	8	14
20-34	1969	4.0	8	2	2	4	4	6	7	12
35-49	860	4.0	7	2	2	3	4	6	8	16
50-64	477	4.6	30	1	2	3	5	7	12	37
65+	180	6.5	77	2	2	3	7	16	23	91
TOT. SINGLE DX	5634	3.4	3	1	2	3	4	5	6	9
" MULTIPLE DX	4915	4.2	13	2	2	4	4	6	8	19
TOTAL 0-19 YRS	2825	3.8	6	2	2	3	4	5	7	12
20-34	4625	3.6	5	1	2	3	4	5	6	9
35-49	1979	3.6	5	1	2	3	4	5	6	13
50-64	836	3.9	19	1	2	3	4	6	9	23
65+	284	5.5	57	1	2	3	5	14	19	62
GRAND TOTAL	**10549**	**3.7**	**8**	**1**	**2**	**3**	**4**	**5**	**7**	**14**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	529	2.5	3	1	1	2	3	4	5	10
20-34	823	2.8	3	1	1	2	4	5	6	10
35-49	181	2.7	3	1	1	2	3	5	6	9
50-64	44	3.0	5	1	1	2	4	6	9	11
65+	20	3.5	3	1	1	3	5	6	7	7
2. MULTIPLE DX										
0-19 YRS	778	4.6	49	1	1	3	5	8	11	30
20-34	1143	4.8	23	1	1	3	5	10	13	26
35-49	348	5.9	37	1	2	4	7	12	16	45
50-64	130	7.8	149	1	2	4	7	18	40	83
65+	119	8.4	59	2	2	5	11	20	23	37
TOT. SINGLE DX	1597	2.7	4	1	1	2	3	5	6	10
" MULTIPLE DX	2518	5.2	43	1	1	3	6	10	15	33
TOTAL 0-19 YRS	1307	3.8	32	1	1	3	4	7	9	23
20-34	1966	4.0	16	1	1	3	5	8	11	23
35-49	529	4.8	28	1	1	3	6	10	14	27
50-64	174	6.6	117	1	1	3	6	13	28	74
65+	139	7.7	55	2	2	5	10	19	22	35
GRAND TOTAL	**4115**	**4.3**	**29**	**1**	**1**	**3**	**5**	**8**	**11**	**26**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	501	2.9	6	1	1	2	4	5	7	12
20-34	1377	3.0	5	1	1	2	4	5	7	12
35-49	467	3.3	7	1	1	3	4	7	9	15
50-64	150	3.3	5	1	1	3	4	6	8	14
65+	55	3.4	3	1	1	3	4	6	7	9
2. MULTIPLE DX										
0-19 YRS	942	5.8	43	1	2	4	7	11	16	43
20-34	2221	6.1	52	1	2	4	7	12	17	41
35-49	882	7.3	84	1	2	5	8	14	20	54
50-64	425	9.0	138	2	2	6	10	17	34	82
65+	284	10.3	95	2	2	7	13	21	31	48
TOT. SINGLE DX	2550	3.1	6	1	1	2	4	6	8	12
" MULTIPLE DX	4754	6.8	68	1	2	4	8	13	19	47
TOTAL 0-19 YRS	1443	4.8	32	1	1	3	5	9	13	31
20-34	3598	4.9	37	1	1	3	6	10	13	29
35-49	1349	6.0	61	1	1	4	7	12	17	40
50-64	575	7.5	110	1	2	4	8	15	22	75
65+	339	9.2	87	2	2	6	11	19	28	46
GRAND TOTAL	7304	5.5	50	1	1	4	6	11	16	38

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1620	5.0	25	1	1	4	6	10	14	25
20-34	1039	4.2	18	1	1	3	5	8	11	22
35-49	901	4.5	12	1	1	4	6	8	11	18
50-64	1005	5.6	19	1	2	5	7	9	12	22
65+	330	7.6	47	2	2	6	9	14	20	45
2. MULTIPLE DX										
0-19 YRS	1618	7.1	61	2	2	5	7	15	22	43
20-34	1195	6.8	82	1	1	4	7	14	22	52
35-49	1167	6.7	65	1	2	4	7	13	24	44
50-64	1736	7.3	57	2	2	5	8	14	21	44
65+	959	10.4	109	2	2	7	12	22	30	60
TOT. SINGLE DX	4895	5.1	23	1	1	4	6	9	13	[illegible]
" MULTIPLE DX	6675	7.5	73	1	2	5	8	16	24	[illegible]
TOTAL 0-19 YRS	3238	6.0	45	1	2	4	6	12	18	38
20-34	2234	5.6	55	1	1	3	6	11	17	43
35-49	2068	5.7	43	1	2	4	6	10	15	37
50-64	2741	6.7	44	1	2	5	8	12	17	38
65+	1289	9.6	95	2	2	7	11	20	29	54
GRAND TOTAL	11570	6.5	53	1	2	4	7	12	19	42

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	115	3.2	4	1	1	3	4	5	8	12
20-34	103	3.8	9	1	1	3	5	8	10	15
35-49	135	3.3	5	1	1	3	4	6	8	12
50-64	135	2.6	2	1	1	2	3	4	5	10
65+	51	2.8	2	2	2	2	3	4	5	11
2. MULTIPLE DX										
0-19 YRS	122	4.1	12	1	2	3	5	7	10	21
20-34	147	6.5	123	1	1	4	6	10	16	62
35-49	128	5.3	40	1	1	3	6	13	19	35
50-64	151	5.3	60	1	1	3	5	10	16	46
65+	127	7.4	84	1	2	4	10	15	24	50
TOT. SINGLE DX	539	3.2	5	1	1	3	4	6	8	12
" MULTIPLE DX	675	5.7	67	1	1	3	6	11	18	49
TOTAL 0-19 YRS	237	3.6	9	1	1	3	4	7	9	17
20-34	250	5.4	78	1	1	3	6	9	14	59
35-49	263	4.3	23	1	1	3	5	8	13	25
50-64	286	4.0	35	1	1	3	4	7	11	36
65+	178	6.1	65	1	2	3	7	13	20	43
GRAND TOTAL	1214	4.6	41	1	1	3	5	9	13	35

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	802	3.0	1	1	1	3	4	5	5	7
20-34	1596	3.1	2	1	1	3	4	5	6	8
35-49	1735	3.2	3	1	1	3	4	5	6	8
50-64	1899	3.4	2	1	1	3	4	5	6	9
65+	773	3.4	3	1	1	3	4	6	7	10
2. MULTIPLE DX										
0-19 YRS	1046	3.3	2	1	1	3	4	5	6	9
20-34	2748	3.5	8	1	2	3	4	5	6	11
35-49	3946	3.7	7	1	2	3	4	6	7	11
50-64	6444	4.0	7	1	2	4	5	6	7	13
65+	4353	4.5	13	1	2	4	5	7	9	18
TOT. SINGLE DX	6805	3.2	3	1	1	3	4	5	6	8
" MULTIPLE DX	18537	3.9	9	1	2	3	5	6	8	14
TOTAL 0-19 YRS	1848	3.2	2	1	1	3	4	5	6	8
20-34	4344	3.4	6	1	1	3	4	5	6	9
35-49	5681	3.6	6	1	1	3	4	6	7	10
50-64	8343	3.9	6	1	2	4	5	6	7	12
65+	5126	4.3	12	1	2	4	5	7	9	17
GRAND TOTAL	25342	3.7	7	1	2	3	4	6	7	12

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4386	3.4	13	1	1	2	4	6	8	20
20-34	5090	3.5	14	<1	1	3	4	6	9	19
35-49	3854	3.7	14	<1	1	3	4	7	10	20
50-64	2771	4.3	26	1	1	3	5	8	12	28
65+	1313	5.4	35	1	1	4	6	11	17	34
2. MULTIPLE DX										
0-19 YRS	2331	7.3	106	1	1	3	7	19	30	55
20-34	4752	7.2	124	1	1	3	7	17	30	68
35-49	4799	6.7	88	1	1	4	7	15	25	51
50-64	5374	8.4	127	1	2	4	9	20	32	68
65+	4777	12.5	187	2	2	8	16	29	43	83
TOT. SINGLE DX	17414	3.8	18	1	1	3	4	7	10	22
" MULTIPLE DX	22033	8.5	134	1	1	4	10	21	33	68
TOTAL 0-19 YRS	6717	4.7	50	1	1	3	4	9	17	39
20-34	9842	5.3	71	1	1	3	5	10	18	50
35-49	8653	5.3	58	1	1	3	5	11	18	43
50-64	8145	7.0	97	1	1	4	7	16	26	55
65+	6090	10.9	163	1	2	6	14	26	39	76
GRAND TOTAL	**39447**	**6.4**	**88**	**1**	**1**	**3**	**6**	**15**	**24**	**53**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1817	6.0	44	1	2	4	7	11	20	36
20-34	1201	4.4	18	1	1	4	5	8	11	21
35-49	582	5.5	42	1	1	4	7	10	13	29
50-64	514	7.6	53	1	2	6	9	13	18	46
65+	692	11.9	87	2	4	11	15	19	24	68
2. MULTIPLE DX										
0-19 YRS	1117	9.4	160	1	2	5	9	23	38	69
20-34	1002	9.1	133	1	2	5	10	22	34	70
35-49	626	10.7	158	1	2	7	12	25	36	76
50-64	827	13.0	177	2	3	9	16	27	42	85
65+	2446	16.8	177	4	6	13	20	32	44	83
TOT. SINGLE DX	4806	6.6	50	1	2	4	8	13	18	36
" MULTIPLE DX	6018	13.0	176	2	2	9	16	28	41	78
TOTAL 0-19 YRS	2934	7.3	91	1	2	4	7	16	26	52
20-34	2203	6.6	76	1	1	4	7	14	22	54
35-49	1208	8.2	109	1	2	5	9	17	27	63
50-64	1341	10.9	136	2	2	8	13	22	36	72
65+	3138	15.7	162	4	5	13	18	30	41	78
GRAND TOTAL	**10824**	**10.1**	**131**	**1**	**2**	**6**	**13**	**22**	**32**	**67**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2766	2.5	10	<1	<1	2	3	4	6	18
20-34	3804	2.6	10	<1	<1	2	3	4	6	12
35-49	1916	2.9	8	<1	<1	2	3	5	7	17
50-64	1547	3.2	13	<1	1	2	3	6	8	18
65+	1192	5.1	38	<1	1	3	6	11	17	30
2. MULTIPLE DX										
0-19 YRS	1463	5.0	72	<1	1	3	4	9	18	51
20-34	1697	5.7	72	1	1	3	6	12	21	46
35-49	1140	6.2	74	1	1	3	7	13	21	47
50-64	1330	6.8	84	1	1	4	7	15	24	50
65+	2223	10.8	138	2	2	7	14	24	35	67
TOT. SINGLE DX	11225	3.0	14	<1	<1	2	3	5	8	19
" MULTIPLE DX	7853	7.3	99	1	1	4	8	18	26	55
TOTAL 0-19 YRS	4229	3.4	33	<1	<1	2	3	5	9	33
20-34	5501	3.6	32	<1	<1	2	4	6	10	33
35-49	3056	4.1	36	<1	1	2	4	8	13	32
50-64	2877	4.8	50	<1	1	3	5	10	16	41
65+	3415	8.8	111	1	2	5	11	21	29	62
GRAND TOTAL	**19078**	**4.7**	**53**	**<1**	**1**	**3**	**5**	**10**	**17**	**42**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	361	16.8	174	3	4	13	24	33	44	55
20-34	128	12.2	100	3	4	10	14	23	38	64
35-49	84	12.4	136	3	4	9	15	22	38	66
50-64	225	10.4	52	4	5	9	12	16	20	40
65+	678	13.5	58	6	7	12	16	20	26	57
2. MULTIPLE DX										
0-19 YRS	350	20.9	224	5	7	17	27	43	48	81
20-34	297	18.2	205	5	6	14	21	39	53	78
35-49	140	19.2	267	4	6	14	24	46	62	89
50-64	415	16.7	170	5	6	13	19	34	48	99+
65+	2961	17.2	129	7	8	14	20	31	43	85
TOT. SINGLE DX	1476	13.7	98	4	5	11	16	25	33	55
" MULTIPLE DX	4163	17.6	152	6	8	14	20	33	46	86
TOTAL 0-19 YRS	711	18.8	203	3	5	15	25	37	46	70
20-34	425	16.4	181	4	6	12	20	34	49	77
35-49	224	16.7	229	4	5	11	20	37	55	78
50-64	640	14.5	138	5	6	11	16	28	39	94
65+	3639	16.5	118	6	8	14	19	29	39	83
GRAND TOTAL	**5639**	**16.6**	**141**	**5**	**7**	**14**	**19**	**31**	**43**	**78**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	584	9.5	47	2	3	8	12	18	23	33
20-34	488	11.4	62	3	4	9	14	19	24	42
35-49	437	11.3	73	4	5	9	13	20	25	59
50-64	1118	11.7	38	5	6	10	14	19	22	37
65+	4810	14.5	60	6	8	13	17	23	28	46
2. MULTIPLE DX										
0-19 YRS	856	16.6	166	4	6	13	20	31	46	76
20-34	1338	18.6	205	6	7	14	23	37	52	97
35-49	891	18.4	201	6	7	14	22	39	50	96
50-64	2675	17.7	151	6	8	14	21	32	43	83
65+	22786	18.6	145	7	9	15	22	33	46	99
TOT. SINGLE DX	7437	13.3	60	5	6	12	16	21	26	45
" MULTIPLE DX	28546	18.4	151	7	8	15	22	33	46	95
TOTAL 0-19 YRS	1440	13.7	130	3	4	11	17	26	34	66
20-34	1826	16.6	177	5	6	13	20	33	47	86
35-49	1328	16.1	170	5	6	12	19	34	45	84
50-64	3793	15.9	125	6	7	13	19	28	38	70
65+	27596	17.9	133	7	9	15	21	31	42	90
GRAND TOTAL	**35983**	**17.4**	**137**	**6**	**8**	**14**	**20**	**31**	**42**	**87**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1067	10.6	134	1	1	5	17	27	33	49
20-34	66	13.9	193	2	2	8	20	36	46	55
35-49	36	13.1	285	1	2	5	17	46	55	61
50-64	60	11.1	134	1	2	8	13	25	37	58
65+	150	14.2	179	1	3	10	17	30	40	69
2. MULTIPLE DX										
0-19 YRS	568	16.2	189	2	2	13	24	35	43	60
20-34	213	23.3	385	3	4	17	33	56	63	93
35-49	87	22.7	350	3	5	16	36	58	74	99+
50-64	160	20.7	328	2	3	14	32	52	57	99+
65+	621	19.9	290	3	5	14	26	46	65	99+
TOT. SINGLE DX	1379	11.3	147	1	1	6	17	28	35	55
" MULTIPLE DX	1649	19.3	280	2	3	14	27	45	58	99+
TOTAL 0-19 YRS	1635	12.6	161	1	1	8	20	30	37	52
20-34	279	21.0	355	2	4	15	31	50	60	88
35-49	123	19.9	348	2	3	13	33	54	67	99+
50-64	220	18.1	293	2	2	12	25	48	56	98
65+	771	18.8	273	3	4	13	25	42	63	99+
GRAND TOTAL	**3028**	**15.6**	**236**	**1**	**2**	**11**	**22**	**37**	**50**	**82**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1404	4.1	32	1	1	2	4	11	17	24
20-34	1050	3.2	12	<1	1	2	4	6	9	19
35-49	749	3.4	15	<1	1	2	4	7	9	19
50-64	778	3.8	20	1	1	2	4	8	10	23
65+	580	3.9	20	1	1	3	5	8	11	20
2. MULTIPLE DX										
0-19 YRS	480	8.0	91	1	1	4	11	20	26	52
20-34	624	8.2	98	1	1	5	9	20	26	52
35-49	478	7.7	99	1	1	5	9	16	22	64
50-64	651	7.9	102	1	1	5	9	17	26	51
65+	891	9.2	112	1	2	6	11	22	33	76
TOT. SINGLE DX	4561	3.7	22	<1	1	2	4	8	12	22
" MULTIPLE DX	3124	8.3	102	1	1	5	10	20	28	61
TOTAL 0-19 YRS	1884	5.1	50	1	1	2	5	14	20	35
20-34	1674	5.1	50	<1	1	3	6	10	18	36
35-49	1227	5.1	53	1	1	3	6	11	16	45
50-64	1429	5.7	62	1	1	3	7	12	18	42
65+	1471	7.1	83	1	1	4	8	17	26	57
GRAND TOTAL	**7685**	**5.6**	**60**	**1**	**1**	**3**	**6**	**13**	**20**	**44**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6808	3.1	6	1	1	2	4	6	7	12
20-34	8678	3.8	9	1	1	3	5	7	9	15
35-49	5437	4.5	12	1	1	4	6	8	10	17
50-64	4400	5.3	13	1	2	5	7	9	12	18
65+	2517	6.8	26	2	2	5	9	13	16	26
2. MULTIPLE DX										
0-19 YRS	3098	6.5	68	1	1	4	7	14	21	50
20-34	6518	7.5	81	1	2	5	8	15	23	51
35-49	4353	7.9	82	1	2	5	9	16	23	54
50-64	4663	9.2	91	2	3	6	11	19	27	54
65+	5536	11.4	109	3	4	8	14	22	31	64
TOT. SINGLE DX	27840	4.3	13	1	1	3	5	8	10	18
" MULTIPLE DX	24168	8.7	91	1	2	6	10	18	26	55
TOTAL 0-19 YRS	9906	4.2	28	1	1	3	5	8	11	29
20-34	15196	5.4	44	1	1	4	6	10	15	36
35-49	9790	6.0	47	1	2	4	7	11	16	36
50-64	9063	7.3	58	1	2	5	8	14	20	43
65+	8053	10.0	88	2	3	7	12	19	26	55
GRAND TOTAL	**52008**	**6.3**	**54**	**1**	**1**	**4**	**7**	**13**	**18**	**41**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12437	2.1	6	<1	1	1	2	4	6	14
20-34	3053	3.4	12	<1	1	2	4	7	9	16
35-49	2135	3.5	13	1	1	3	4	7	9	19
50-64	2321	3.7	15	1	1	2	4	8	11	19
65+	2303	4.2	27	1	1	3	5	9	12	25
2. MULTIPLE DX										
0-19 YRS	3493	4.8	49	1	1	2	5	11	17	39
20-34	2719	7.0	91	1	1	4	8	14	23	55
35-49	1898	7.8	114	1	1	5	9	16	26	59
50-64	2523	7.7	91	1	1	5	9	17	25	56
65+	5308	9.0	114	1	2	6	11	20	28	67
TOT. SINGLE DX	22249	2.8	12	<1	1	2	3	6	8	17
" MULTIPLE DX	15941	7.4	95	1	1	4	9	16	24	56
TOTAL 0-19 YRS	15930	2.7	17	<1	1	1	3	5	8	21
20-34	5772	5.1	53	1	1	3	6	10	15	41
35-49	4033	5.5	66	1	1	3	6	11	17	48
50-64	4844	5.8	59	1	1	3	7	12	18	44
65+	7611	7.5	93	1	1	5	9	16	25	58
GRAND TOTAL	**38190**	**4.7**	**52**	**1**	**1**	**2**	**5**	**10**	**16**	**40**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	937	3.9	32	<1	<1	2	4	11	17	24
20-34	770	2.6	12	<1	<1	1	3	5	7	18
35-49	413	2.3	4	<1	<1	1	3	4	6	11
50-64	394	3.6	34	<1	1	2	3	7	14	31
65+	659	4.9	34	1	1	3	6	12	16	29
2. MULTIPLE DX										
0-19 YRS	431	7.4	90	1	1	4	9	19	29	47
20-34	691	7.1	85	1	1	4	8	18	26	49
35-49	383	7.3	119	<1	1	4	8	18	27	61
50-64	512	7.0	77	1	1	4	9	16	21	47
65+	1272	8.6	99	1	1	5	11	21	28	49
TOT. SINGLE DX	3173	3.5	25	<1	1	2	4	9	14	24
" MULTIPLE DX	3289	7.7	95	1	1	4	10	19	27	49
TOTAL 0-19 YRS	1368	5.0	53	<1	1	2	5	14	20	33
20-34	1461	4.7	52	<1	1	2	5	12	18	39
35-49	796	4.7	66	<1	1	2	4	10	18	48
50-64	906	5.5	62	1	1	3	6	13	21	38
65+	1931	7.3	80	1	1	4	9	18	25	43
GRAND TOTAL	**6462**	**5.7**	**65**	**<1**	**1**	**3**	**6**	**14**	**21**	**40**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	588	3.7	12	1	1	3	4	7	11	19
20-34	1096	3.0	7	1	1	2	4	5	6	14
35-49	429	3.4	8	1	1	3	4	6	8	13
50-64	212	4.3	11	1	1	3	5	8	10	20
65+	132	9.5	69	1	2	7	13	19	26	38
2. MULTIPLE DX										
0-19 YRS	268	7.1	87	1	2	4	7	15	23	57
20-34	419	6.1	55	1	1	4	7	13	21	34
35-49	250	6.7	80	1	1	4	7	14	20	46
50-64	226	8.8	115	1	2	6	10	17	33	67
65+	316	13.5	137	2	3	11	17	26	36	79
TOT. SINGLE DX	2457	3.7	15	1	1	3	4	6	10	21
" MULTIPLE DX	1479	8.4	100	1	2	5	10	19	27	58
TOTAL 0-19 YRS	856	4.8	39	1	1	3	5	9	15	27
20-34	1515	3.9	23	1	1	3	4	7	10	27
35-49	679	4.6	37	1	1	3	5	8	12	31
50-64	438	6.6	70	1	1	4	7	13	20	50
65+	448	12.3	120	2	3	10	16	24	32	64
GRAND TOTAL	**3936**	**5.5**	**52**	**1**	**1**	**3**	**6**	**12**	**18**	**40**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2487	3.5	16	<1	1	2	4	7	11	22
20-34	2224	3.0	8	<1	1	2	3	5	7	16
35-49	1226	3.4	13	<1	1	2	4	6	10	20
50-64	673	5.0	57	<1	1	3	5	11	15	47
65+	371	8.9	103	1	2	5	12	19	30	57
2. MULTIPLE DX										
0-19 YRS	1762	5.7	57	1	1	3	6	15	22	41
20-34	2235	5.0	51	1	1	3	5	10	16	44
35-49	1495	6.2	71	1	1	3	7	15	22	42
50-64	1300	9.5	140	1	2	5	12	24	34	59
65+	1430	16.4	261	2	2	12	22	39	52	88
TOT. SINGLE DX	6981	3.8	24	<1	1	2	4	7	12	24
" MULTIPLE DX	8222	8.1	124	1	1	4	9	21	31	60
TOTAL 0-19 YRS	4249	4.4	35	1	1	3	4	10	16	31
20-34	4459	4.0	31	<1	1	2	4	7	12	29
35-49	2721	5.0	47	1	1	3	5	11	17	35
50-64	1973	8.0	117	1	1	4	9	21	30	55
65+	1801	14.8	238	2	2	10	20	36	49	80
GRAND TOTAL	**15203**	**6.1**	**82**	**1**	**1**	**3**	**6**	**15**	**23**	**50**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	421	7.0	22	2	2	6	9	13	17	23
20-34	10579	7.5	24	2	3	6	9	13	17	26
35-49	16100	7.9	23	3	3	7	10	14	17	25
50-64	7109	8.7	27	3	4	8	11	15	19	26
65+	1452	10.2	39	3	4	9	13	18	22	32
2. MULTIPLE DX										
0-19 YRS	152	11.6	153	2	3	8	13	24	47	99
20-34	3589	10.2	52	3	4	8	12	18	23	38
35-49	8066	10.5	49	3	4	9	13	18	23	35
50-64	7260	11.8	63	4	5	10	14	21	27	43
65+	4003	14.9	106	5	6	12	18	26	34	60
TOT. SINGLE DX	35661	8.0	26	3	3	7	10	14	18	26
" MULTIPLE DX	23070	11.6	68	4	5	9	14	21	26	44
TOTAL 0-19 YRS	573	8.2	61	2	3	6	10	16	20	52
20-34	14168	8.2	33	2	3	7	10	15	19	29
35-49	24166	8.8	34	3	4	7	11	15	19	30
50-64	14369	10.2	48	3	4	9	12	18	23	36
65+	5455	13.6	93	4	5	11	17	24	31	54
GRAND TOTAL	**58731**	**9.4**	**45**	**3**	**4**	**8**	**12**	**17**	**22**	**34**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1963	2.2	1	<1	<1	2	3	4	5	6
20-34	5420	2.3	2	<1	<1	2	3	4	5	8
35-49	3442	2.4	3	<1	<1	2	3	4	6	9
50-64	2092	2.6	4	<1	1	2	3	5	6	10
65+	597	3.0	7	<1	1	2	4	5	7	12
2. MULTIPLE DX										
0-19 YRS	1786	2.7	5	<1	1	2	4	5	6	9
20-34	5429	2.7	6	<1	<1	2	3	5	6	12
35-49	4202	2.9	9	<1	1	2	3	5	7	16
50-64	4896	3.1	10	<1	1	2	4	6	8	16
65+	2707	3.7	18	1	1	3	4	7	10	21
TOT. SINGLE DX	13514	2.4	3	<1	<1	2	3	4	5	9
" MULTIPLE DX	19020	3.0	10	<1	1	2	4	6	7	16
TOTAL 0-19 YRS	3749	2.4	4	<1	1	2	3	5	5	8
20-34	10849	2.5	5	<1	<1	2	3	5	6	10
35-49	7644	2.7	7	<1	<1	2	3	5	6	13
50-64	6988	3.0	9	<1	1	2	3	5	7	15
65+	3304	3.6	16	1	1	2	4	7	9	19
GRAND TOTAL	**32534**	**2.7**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3419	2.2	6	<1	<1	2	2	4	5	15
20-34	5690	2.2	5	<1	<1	2	3	4	5	11
35-49	3271	2.6	6	<1	<1	2	3	4	6	12
50-64	2091	3.0	10	<1	1	2	3	5	8	16
65+	784	3.9	20	<1	1	2	4	8	12	24
2. MULTIPLE DX										
0-19 YRS	2202	3.1	20	<1	1	2	3	5	9	23
20-34	4780	3.2	18	<1	1	2	3	6	9	23
35-49	3451	3.9	31	<1	1	2	4	8	12	31
50-64	3222	5.2	61	1	1	3	5	11	18	44
65+	2078	7.9	116	1	1	4	9	20	29	57
TOT. SINGLE DX	15255	2.5	8	<1	<1	2	3	4	6	14
" MULTIPLE DX	15733	4.4	46	<1	1	2	4	9	15	38
TOTAL 0-19 YRS	5621	2.6	12	<1	<1	2	3	4	6	21
20-34	10470	2.7	12	<1	<1	2	3	5	7	17
35-49	6722	3.3	20	<1	1	2	3	6	9	24
50-64	5313	4.3	42	<1	1	2	4	8	14	37
65+	2862	6.8	93	1	1	3	7	16	25	52
GRAND TOTAL	**30988**	**3.4**	**28**	**<1**	**1**	**2**	**3**	**6**	**10**	**28**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	970	10.3	18	5	6	9	11	15	19	26
20-34	845	10.3	43	4	5	9	12	16	21	36
35-49	1110	8.9	27	4	4	8	11	14	17	26
50-64	528	8.8	34	4	4	8	10	14	17	27
65+	85	10.1	26	4	5	10	13	17	19	29
2. MULTIPLE DX										
0-19 YRS	916	14.9	130	6	7	11	16	28	40	73
20-34	1015	14.9	159	5	6	11	17	30	45	99+
35-49	1363	12.6	98	4	5	10	14	24	35	66
50-64	1038	13.9	152	4	5	10	16	26	36	85
65+	409	18.9	241	6	7	13	23	38	54	96
TOT. SINGLE DX	3538	9.6	30	4	5	9	11	15	19	28
" MULTIPLE DX	4741	14.4	144	5	6	11	16	28	40	86
TOTAL 0-19 YRS	1886	12.5	79	5	7	10	14	21	29	57
20-34	1860	12.8	112	5	6	10	14	23	34	84
35-49	2473	10.9	70	4	5	9	12	19	26	55
50-64	1566	12.2	118	4	5	9	13	22	32	71
65+	494	17.4	215	5	6	13	21	36	49	94
GRAND TOTAL	**8279**	**12.3**	**101**	**4**	**5**	**10**	**14**	**22**	**31**	**66**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	429	3.9	8	1	1	3	5	7	8	13
20-34	878	3.9	7	1	1	3	5	7	9	14
35-49	820	4.1	8	1	1	4	5	8	9	14
50-64	916	4.0	13	1	1	3	5	7	10	16
65+	448	4.1	16	<1	1	3	5	8	12	20
2. MULTIPLE DX										
0-19 YRS	559	5.5	27	1	2	4	6	9	12	32
20-34	872	5.5	43	1	2	4	6	9	13	34
35-49	946	5.9	45	1	2	4	7	11	15	33
50-64	1227	5.6	26	1	2	4	7	11	16	24
65+	908	7.0	61	1	2	5	8	15	22	39
TOT. SINGLE DX	3491	4.0	11	1	1	3	5	7	9	16
" MULTIPLE DX	4512	5.9	41	1	2	4	7	11	16	35
TOTAL 0-19 YRS	988	4.8	20	1	2	4	6	8	11	22
20-34	1750	4.7	26	1	1	4	6	8	11	24
35-49	1766	5.0	29	1	1	4	6	9	12	24
50-64	2143	4.9	21	1	1	4	6	9	13	22
65+	1356	6.1	49	1	1	4	7	13	19	36
GRAND TOTAL	8003	5.1	29	1	1	4	6	9	13	27

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	12.3	17	6	7	12	15	17	20	22
20-34	197	11.6	20	6	7	11	14	17	20	30
35-49	574	11.9	30	6	7	11	14	17	20	31
50-64	2379	12.3	20	7	8	11	15	17	21	28
65+	4251	13.4	28	7	8	13	15	19	22	32
2. MULTIPLE DX										
0-19 YRS	42	17.0	182	7	8	12	17	34	56	64
20-34	331	13.8	51	7	8	12	17	22	29	55
35-49	897	14.0	57	7	8	12	16	22	30	46
50-64	3818	15.4	78	8	9	13	17	24	31	53
65+	11682	16.9	94	8	9	15	19	27	35	65
TOT. SINGLE DX	7419	12.9	26	7	8	12	15	18	22	31
" MULTIPLE DX	16770	16.3	89	8	9	14	18	26	33	61
TOTAL 0-19 YRS	60	15.6	136	6	8	12	16	26	45	63
20-34	528	13.0	41	7	8	11	15	20	26	39
35-49	1471	13.2	48	7	8	11	15	20	25	43
50-64	6197	14.2	58	7	8	12	16	22	27	46
65+	15933	16.0	79	8	9	14	18	25	32	58
GRAND TOTAL	24189	15.3	72	8	9	13	17	24	30	54

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	43	8.8	46	2	3	7	11	21	22	34
20-34	55	9.7	18	3	5	9	12	17	18	20
35-49	157	10.3	14	5	6	10	13	15	17	22
50-64	562	12.4	26	6	7	12	15	19	21	30
65+	3000	14.4	46	7	8	13	16	21	26	43
2. MULTIPLE DX										
0-19 YRS	47	10.5	104	3	3	8	14	19	23	67
20-34	110	13.5	67	4	6	12	16	26	34	63
35-49	235	15.6	123	6	7	13	17	26	36	69
50-64	1285	17.2	121	7	8	14	20	30	41	73
65+	13406	18.2	125	8	9	15	21	31	42	83
TOT. SINGLE DX	3817	13.8	43	7	8	13	16	20	24	40
" MULTIPLE DX	15083	18.0	125	8	9	15	21	31	41	82
TOTAL 0-19 YRS	90	9.7	77	2	3	7	12	19	22	54
20-34	165	12.3	54	4	6	10	15	21	30	39
35-49	392	13.5	86	5	7	11	15	21	28	60
50-64	1847	15.7	97	7	8	13	18	26	36	66
65+	16406	17.5	113	8	9	15	20	29	39	78
GRAND TOTAL	18900	17.2	111	7	9	15	20	29	38	75

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1994	3.8	3	1	1	4	5	6	7	10
20-34	2990	4.1	6	1	1	4	5	7	8	14
35-49	1180	5.6	24	1	1	4	7	12	15	24
50-64	2079	11.2	31	2	4	11	15	18	20	29
65+	3950	13.3	26	6	8	13	16	19	21	29
2. MULTIPLE DX										
0-19 YRS	1895	4.6	10	1	2	4	5	7	9	18
20-34	3851	4.9	13	1	2	4	6	8	10	19
35-49	1845	6.3	38	1	2	5	7	13	17	31
50-64	3410	12.6	65	2	3	12	16	20	25	44
65+	9600	15.6	62	7	9	14	18	24	30	48
TOT. SINGLE DX	12193	8.4	36	1	2	7	12	16	19	26
" MULTIPLE DX	20601	11.2	70	2	3	10	15	20	25	42
TOTAL 0-19 YRS	3889	4.2	7	1	2	4	5	6	8	14
20-34	6841	4.6	11	1	2	4	5	8	9	17
35-49	3025	6.0	33	1	1	4	7	13	16	28
50-64	5489	12.1	53	2	3	11	15	19	24	39
65+	13550	14.9	53	7	8	14	17	22	27	44
GRAND TOTAL	32794	10.2	59	2	2	9	14	19	23	37

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2261	2.9	2	1	1	3	4	4	5	8
20-34	4976	3.0	2	1	1	3	4	5	6	8
35-49	2365	3.2	5	1	1	3	4	5	7	12
50-64	2068	4.0	18	1	1	3	5	7	9	16
65+	816	5.0	18	1	2	4	6	10	12	19
2. MULTIPLE DX										
0-19 YRS	732	3.6	11	1	1	3	4	6	8	26
20-34	1963	3.8	13	1	1	3	4	6	8	16
35-49	1841	4.3	16	1	2	3	5	7	10	20
50-64	2788	4.8	19	1	2	4	5	8	11	22
65+	1999	6.7	47	2	2	5	8	13	18	36
TOT. SINGLE DX	12487	3.3	7	1	1	3	4	5	7	12
" MULTIPLE DX	9323	4.8	24	1	2	4	5	9	12	25
TOTAL 0-19 YRS	2994	3.0	5	1	1	3	4	5	6	9
20-34	6939	3.2	6	1	1	3	4	5	6	10
35-49	4206	3.7	10	1	1	3	4	6	8	17
50-64	4856	4.5	19	1	2	4	5	8	10	20
65+	2815	6.2	40	1	2	4	7	12	16	31
GRAND TOTAL	**21810**	**3.9**	**15**	**1**	**1**	**3**	**4**	**7**	**9**	**18**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1219	3.5	15	<1	<1	2	4	8	11	21
20-34	1101	3.2	9	<1	<1	2	4	7	9	16
35-49	995	3.0	10	<1	<1	2	3	6	9	17
50-64	849	2.6	10	<1	<1	2	3	5	7	18
65+	308	3.6	22	<1	<1	2	4	8	12	28
2. MULTIPLE DX										
0-19 YRS	1309	5.8	49	1	2	4	6	11	18	36
20-34	1021	7.4	81	1	1	5	9	16	23	47
35-49	959	6.9	78	1	1	4	8	15	22	46
50-64	935	7.1	90	1	1	4	8	16	23	48
65+	774	11.3	165	1	2	7	15	26	40	71
TOT. SINGLE DX	4472	3.2	13	<1	<1	2	4	6	10	18
" MULTIPLE DX	4998	7.4	90	1	1	4	8	17	25	51
TOTAL 0-19 YRS	2528	4.7	35	<1	1	3	5	10	15	30
20-34	2122	5.2	48	<1	1	3	6	11	16	38
35-49	1954	4.9	47	<1	1	3	5	11	16	37
50-64	1784	5.0	57	<1	<1	2	5	11	18	35
65+	1082	9.1	137	<1	1	5	11	22	33	62
GRAND TOTAL	**9470**	**5.4**	**58**	**<1**	**1**	**3**	**6**	**12**	**18**	**40**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1757	2.0	3	<1	<1	2	2	3	5	11
20-34	2622	2.0	3	<1	<1	2	2	3	5	11
35-49	1956	2.3	6	<1	<1	2	3	4	6	13
50-64	1453	2.7	6	<1	<1	2	3	5	7	13
65+	689	3.6	16	<1	<1	2	4	8	11	21
2. MULTIPLE DX										
0-19 YRS	430	4.8	49	<1	1	2	5	10	16	39
20-34	915	5.2	56	<1	1	3	5	11	19	35
35-49	1217	5.4	45	<1	1	3	6	12	19	31
50-64	1575	7.3	80	1	1	4	9	17	24	45
65+	1474	9.2	98	1	2	6	12	21	28	52
TOT. SINGLE DX	8477	2.3	6	<1	<1	2	3	4	6	13
" MULTIPLE DX	5611	6.9	74	<1	1	4	8	16	23	45
TOTAL 0-19 YRS	2187	2.6	14	<1	<1	2	2	4	8	17
20-34	3537	2.8	19	<1	<1	2	3	5	9	22
35-49	3173	3.5	24	<1	<1	2	4	7	12	24
50-64	3028	5.1	50	<1	1	3	5	12	18	36
65+	2163	7.4	79	<1	1	4	9	18	24	46
GRAND TOTAL	**14088**	**4.1**	**38**	**<1**	**<1**	**2**	**4**	**10**	**15**	**31**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	81	1.9	2	<1	<1	2	2	3	6	8
20-34	163	2.6	7	<1	<1	2	3	5	6	17
35-49	330	2.1	2	<1	<1	2	2	3	5	8
50-64	1010	2.1	3	<1	1	2	2	3	4	8
65+	727	2.1	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	85	4.3	43	1	1	2	4	7	20	39
20-34	163	4.4	35	<1	1	2	4	10	14	28
35-49	261	3.7	36	<1	1	2	3	6	11	28
50-64	696	3.2	14	1	1	2	3	5	9	19
65+	701	3.4	16	1	1	2	3	6	10	22
TOT. SINGLE DX	2311	2.1	3	<1	<1	2	2	3	4	8
" MULTIPLE DX	1906	3.5	22	1	1	2	3	6	10	23
TOTAL 0-19 YRS	166	3.2	25	<1	1	2	3	5	7	28
20-34	326	3.5	22	<1	1	2	3	7	11	26
35-49	591	2.8	18	<1	<1	2	3	5	7	20
50-64	1706	2.5	8	<1	1	2	3	4	6	15
65+	1428	2.7	10	<1	1	2	3	4	6	17
GRAND TOTAL	**4217**	**2.7**	**12**	**<1**	**1**	**2**	**3**	**4**	**6**	**18**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1313	1.9	2	<1	<1	1	2	3	4	7
20-34	2106	2.0	3	<1	<1	2	2	4	5	8
35-49	887	2.0	3	<1	<1	2	2	3	5	11
50-64	521	2.2	4	<1	<1	2	3	4	5	11
65+	163	2.3	4	<1	<1	2	3	4	5	13
2. MULTIPLE DX										
0-19 YRS	1136	2.2	3	<1	1	2	3	4	5	10
20-34	2095	2.6	9	<1	1	2	3	5	7	14
35-49	944	3.0	19	<1	1	2	3	5	8	25
50-64	546	3.5	23	1	1	2	4	6	10	24
65+	278	4.0	26	<1	1	2	4	9	12	29
TOT. SINGLE DX	4990	2.0	3	<1	<1	2	2	3	5	9
" MULTIPLE DX	4999	2.8	13	<1	1	2	3	5	7	16
TOTAL 0-19 YRS	2449	2.0	3	<1	1	2	2	4	5	8
20-34	4201	2.3	7	<1	1	2	3	4	6	11
35-49	1831	2.5	12	<1	1	2	3	4	6	15
50-64	1067	2.9	15	<1	1	2	3	5	7	21
65+	441	3.4	19	<1	1	2	3	7	11	23
GRAND TOTAL	**9989**	**2.4**	**8**	**<1**	**1**	**2**	**3**	**4**	**6**	**13**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	798	2.5	6	<1	1	2	3	4	6	13
20-34	1757	2.7	4	<1	1	2	3	5	6	12
35-49	1621	3.0	6	1	1	3	4	5	7	10
50-64	1751	3.6	5	1	1	3	4	6	7	12
65+	703	4.1	7	1	2	3	5	7	9	13
2. MULTIPLE DX										
0-19 YRS	538	4.2	54	1	1	2	4	7	11	43
20-34	1248	4.6	50	1	1	3	5	8	15	41
35-49	1206	5.0	30	1	1	4	5	9	15	30
50-64	1703	5.4	44	1	2	4	6	10	14	32
65+	1181	7.6	98	1	2	5	8	14	24	63
TOT. SINGLE DX	6630	3.1	6	1	1	3	4	5	7	12
" MULTIPLE DX	5876	5.5	56	1	1	4	6	10	16	43
TOTAL 0-19 YRS	1336	3.1	26	<1	1	2	3	6	8	24
20-34	3005	3.5	24	<1	1	2	4	6	9	22
35-49	2827	3.9	17	1	1	3	4	7	9	22
50-64	3454	4.5	25	1	1	4	5	8	10	23
65+	1884	6.3	67	1	2	4	7	12	18	50
GRAND TOTAL	**12506**	**4.2**	**31**	**1**	**1**	**3**	**5**	**7**	**11**	**28**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1766	3.2	4	1	1	3	4	5	6	11
20-34	1437	3.3	8	1	1	3	4	6	7	15
35-49	1044	3.3	7	1	1	3	4	6	7	14
50-64	611	3.6	6	1	1	3	4	6	8	14
65+	226	5.4	41	1	2	4	6	10	12	27
2. MULTIPLE DX										
0-19 YRS	2091	4.4	44	1	1	3	5	7	10	29
20-34	907	6.1	72	1	1	4	6	11	21	53
35-49	583	7.0	125	1	1	4	6	14	30	90
50-64	558	6.9	74	1	2	4	7	14	24	57
65+	455	10.7	214	2	2	6	12	22	45	99+
TOT. SINGLE DX	5084	3.4	8	1	1	3	4	6	7	13
" MULTIPLE DX	4594	6.0	84	1	2	4	6	11	19	61
TOTAL 0-19 YRS	3857	3.8	27	1	1	3	4	6	8	22
20-34	2344	4.4	35	1	1	3	5	7	11	33
35-49	1627	4.7	53	1	1	3	5	7	13	50
50-64	1169	5.2	42	1	1	4	5	9	15	47
65+	681	9.0	163	1	2	5	9	17	37	97
GRAND TOTAL	**9678**	**4.6**	**46**	**1**	**1**	**3**	**5**	**8**	**12**	**41**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	268	2.2	3	<1	1	2	2	4	6	11
20-34	584	2.5	6	<1	1	2	3	5	7	14
35-49	354	2.7	15	<1	1	2	3	5	8	18
50-64	265	2.9	18	<1	1	2	3	6	8	25
65+	141	2.9	11	<1	1	2	3	5	9	17
2. MULTIPLE DX										
0-19 YRS	197	3.8	27	1	1	2	5	9	11	19
20-34	531	6.1	112	1	1	3	5	13	29	70
35-49	376	5.8	100	1	1	3	5	13	22	58
50-64	394	6.2	99	1	1	3	6	15	24	49
65+	360	9.4	166	1	1	4	11	25	34	82
TOT. SINGLE DX	1612	2.6	11	<1	1	2	3	5	7	16
" MULTIPLE DX	1858	6.4	111	1	1	3	6	16	27	62
TOTAL 0-19 YRS	465	2.9	14	1	1	2	3	6	9	15
20-34	1115	4.2	60	<1	1	2	4	8	14	46
35-49	730	4.3	62	<1	1	2	4	8	16	45
50-64	659	4.9	69	<1	1	2	4	10	20	46
65+	501	7.5	131	1	1	3	8	20	31	73
GRAND TOTAL	**3470**	**4.6**	**68**	**<1**	**1**	**2**	**4**	**10**	**18**	**47**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	4.9	31	<1	1	2	5	13	19	21
20-34	41	5.1	22	1	1	4	7	11	13	24
35-49	29	6.2	48	1	1	4	7	14	24	31
50-64	21	4.0	17	<1	1	3	4	11	15	16
65+	17	6.3	29	<1	<1	5	7	16	18	19
2. MULTIPLE DX										
0-19 YRS	20	16.2	505	<1	<1	6	20	44	68	91
20-34	48	10.0	130	1	1	6	13	33	51	99+
35-49	41	16.5	287	1	2	9	33	49	54	99+
50-64	52	16.7	217	1	3	12	23	36	41	74
65+	83	17.7	281	3	4	11	23	40	49	80
TOT. SINGLE DX	135	5.3	30	1	1	4	6	13	17	25
" MULTIPLE DX	244	15.6	261	1	2	9	22	41	51	99+
TOTAL 0-19 YRS	47	9.7	258	<1	1	4	11	21	44	91
20-34	89	7.8	86	1	1	5	10	24	37	99+
35-49	70	12.2	213	1	2	5	15	42	50	91
50-64	73	13.0	192	1	1	8	20	30	40	70
65+	100	15.8	256	2	3	9	19	38	44	79
GRAND TOTAL	379	12.0	203	1	1	6	16	33	44	87

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	137	3.7	13	<1	1	3	4	9	12	18
20-34	102	4.8	23	1	1	3	5	10	16	63
35-49	115	6.3	63	1	1	4	6	16	20	42
50-64	143	7.1	51	1	2	5	9	14	23	38
65+	214	7.8	77	1	2	5	9	16	25	46
2. MULTIPLE DX										
0-19 YRS	108	6.9	72	1	1	4	7	17	24	43
20-34	308	12.8	180	1	2	8	17	29	41	65
35-49	674	15.5	177	2	3	12	20	35	44	66
50-64	1838	17.7	221	3	4	14	23	37	50	84
65+	3113	17.5	222	3	4	14	23	37	50	94
TOT. SINGLE DX	711	6.2	52	1	1	4	7	14	20	39
" MULTIPLE DX	6041	16.9	216	2	3	13	22	36	49	84
TOTAL 0-19 YRS	245	5.1	42	1	1	3	5	12	17	33
20-34	410	10.8	153	1	1	6	14	26	39	65
35-49	789	14.2	171	1	2	10	19	32	42	64
50-64	1981	16.9	217	2	3	13	22	36	50	83
65+	3327	16.9	219	2	3	13	22	37	49	93
GRAND TOTAL	6752	15.8	209	2	3	12	21	35	47	82

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	18.9	205	6	6	16	25	43	49	49
20-34	27	15.6	129	5	5	12	22	30	39	53
35-49	34	15.0	178	3	5	11	17	27	48	64
50-64	40	17.3	152	6	7	14	19	37	45	56
65+	95	17.9	166	6	7	14	22	32	46	71
2. MULTIPLE DX										
0-19 YRS	25	18.3	235	3	3	16	28	47	69	99+
20-34	134	25.4	383	5	7	20	37	60	71	99+
35-49	386	23.7	268	6	8	20	32	47	63	99+
50-64	1339	25.3	295	7	9	21	34	52	68	99+
65+	3720	24.7	299	7	9	20	32	53	72	99+
TOT. SINGLE DX	205	17.0	161	5	6	13	22	33	46	65
" MULTIPLE DX	5604	24.8	298	7	9	20	33	53	71	99+
TOTAL 0-19 YRS	34	18.5	221	3	4	16	27	47	58	99+
20-34	161	23.8	354	5	6	17	34	58	69	99+
35-49	420	23.0	266	6	7	19	31	47	61	99+
50-64	1379	25.0	293	7	9	21	33	52	67	99+
65+	3815	24.6	297	7	9	20	32	53	72	99+
GRAND TOTAL	5809	24.5	295	7	9	20	32	52	70	99+

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	8.8	16	4	4	8	12	14	17	18
20-34	17	13.4	151	3	4	9	15	20	44	57
35-49	10	13.1	105	5	5	10	12	31	38	38
50-64	48	15.7	100	6	6	13	20	31	35	51
65+	145	13.0	77	5	6	10	15	24	35	46
2. MULTIPLE DX										
0-19 YRS	38	17.6	179	3	4	14	23	36	41	66
20-34	58	22.6	311	4	8	19	28	61	92	99+
35-49	147	23.3	293	6	8	18	34	56	83	99+
50-64	671	24.7	313	7	8	20	33	54	75	99+
65+	4268	20.7	249	6	7	16	27	45	63	99+
TOT. SINGLE DX	238	13.3	85	4	5	10	15	24	35	49
" MULTIPLE DX	5182	21.3	261	6	7	17	28	46	65	99+
TOTAL 0-19 YRS	56	14.8	143	4	4	11	19	32	39	64
20-34	75	20.5	288	4	6	16	25	53	85	99+
35-49	157	22.6	287	6	7	18	34	54	80	99+
50-64	719	24.1	304	7	8	19	33	52	74	99+
65+	4413	20.5	245	6	7	16	26	44	62	99+
GRAND TOTAL	5420	21.0	256	6	7	16	27	45	64	99+

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	5.7	21	2	2	4	6	13	18	20
20-34	21	10.0	73	1	2	7	14	18	28	39
35-49	24	9.1	45	1	2	8	11	16	26	29
50-64	23	12.4	82	3	4	10	17	28	32	34
65+	29	11.8	47	3	4	10	18	22	23	28
2. MULTIPLE DX										
0-19 YRS	35	13.1	174	1	3	7	18	33	37	59
20-34	66	26.6	497	4	6	22	35	91	99+	99+
35-49	215	23.5	310	4	6	19	34	53	68	99+
50-64	527	27.4	349	6	9	23	37	53	70	97
65+	881	26.5	345	6	8	22	36	54	68	99+
TOT. SINGLE DX	125	9.7	56	2	2	7	14	18	25	35
" MULTIPLE DX	1724	26.1	349	5	8	22	36	54	70	99+
TOTAL 0-19 YRS	63	9.8	119	1	2	5	12	24	33	56
20-34	87	22.6	444	4	5	18	33	58	99	99+
35-49	239	22.0	302	4	5	16	33	52	65	99+
50-64	550	26.7	347	6	8	22	36	53	70	97
65+	910	26.0	343	5	8	21	35	53	67	99+
GRAND TOTAL	**1849**	**25.0**	**346**	**4**	**7**	**20**	**34**	**53**	**68**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	101	4.4	35	<1	1	2	6	9	14	35
20-34	114	5.2	21	1	1	4	7	9	12	27
35-49	70	4.7	10	1	2	4	6	8	11	18
50-64	28	5.0	11	1	1	4	7	8	12	15
65+	12	5.3	33	<1	<1	2	8	16	17	17
2. MULTIPLE DX										
0-19 YRS	49	5.6	55	1	1	4	7	10	12	50
20-34	89	9.7	82	1	2	8	11	18	29	47
35-49	56	8.7	68	1	2	6	11	19	29	39
50-64	37	5.4	16	1	2	4	7	9	15	19
65+	18	7.4	119	1	1	4	5	19	37	46
TOT. SINGLE DX	325	4.8	23	1	1	3	7	9	12	24
" MULTIPLE DX	249	7.9	69	1	1	6	9	16	23	46
TOTAL 0-19 YRS	150	4.8	42	1	1	2	7	10	13	41
20-34	203	7.2	53	1	1	6	9	13	19	39
35-49	126	6.5	40	1	2	5	8	13	20	37
50-64	65	5.2	14	1	2	4	7	9	14	19
65+	30	6.5	84	<1	1	4	7	16	23	46
GRAND TOTAL	**574**	**6.1**	**45**	**1**	**1**	**4**	**8**	**12**	**18**	**39**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	81	2.4	6	<1	1	2	2	5	7	13
20-34	187	3.9	60	<1	1	2	4	7	11	31
35-49	141	3.4	12	<1	1	2	4	7	11	18
50-64	118	6.5	63	1	1	3	8	14	26	41
65+	108	9.0	83	1	2	6	10	22	29	45
2. MULTIPLE DX										
0-19 YRS	61	3.7	26	<1	1	2	4	7	12	32
20-34	159	7.2	129	1	1	4	8	14	22	70
35-49	178	11.7	180	1	2	7	15	29	42	59
50-64	374	13.3	199	2	2	9	16	31	43	81
65+	567	14.1	156	3	3	10	19	30	41	97
TOT. SINGLE DX	635	5.0	52	<1	1	3	5	11	16	36
" MULTIPLE DX	1339	12.3	170	1	2	8	16	28	40	83
TOTAL 0-19 YRS	142	3.0	15	<1	1	2	3	6	9	22
20-34	346	5.5	95	<1	1	3	5	11	17	64
35-49	319	8.0	123	1	1	4	9	20	31	55
50-64	492	11.6	175	1	2	7	15	28	40	68
65+	675	13.3	148	2	3	9	18	29	39	88
GRAND TOTAL	**1974**	**9.9**	**144**	**1**	**1**	**6**	**13**	**24**	**34**	**65**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	5.3	35	1	1	3	9	14	14	14
20-34	11	4.5	56	1	1	3	3	13	26	27
35-49	11	4.2	9	1	2	3	4	10	11	11
50-64	19	6.0	47	1	1	3	6	19	23	24
65+	11	7.7	18	3	3	7	10	14	15	15
2. MULTIPLE DX										
0-19 YRS	3	19.7	786	2	2	5	40	52	52	52
20-34	14	3.8	5	1	1	3	5	7	9	9
35-49	12	9.9	151	1	2	5	11	32	40	41
50-64	27	8.7	58	2	2	5	13	24	36	99+
65+	45	12.0	50	2	3	11	15	23	25	31
TOT. SINGLE DX	56	5.6	34	1	1	3	7	14	20	27
" MULTIPLE DX	101	9.9	81	1	2	8	13	23	28	75
TOTAL 0-19 YRS	7	11.4	339	1	1	3	12	44	52	52
20-34	25	4.1	26	1	1	3	4	7	13	27
35-49	23	7.2	89	1	2	3	8	17	33	41
50-64	46	7.6	55	1	2	4	11	23	25	99+
65+	56	11.1	47	2	3	10	14	23	25	31
GRAND TOTAL	**157**	**8.4**	**68**	**1**	**2**	**5**	**11**	**22**	**25**	**51**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	987	1.8	1	<1	<1	2	2	3	3	5
20-34	3820	1.9	1	<1	<1	2	2	3	4	6
35-49	7801	2.1	2	<1	<1	2	2	3	4	8
50-64	5170	2.3	3	<1	<1	2	3	4	6	10
65+	2873	2.7	5	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	242	3.5	30	<1	1	2	3	6	9	38
20-34	2035	3.4	26	<1	<1	2	3	7	10	24
35-49	5845	3.5	17	<1	1	2	4	7	10	20
50-64	5774	4.4	31	1	1	2	5	10	13	29
65+	6152	6.1	52	1	1	3	8	14	19	37
TOT. SINGLE DX	20651	2.2	3	<1	<1	2	2	3	5	9
" MULTIPLE DX	20048	4.5	35	<1	1	2	5	10	14	30
TOTAL 0-19 YRS	1229	2.1	8	<1	<1	2	2	3	4	10
20-34	5855	2.4	11	<1	<1	2	2	4	6	13
35-49	13646	2.7	10	<1	<1	2	3	5	7	15
50-64	10944	3.4	19	<1	1	2	3	7	10	22
65+	9025	5.0	40	<1	1	3	6	11	16	32
GRAND TOTAL	40699	3.3	20	<1	<1	2	3	7	10	22

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	169	2.4	1	<1	1	2	3	4	5	7
20-34	165	2.8	3	<1	1	2	3	6	7	10
35-49	262	4.4	6	1	2	4	6	8	9	11
50-64	227	4.7	12	1	2	4	6	8	10	20
65+	443	5.5	10	1	2	5	7	9	10	15
2. MULTIPLE DX										
0-19 YRS	36	2.7	2	<1	1	2	3	4	6	7
20-34	111	5.4	27	1	2	4	6	8	14	31
35-49	408	5.7	15	2	3	5	6	10	12	23
50-64	606	8.1	89	2	2	5	9	15	23	54
65+	1458	9.3	59	2	3	7	11	18	24	41
TOT. SINGLE DX	1266	4.4	9	1	1	4	6	8	9	14
" MULTIPLE DX	2619	8.2	60	2	3	6	9	16	22	40
TOTAL 0-19 YRS	205	2.5	2	<1	1	2	3	4	5	7
20-34	276	3.9	15	<1	1	3	5	7	8	21
35-49	670	5.2	13	1	2	4	6	9	11	19
50-64	833	7.2	70	1	2	5	8	13	20	48
65+	1901	8.4	51	2	3	7	10	16	22	39
GRAND TOTAL	3885	7.0	47	1	2	5	8	13	19	36

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	3.9	4	1	2	4	6	7	7	7
20-34	314	6.2	7	2	3	6	7	10	11	14
35-49	2049	6.2	6	3	4	6	7	9	11	14
50-64	3312	6.6	7	3	4	6	8	10	11	15
65+	2997	7.1	8	3	4	7	8	10	12	17
2. MULTIPLE DX										
0-19 YRS	17	11.4	223	1	2	7	12	27	51	63
20-34	394	6.7	9	3	4	6	8	11	12	18
35-49	2897	7.2	13	3	4	7	9	11	13	19
50-64	5895	8.0	19	3	4	7	9	12	15	26
65+	8341	9.0	29	4	5	8	10	15	18	31
TOT. SINGLE DX	8685	6.7	8	3	4	6	8	10	11	16
" MULTIPLE DX	17544	8.3	24	4	4	7	10	13	16	28
TOTAL 0-19 YRS	30	8.2	139	1	2	5	7	13	30	63
20-34	708	6.4	8	3	3	6	8	10	12	16
35-49	4946	6.8	11	3	4	6	8	10	12	18
50-64	9207	7.5	16	3	4	7	9	11	14	22
65+	11338	8.5	25	4	4	8	10	13	17	28
GRAND TOTAL	26229	7.8	19	3	4	7	9	12	15	24

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1115	2.8	1	1	1	3	3	4	5	8
20-34	2574	2.8	3	<1	<1	3	4	5	6	8
35-49	2171	3.1	3	<1	1	3	4	5	6	9
50-64	967	3.4	3	1	1	3	4	5	7	10
65+	223	3.3	4	1	1	3	4	5	7	12
2. MULTIPLE DX										
0-19 YRS	372	3.5	13	1	1	3	4	5	7	14
20-34	1801	3.6	9	1	1	3	4	6	7	16
35-49	3482	3.9	7	1	1	3	5	7	8	13
50-64	2136	4.3	14	1	2	4	5	7	9	17
65+	587	4.9	24	1	2	4	5	9	13	27
TOT. SINGLE DX	7050	3.0	3	<1	1	3	4	5	6	9
" MULTIPLE DX	8378	4.0	11	1	1	3	5	7	9	16
TOTAL 0-19 YRS	1487	2.9	5	1	1	3	4	5	5	9
20-34	4375	3.1	6	<1	1	3	4	5	6	11
35-49	5653	3.6	6	1	1	3	5	6	8	12
50-64	3103	4.0	11	1	1	3	5	7	8	16
65+	810	4.5	20	1	2	3	5	8	12	24
GRAND TOTAL	15428	3.5	8	1	1	3	4	6	7	13

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2782	3.1	6	1	1	3	4	5	6	9
20-34	4963	3.1	2	1	1	3	4	5	6	9
35-49	712	3.2	3	1	1	3	4	5	7	10
50-64	149	3.5	9	1	1	3	4	6	9	13
65+	39	3.3	3	1	1	3	4	5	7	10
2. MULTIPLE DX										
0-19 YRS	383	4.4	24	1	2	4	5	8	10	22
20-34	940	4.6	18	1	1	4	5	8	11	23
35-49	351	4.9	30	1	1	4	5	9	12	37
50-64	150	6.4	42	1	2	5	7	12	18	30
65+	89	9.5	155	2	2	5	10	21	36	73
TOT. SINGLE DX	8645	3.1	4	1	1	3	4	5	6	9
" MULTIPLE DX	1913	5.0	32	1	2	4	5	9	12	29
TOTAL 0-19 YRS	3165	3.3	8	1	1	3	4	5	7	10
20-34	5903	3.4	6	1	1	3	4	5	7	11
35-49	1063	3.8	13	1	1	3	4	6	8	17
50-64	299	5.0	28	1	1	4	6	9	13	29
65+	128	7.6	117	1	2	4	8	14	26	58
GRAND TOTAL	10558	3.5	10	1	1	3	4	6	7	13

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3292	2.2	6	<1	<1	1	2	4	6	13
20-34	3245	2.7	11	<1	<1	2	3	5	8	16
35-49	3048	2.7	10	<1	<1	2	3	5	8	15
50-64	2681	2.8	12	<1	<1	2	3	5	8	18
65+	1764	3.5	17	<1	<1	2	4	8	12	22
2. MULTIPLE DX										
0-19 YRS	1734	5.9	96	<1	1	3	6	12	25	59
20-34	2988	7.8	104	<1	1	4	9	20	28	52
35-49	4047	7.6	87	<1	1	4	9	17	27	51
50-64	5593	8.0	84	1	1	5	10	18	26	49
65+	7976	10.2	119	1	2	7	13	22	32	70
TOT. SINGLE DX	14030	2.7	11	<1	<1	2	3	5	8	16
" MULTIPLE DX	22338	8.5	103	1	1	5	10	19	28	57
TOTAL 0-19 YRS	5026	3.5	40	<1	<1	2	3	7	11	38
20-34	6233	5.2	63	<1	<1	3	5	12	21	42
35-49	7095	5.5	60	<1	<1	3	6	12	20	41
50-64	8274	6.3	67	<1	1	3	8	14	21	43
65+	9740	9.0	108	1	1	6	11	20	29	63
GRAND TOTAL	36368	6.3	76	<1	<1	3	7	15	22	47

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5415	3.9	24	<1	1	2	5	8	12	26
20-34	5961	4.2	25	<1	1	3	5	9	12	25
35-49	3327	4.9	30	<1	1	3	6	10	14	29
50-64	2423	5.6	43	<1	1	4	7	13	17	32
65+	1993	6.9	66	1	1	4	9	15	23	44
2. MULTIPLE DX										
0-19 YRS	9308	5.7	75	1	1	3	6	12	21	49
20-34	14371	6.9	97	1	1	4	8	15	25	56
35-49	9347	9.2	129	1	1	5	11	22	31	67
50-64	10472	11.7	165	1	2	8	15	27	39	73
65+	18341	14.2	207	2	2	10	18	33	48	99+
TOT. SINGLE DX	19119	4.7	33	<1	1	3	6	10	14	29
" MULTIPLE DX	61839	10.0	154	1	1	6	12	24	36	77
TOTAL 0-19 YRS	14723	5.0	57	<1	1	3	5	11	17	42
20-34	20332	6.1	77	1	1	3	7	13	21	50
35-49	12674	8.1	107	1	1	5	10	18	28	58
50-64	12895	10.5	148	1	1	7	13	24	36	69
65+	20334	13.5	198	1	2	9	17	31	46	99
GRAND TOTAL	80958	8.8	130	1	1	5	11	21	32	68

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	901	6.6	66	1	1	4	8	15	22	41
20-34	909	6.7	55	<1	1	4	9	15	21	42
35-49	551	7.1	71	<1	1	4	9	17	23	42
50-64	478	8.1	81	1	1	5	10	20	27	42
65+	467	12.0	125	1	2	9	17	25	33	57
2. MULTIPLE DX										
0-19 YRS	992	13.6	173	1	2	9	19	31	42	71
20-34	1287	14.7	211	1	2	10	20	34	46	88
35-49	1046	16.6	218	2	2	13	23	37	47	86
50-64	1463	17.1	227	2	3	13	24	39	53	99+
65+	2851	21.1	255	3	5	18	28	45	57	99+
TOT. SINGLE DX	3306	7.7	78	1	1	5	10	18	25	44
" MULTIPLE DX	7639	17.7	235	2	3	14	24	40	52	99+
TOTAL 0-19 YRS	1893	10.3	134	1	1	7	14	24	35	60
20-34	2196	11.4	162	1	1	7	15	27	37	68
35-49	1597	13.3	188	1	2	9	19	31	42	73
50-64	1941	14.9	207	1	2	11	21	35	49	99+
65+	3318	19.8	247	2	4	16	27	43	54	99+
GRAND TOTAL	10945	14.7	209	1	2	10	21	35	46	86

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	311	3.4	34	<1	<1	2	3	7	10	26
20-34	457	4.2	44	<1	1	2	4	8	14	41
35-49	253	5.2	60	<1	<1	2	6	14	17	44
50-64	159	5.4	65	<1	<1	2	6	13	21	44
65+	77	7.5	68	<1	1	5	9	19	24	41
2. MULTIPLE DX										
0-19 YRS	250	7.8	146	1	1	3	8	21	29	63
20-34	504	13.3	320	1	1	5	18	36	57	91
35-49	354	13.9	291	1	1	8	17	40	57	99
50-64	379	16.9	415	1	1	8	27	48	69	98
65+	487	19.6	397	1	2	14	28	55	77	99+
TOT. SINGLE DX	1257	4.6	50	<1	1	2	5	11	17	40
" MULTIPLE DX	1974	15.0	343	1	1	7	21	43	61	99+
TOTAL 0-19 YRS	561	5.4	89	<1	1	2	5	12	23	55
20-34	961	9.0	210	<1	1	3	9	26	41	80
35-49	607	10.3	213	<1	1	4	12	29	46	83
50-64	538	13.5	339	<1	1	5	18	42	58	93
65+	564	17.9	369	1	2	12	26	52	74	99+
GRAND TOTAL	3231	10.9	255	<1	1	4	13	32	50	91

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1411	2.3	6	<1	<1	2	2	4	6	13
20-34	864	2.4	6	<1	<1	2	3	5	7	9
35-49	850	2.8	6	<1	<1	2	4	5	7	11
50-64	840	2.5	5	<1	1	2	3	5	6	10
65+	328	2.9	23	<1	1	2	3	5	7	22
2. MULTIPLE DX										
0-19 YRS	1001	4.2	38	<1	1	2	4	9	13	34
20-34	1149	4.9	39	1	1	3	6	9	13	34
35-49	1484	5.4	39	1	1	4	6	10	16	35
50-64	1742	6.0	68	1	1	3	7	13	20	44
65+	1833	11.4	160	1	2	8	14	27	44	99+
TOT. SINGLE DX	4293	2.5	8	<1	<1	2	3	5	6	12
" MULTIPLE DX	7209	6.8	85	1	1	4	8	15	23	64
TOTAL 0-19 YRS	2412	3.1	21	<1	<1	2	3	6	9	25
20-34	2013	3.8	27	<1	1	2	5	8	10	27
35-49	2334	4.4	29	<1	1	3	5	9	12	30
50-64	2582	4.9	51	1	1	3	5	10	17	41
65+	2161	10.1	149	1	1	7	13	24	39	99+
GRAND TOTAL	11502	5.2	60	<1	1	3	6	11	18	47

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula — *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions — *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin